

Supplementary Materials: High spatial resolution emission inventory of air pollutants and carbon in China's independent coking industry

Xiaochun Chen¹, Jianhui Li^{1,2}, Min Jia³, Shaobo Chen^{1,2}, Shangxuan Zhang⁴, Xin Bo^{1,2,*}, Xue Feng⁵ and Guangxia Dong⁵

¹ College of Chemical Engineering, Beijing University of Chemical Technology, Beijing 100029, China

² BUCT Institute for Carbon-neutrality of Chinese Industries, Beijing 100029, China

³ School of Economics and Management, Beihang University, Beijing 100191, China

⁴ CISDI Engineering Co., Ltd, Chongqing 400013, China

⁵ China National Environmental Monitoring Centre, Beijing 100012, China

* Correspondence: boxin@buct.edu.cn

Section S1: The relationship between the production of coke and GDP.

Table S1. Emission concentration and theoretical flue gas rate for coking.

Table S2. Emission factors based on coking industry emission standards (unit: kg/t).

Table S3. Emission factors of coke oven chimney based on CEMS in 2015 and 2018 (unit: kg/t)

Table S4. Proportion of PM_{2.5} in PM₁₀ (%).

Table S5. Emission factors for other pollutants.

Table S6. Emission concentration and emission factors for coking under the ULE index.

Figure S1. Distribution and scale of production of China's independent coking industry in 2012(a) and 2015(b).

Figure S2. Spatial distributions of PM2.5(a), SO₂(b), and NOX(c) emissions of China's independent coking industry in 2012.

Figure S3. Spatial distributions of PM2.5(a), SO₂(b), and NOX(c) emissions of China's independent coking industry in 2015.

Figure S4. Provincial production of coke and emissions of SO₂, NOX, and PM2.5 of China's independent coking industry in 2012.

Figure S5. Provincial production of coke and emissions of SO₂, NOX, and PM2.5 of China's independent coking industry in 2015.

Figure S6. The prediction of GDP.

Figure S7. The relationship between production of coke and GDP.

Section S1: The relationship between the production of coke and GDP.

According to our estimates, the GDP of China can be accurately predicted by Linear fitting method in Figure S6. We found that the natural logarithm of GDP is a strong linear predictor of the natural logarithm of production of coke. According to the GDP values of several years and the investigated data of the renewal production of coke in independent coking industry, this paper predicted the production of coke in independent coking industry in the next decades (Figure S7).

Table S1. Emission concentration and theoretical flue gas rate for coking.

Emission source	level	Scale Structure	Concentration (GB 16171-2012) (mg/Nm ³)			Concentration (GB 16171-1996) (mg/Nm ³)			Theoretical flue gas rate (Nm ³ /t)
			SO ₂	NO _x	PM ₁₀	SO ₂	NO _x	PM ₁₀	
Coal preparation	First	≥ 100,000 t/a	-	-	15	-	-	-	604
	Second	60,000 t/a-100,000 t/a	-	-	30	-	-	300	601
	Third	< 60,000 t/a	-	-	50	-	-	-	596.4
Coal charging	First	≥100,000 t/a	70	-	30	-	-	-	556.67
	Second	60,000 t/a-100,000 t/a	100	-	50	500	-	300	522
	Third	< 60,000 t/a	150	-	100	-	-	-	525.9
Pushing	First	≥ 100,000 t/a	30	-	30	-	-	-	1670.33
	Second	60,000 t/a-100,000 t/a	50	-	50	500	-	300	1624
	Third	< 60,000 t/a	100	-	100	-	-	-	1624.1
Coke oven chimney	First	≥ 100,000 t/a	200	500	15	-	-	-	1471.33
	Second	60,000 t/a-100,000 t/a	200	500	15	500	-	300	1548.67
	Third	< 60,000 t/a	200	500	15	-	-	-	1548.67
Quenching	First	≥ 100t/a	100	-	50	-	-	-	928
	Second	60,000 t/a-100,000 t/a	100	-	50	500	-	300	928
	Third	< 60,000 t/a	100	-	50	-	-	-	928

Note: Nm³ represents the volume of gas at 273.15 K and 1 standard atmosphere.

Table S2. Emission factors based on coking industry emission standards (unit: kg/t).

Emission source	level	Scale Structure	SO ₂		NO _x		PM ₁₀	
			2012	1996	2012	1996	2012	1996
Coal preparation	First	≥ 100,0000 t/a	-	-	-	-	0.009	
	Second	60,0000 t/a- 100,0000 t/a	-	-	-	-	0.018	0.179
	Third	< 60,0000 t/a	-	-	-	-	0.030	
Coal charging	First	≥100,0000 t/a	0.039		-	-	0.017	
	Second	60,0000 t/a- 100,0000 t/a	0.052	0.263	-	-	0.026	0.158
	Third	< 60,0000 t/a	0.079		-	-	0.053	
Pushing	First	≥100,0000 t/a	0.050		-	-	0.050	
	Second	60,0000 t/a- 100,0000 t/a	0.081	0.812	-	-	0.081	0.487
	Third	< 60,0000 t/a	0.162		-	-	0.162	
Coke oven chimney	First	≥100t/a	0.294		0.736		0.022	
	Second	60,0000 t/a- 100,0000 t/a	1.549	1.549	0.774	0.774	0.023	0.465
	Third	< 60,0000 t/a	1.549		0.774		0.023	
Quenching	First	≥ 100t/a	0.093		-	-	0.046	0.046
	Second	60,0000 t/a- 100,0000 t/a	0.093	0.464	-	-	0.046	0.278
	Third	< 60,0000 t/a	0.093		-	-	0.046	

Table S3. Emission factors of coke oven chimney based on CEMS in 2015 and 2018 (unit:kg/t).

Province	2015			2018		
	PM ₁₀	SO ₂	NO _x	PM ₁₀	SO ₂	NO _x
AH	0.034	0.134	0.596	0.018	0.036	0.319
FJ	0.034	0.134	0.596	0.018	0.036	0.319
GS	0.029	0.045	0.596	0.012	0.055	0.027
GD	0.034	0.134	0.596	0.004	0.014	0.162
GX	0.034	0.134	0.596	0.011	0.072	0.404
GZ	0.034	0.134	0.596	0.018	0.036	0.319
HE	0.031	0.067	0.632	0.012	0.021	0.225
HA	0.031	0.104	0.681	0.014	0.009	0.14
HL	0.034	0.134	0.596	0.018	0.036	0.319
HB	0.034	0.134	0.596	0.018	0.036	0.319
HN	0.034	0.134	0.596	0.009	0.015	0.025
JL	0.034	0.134	0.596	0.023	0.029	0.479
JS	0.034	0.134	0.596	0.014	0.028	0.328
JX	0.047	0.352	0.589	0.016	0.043	0.318
LN	0.034	0.134	0.596	0.027	0.033	0.335
NM	0.028	0.061	0.628	0.022	0.048	0.518
NX	0.034	0.134	0.596	0.018	0.036	0.319
QH	0.034	0.134	0.596	0.018	0.036	0.319

SD	0.034	0.134	0.596	0.02	0.041	0.445
SX	0.034	0.11	0.501	0.02	0.042	0.295
SN	0.034	0.134	0.596	0.018	0.036	0.319
SH	0.034	0.134	0.596	0.018	0.036	0.319
SC	0.034	0.134	0.596	0.036	0.079	0.355
TJ	0.034	0.134	0.596	0.018	0.036	0.319
XJ	0.034	0.134	0.596	0.026	0.077	0.724
YN	0.034	0.134	0.596	0.018	0.036	0.319
ZJ	0.034	0.134	0.596	0.019	0.044	0.515
CQ	0.043	0.296	0.565	0.018	0.036	0.319
TOTAL	0.034	0.134	0.596	0.018	0.036	0.319

Table S4. Proportion of PM_{2.5} in PM₁₀ (%).


Quenching	Coal preparation	Coal charging and pushing	Coke oven chimney
30.46 ¹	37.78 ¹	40.97 ¹	40.97 ¹

¹(Zhang, 2015).**Table S5.** Emission factors for other pollutants.


Pollutants	VOCs (kg/t)	CO (kg/t)	BC (%)	OC (%)
Emission factor	2.96 ²	1.6 ²	30 ³	35 ³

²(He, 2017) ³(Lei, 2008).**Table S6.** Emission concentration and emission factors for coking under the ULE index.

Emission source	Concentration (mg/Nm ³)			Emission factors (kg/t)		
	SO ₂	NO _X	PM ₁₀	SO ₂	NO _X	PM ₁₀
Coal preparation	0.000	0.000	10.000	0.000	0.000	0.006
Coal charging	0.000	0.000	10.000	0.000	0.000	0.005
Pushing	0.000	0.000	10.000	0.000	0.000	0.016
Coke oven chimney	30.000	150.000	10.000	0.046	0.232	0.015
Quenching	50.000	0.000	10.000	0.046	0.000	0.009





(a) 2012



(b) 2015

Figure S1. Distribution and scale of production of China's independent coking industry in 2012(a) and 2015(b).

(a) PM_{2.5} Emissions(b) SO₂ Emissions



(c) NO_x Emissions

Figure S2. Spatial distributions of PM_{2.5}(a), SO₂(b), and NO_x(c) emissions of China's independent coking industry in 2012.

(a) PM_{2.5} Emissions



(b) SO_2 Emissions(c) NO_x Emissions

Figure S3. Spatial distributions of $\text{PM}_{2.5}$ (a), SO_2 (b), and NO_x (c) emissions of China's independent coking industry in 2015.




Figure S4. Provincial production of coke and emissions of SO₂, NO_x, and PM_{2.5} of China's independent coking industry in 2012.




Figure S5. Provincial production of coke and emissions of SO₂, NO_x, and PM_{2.5} of China's independent coking industry in 2015.




Figure S6. The prediction of GDP.




Figure S7. The relationship between production of coke and GDP.

References

1. He K, 2017. Technical Manual for the Preparation of Urban Air Pollutant Emission Inventory 2017. Tsinghua University, Beijing (in Chinese).
2. Lei Y, 2008. Research on Anthropogenic Emissions and Control of Primary Particles and its Key Chemical Components. Tsinghua University, Beijing, China. (in Chinese).
3. Zhang G, 2015. Emission Characteristics of Particulate Matter of Steel Plants. Northeastern University, Liaoning, China. (in Chinese).