

*Supplementary Information*

## Seasonal and Diurnal Variations of Total Gaseous Mercury in Urban Houston, TX, USA. *Atmosphere* 2014, 5, 399–419

Xin Lan <sup>1,\*</sup>, Robert Talbot <sup>1</sup>, Patrick Laine <sup>2</sup>, Barry Lefer <sup>1</sup>, James Flynn <sup>1</sup> and Azucena Torres <sup>1</sup>

<sup>1</sup> Institute for Climate and Atmospheric Sciences, Department of Earth & Atmospheric Sciences, University of Houston, Houston, TX 77204, USA; E-Mails: rtalbot@uh.edu (R.T.); blefer@uh.edu (B.L.); jhflynny@uh.edu (J.F.); azucena.r.torres@gmail.com (A.T.)

<sup>2</sup> Portnoy Environmental Incorporation, Houston, TX 77043, USA;  
E-Mail: plaine2324@gmail.com (P.L.)


\* Author to whom correspondence should be addressed; E-Mail: xlan3@uh.edu (X.L.);  
Tel.: +1-347-276-3889.

Received: 10 March 2014; in revised form: 22 April 2014 / Accepted: 28 April 2014 /

Published: 30 May 2014

This supplementary supports the main text as follows:

**Figure S1.** Satellite image of Houston and Houston Ship Channel Area (in purple box). MT site is note in red dot.




**Table S1.** Statistics of key trace gases with 5 min. resolution.

<b>Species</b>	<b>Count</b>	<b>Mean</b>	<b>Median</b>	<b>Max.</b>	<b>Min.</b>	<b>Std. Dev.</b>	<b>10th</b>	<b>90th</b>	<b>Sampling Period</b>
THg (ppqv)	86945	181.03	172.16	4876.72	80.37	62.79	152.23	216.74	8/26/2011–10/24/2012
CO (ppbv)	80104	178.73	160.77	2508.71	64.53	81.29	109.04	262.87	10/4/2011–10/24/2014
O <sub>3</sub> (ppbv)	117745	33.25	30.73	232.98	0.23	18.27	11.81	57.98	8/26/2011–10/24/2012
CH <sub>4</sub> (ppmv)	40943	1.95	1.88	12.72	1.80	0.38	1.76	2.14	6/4/2012–10/24/2012
CO <sub>2</sub> (ppmv)	67083	410.64	407.07	664.05	385.00	16.63	394.05	431.57	2/16/2012–10/24/2012
SO <sub>2</sub> (ppbv)	18624	0.74	0.32	43.27	0.10	1.68	0.12	1.28	9/27/2011–12/9/2011, 8/1/2012–9/27/2012
NO (ppbv)	66159	1.50	0.25	139.40	0.00	5.60	0.04	2.77	2/29/2012–10/24/2012
NO <sub>2</sub> (ppbv)	66075	6.75	3.91	84.54	0.00	7.78	0.91	16.65	2/29/2012–10/24/2013

**Table S2.** Correlation coefficient (R value) between THg and other species or meteorological factors. NS means statistically non-significant (95%).

	<b>CO</b>	<b>O<sub>3</sub></b>	<b>Temp.</b>	<b>RH</b>	<b>WS</b>	<b>CO<sub>2</sub></b>	<b>H<sub>2</sub>O</b>	<b>Precip.</b>	<b>SO<sub>2</sub></b>	<b>CH<sub>4</sub></b>	<b>NO</b>	<b>NO<sub>2</sub></b>
Fall11	0.225	-0.135	0.039	0.077	-0.236	--	--	0.010 NS	0.175	--	--	--
Winter11	0.138	-0.081	-0.025	0.039	-0.075	--	--	0.012 NS	--	--	--	--
Spring12	0.406	-0.063	-0.059	0.003 NS	-0.168	0.400	-0.039	0.019	--	--	0.321	0.345
Summer12	0.362	-0.206	-0.219	0.247	-0.273	0.421	0.056	-0.002 NS	0.052 NS	0.376	0.443	0.415

**Figure S2.** Number distribution of THg for the whole study period. The last bin on the right represents the total count of  $\text{THg} \geq 1000 \text{ ppqv}$ . This dataset is not normally distributed (fail the Kolmogorov-Smirnov normality test). Skewness equals to 25.5; Kurtosis equals to 1132.



© 2014 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/3.0/>).