


Correction

Correction: Fang, G., et al. Combining Grey Relational Analysis and a Bayesian Model Averaging Method to Derive Monthly Optimal Operating Rules for a Hydropower Reservoir. *Water* 2018, 10, 1099

Guohua Fang ¹, Yuxue Guo ^{1,*} , Xianfeng Huang ¹, Martine Rutten ² and Yu Yuan ¹

¹ College of Water Conservancy and Hydropower Engineering, Hohai University, Nanjing 210098, China; ghfang@hhu.edu.cn (G.F.); hxfhuang2005@163.com (X.H.); yuanyu@hhu.edu.cn (Y.Y.)

² Water Management, Rotterdam University of Applied Sciences, 3015 GG Rotterdam, The Netherlands; M.M.Rutten@tudelft.nl

* Correspondence: yuxueguo@hhu.edu.cn; Tel.: +86-152-9552-1721

Received: 21 November 2018; Accepted: 26 November 2018; Published: 4 December 2018



In the published article [1], the authors realized some errors in the Funding Section, and thus wish to replace the Funding Section with the paragraph below:

Funding: This research was funded by the Priority Academic Program Development of Jiangsu Higher Education Institutions (PAPD) and the Postgraduate Research and Practice Innovation Program of Jiangsu Province (KYZZ16_0287).

The authors would like to apologize for any inconvenience caused to the readers by this change. The change does not affect the scientific results. The manuscript will be updated and the original will remain online on the article webpage, with a reference to this correction.

Reference

1. Fang, G.; Guo, Y.; Huang, X.; Rutten, M.; Yuan, Y. Combining Grey Relational Analysis and a Bayesian Model Averaging Method to Derive Monthly Optimal Operating Rules for a Hydropower Reservoir. *Water* **2018**, *10*, 1099. [[CrossRef](#)]



© 2018 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).