


Correction

Correction: Xu, M., et al. Modeling Glacier Mass Balance and Runoff in the Koxkar River Basin on the South Slope of the Tianshan Mountains, China, from 1959 to 2009. *Water* 2017, 9, 100

Min Xu ¹, Haidong Han ¹ and Shichang Kang ^{1,2,*} 

¹ State Key Laboratory of Cryospheric Science, Cold and Arid Regions Environmental and Engineering Research Institute, Chinese Academy of Sciences, Lanzhou 730000, China; xumin@126.com (M.X.); hhd@lzb.ac.cn (H.H.)

² CAS Center for Excellence in Tibetan Plateau Earth Sciences, Chinese Academy of Sciences, Beijing 100101, China

* Correspondence: shichang.kang@lzb.ac.cn; Tel.: +86-931-496-7368

Received: 19 February 2020; Accepted: 19 February 2020; Published: 20 February 2020



The authors wish to make the following corrections to this paper [1], in the caption of Figure 3:




Figure 3. Schematic structure of the HBV (Hydrologiska Byråns Vattenavdelning) model, version HBV light model (used with permission from [22], originally painted by Petra Seibert).

The authors would like to apologize for any inconvenience caused to the readers by these changes.

References

1. Xu, M.; Han, H.; Kang, S. Modeling Glacier Mass Balance and Runoff in the Koxkar River Basin on the South Slope of the Tianshan Mountains, China, from 1959 to 2009. *Water* **2017**, *9*, 100. [[CrossRef](#)]
22. Seibert, J.; Vis, M.J.P. Teaching hydrological modeling with a user-friendly catchment-runoff-model software package. *Hydrol. Earth. Syst. Sci.* **2012**, *16*, 3315–3325. [[CrossRef](#)]



© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).