

Supplementary Materials for
**Spatial-temporal distribution of phosphorus fractions and their relationship in
water-sediment phases in the Tuojiang River, China**

Dandan Liu^{1,2,3}, Xueying Li^{1,2}, Yue Zhang^{1,2}, Zhibo Lu³, Lu Bai^{1,2,*}, Qi Qiao^{1,2,3*}and Jingyang Liu^{1,2}

¹ State Key Laboratory of Environmental Criteria and Risk Assessment, Chinese Research Academy of Environmental Sciences, Beijing, 100012, China

² SEPA Key Laboratory of Eco-Industry, Chinese Research Academy of Environmental Sciences, Beijing, 100012, China

³ State Key Laboratory of Pollution Control and Resource Reuse, College of Environmental Science and Engineering, Tongji University, Shanghai, 200092, China

*Correspondence: bailu@craes.org.cn (L.B.); qiaoqi@craes.org.cn (Q.Q.); Tel.: +86-10-84919337 (L.B.) +86-10-84915107 (Q.Q.)

Introduction

This PDF contains information about the sampling sites in the Tuojiang River.

Table S1. Sampling sites in the Tuojiang River.

Sites	Longitude (°E)	Latitude (°N)	Water depth (m)	
			Wet season	Dry season
S1	104.11	31.57	0.2	0.2
S2	104.26	31.19	0.8	0.7
S3	104.40	31.06	2.5	2.1
S4	104.37	30.97	1.2	1.0
S5	104.36	30.92	1.2	1.1
S6	104.38	30.90	1.0	0.9
S7	104.39	30.86	0.6	0.5
S8	104.50	30.76	1.2	0.8
S9	104.53	30.60	2.8	2.7
S10	104.77	30.48	2.0	1.5
S11	104.54	30.41	0.7	0.7
S12	104.70	30.16	3.8	3.5
S13	104.66	30.10	4.1	3.8
S14	104.68	30.06	3.2	3.1
S15	104.66	29.99	0.4	0.3
S16	104.44	30.00	0.5	0.3
S17	104.65	29.96	4.3	2.8
S18	104.97	29.68	3.2	2.0
S19	105.08	29.58	2.0	1.8
S20	105.02	29.46	0.8	0.5
S21	104.74	29.36	4.3	2.1
S22	104.82	29.34	4.0	2.0
S23	104.95	29.14	7.4	3.3
S24	104.96	29.14	5.7	3.5
S25	105.22	29.00	2.8	1.9
S26	105.26	28.97	0.6	0.6
S27	105.34	29.01	1.8	1.1
S28	105.36	28.95	0.7	0.5
S29	105.43	28.88	4.2	2.3