



Review

# Wastewater Management in Agriculture

Carmen Otilia Rusănescu 10, Marin Rusănescu 2,\* and Gabriel Alexandru Constantin 1,\*0

- Faculty of Biotechnical Systems Engineering, University Politehnica of Bucharest, 313 Spl. Independentei, 060042 Bucharest, Romania
- <sup>2</sup> Valplast Industrie, 9 Preciziei Blv., 062202 Bucharest, Romania
- \* Correspondence: marinrusanescu@gmail.com (M.R.); gabriel\_alex99@yahoo.com (G.A.C.)

Abstract: Considering the global climate changes that have disrupted the availability of fresh water and led to the emergence of drought, an effective management strategy for water quality must be implemented. In this work, we analyzed the possibility of used and treated water being reused and the effect of its use on soil on the development of plants. In the case of irrigation with treated wastewater, the following parameters increased: calcium carbonate equivalent, organic matter, content of phosphorus, calcium, potassium, sodium, nitrogen, biochemical oxygen consumption; chemical oxygen demand (COD), decreased sodium absorption rate, soil electrical conductivity, pH, magnesium content, and soil bulk density. Due to the micronutrients it contains, the use of treated wastewater in irrigation can be an organic fertilizer for the soil. Wastewater is a source of soil water supply. Untreated wastewater may contain, depending on the source (industry, pharmacies, medicine, households), toxic compounds, bacteria, viruses, and helminths, which, if used for long periods of time in irrigation, can have a negative impact on health and the environment, reaching the soil, the roots of the crops, and then the underground water. Therefore, these waters must be used after adequate treatment. Global climate change disrupts the availability of fresh water and negatively influences the occurrence of floods, droughts, and water quality, which is why any water source must be managed correctly.

Keywords: climate change; bacteria; treated water; wastewater; soil; water management



Citation: Rusănescu, C.O.; Rusănescu, M.; Constantin, G.A. Wastewater Management in Agriculture. *Water* **2022**, *14*, 3351. https://doi.org/10.3390/w14213351

Academic Editors: Mariusz Adynkiewicz-Piragas and Daniel Gebler

Received: 4 October 2022 Accepted: 19 October 2022 Published: 22 October 2022

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).

# 1. Introduction

The increase in the average global atmospheric temperature by approximately  $1.2\,^{\circ}\text{C}$  compared to the end of the 19th century has had a negative impact on the environment and on health [1]. Until 2019, the concentration of greenhouse gases in the EU from industry was 9.10%, from agriculture 10.55%, from waste management 3.32%, from energy 77.01%. The objectives of the European Union regarding a reduction in pollutant emissions are that, by 2050, they should be zero, and by 2030, they should be reduced by 55% [1].

Taking into account the fact that global climate change disrupts the availability of fresh water and negatively influences the occurrence of floods, droughts, and water quality [2], solutions must be found to treat wastewater [3]. Human and industrial activities have altered the quality of water resources, especially in the last 50 years, and pollution has had an impact on most water bodies on the globe; therefore, any water source must be managed correctly, and an effective quality management strategy must be implemented for the water [2]. Moreover, Pehme et al. [4] confirmed that organic and nonorganic pollutants from landfills are a source of groundwater pollution [4].

Considering the lack of water in many countries, in this paper, we have analyzed the possibility that treated wastewater can be used for soil and crop irrigation.

According to meteorological forecasts, by 2100, the average global temperature will increase by 3.5 °C compared to the pre-industrial period, which will lead to drought and wildfires, which will affect the environmental compartments, making it necessary to exploit any source of water [3]. Water from rivers supplies many regions of the globe, and it is

Water 2022, 14, 3351 2 of 17

vitally important, considering that the amount of water from rivers represents 0.0001% of available water [5].

The estimated population growth of 8.6 billion in 2030 and 11.2 billion in 2100 [6] will also facilitate an increase in the need for food and natural resources from agriculture [7]. Due to the agricultural drought caused by a lack of precipitation as a result of climate change, many agricultural areas would be reduced, and thus the production of crops decreased [8].

Many European countries are facing water stress, as evidenced by the conversion ratio from the total water extraction of a country to all renewable freshwater resources, highlighting the pressure exerted on water resources. Figure 1 shows the water stress index for each country [9]. High water shortage occurs when there are water losses greater than 75% of the renewable water resources; when water losses are greater than 60%, we have water shortages; when losses are over 25%, we have water stress. Extremely high water stress values greater than 80% are found in the following countries: Libya, Israel, Egypt, Jordan, Saudi Arabia, Turkmenistan, and Uzbekistan. Water stress is considered high for values in the range of 40–80%, affecting China, India, Afghanistan, and South Africa. Countries with low–moderate water stress (10–20%) are the United States and Kazakhstan; South America, Canada and Russia have low water stress (<10%).




Figure 1. Water stress index for European countries (adapted from [2]).

Arid areas are affected by water stress.

According to studies carried out by Engin and Demir [10], there are no wastewater treatment plants in underprivileged areas due to their high price [10].

The uncontrolled discharge of municipal and industrial wastewater pollutes the environment [11].

Improving water reserves by reusing wastewater is a solution to the existing water deficit due to drought that would help increase water reserves for agriculture and to thus fertilize agricultural lands [12,13]. According to [14,15], the use of wastewater in irrigation has the following advantages: it reduces the pressure on underground water resources, increases the efficiency of agricultural production, lowers costs for wastewater treatment, increases the hydraulic conductivity of the soil, increases the porosity of the soil, decreases the bulk density of the soil, decreases the pH saline soil compared to the soil that was watered with water from the river [14,15]. By treating wastewater, physical soil properties and fertility can be improved, organic matter content can be increased, soil structure improved, and the soil water storage capacity can be increased [16]. The use of wastewater for irrigation brings more nutrients to the soil than freshwater, such as nitrogen,

Water 2022, 14, 3351 3 of 17

phosphorus, potassium, and organic matter, which are able to replace chemical fertilizers, thus reinducing environmental pollution [17–19].

According Zema et al. [13], the water deficit is due to the lack of precipitation, the existence of inefficient water distribution networks, the high demand for irrigation water, and the reduced efficiency of irrigation, the deficient treatment of wastewater, and climate change [13]. The use of treated wastewater in agriculture is a method of disposing and managing wastewater [20].

The drought that has manifested itself in many countries affects energy production and reduces crop yields [5]; therefore, a sustainable management strategy for the water quantities of all hydrographic basins (rivers, dams, and underground waters), domestic wastewater and industrial, is important. Soil irrigation with untreated wastewater can affect soil quality, agricultural crops, and, depending on its origin, human health due to the content of heavy metals, suspended solids, antibiotics, detergents, and pathogenic microorganisms [21]. Industrial wastewater use can degrade soil and contaminate groundwater, as well as decrease soil hydraulic conductivity and the infiltration rate [22]. Attention must be paid to the method of treating wastewater used in irrigation to reduce the long-term effects of wastewater on crops intended for human consumption.

The harmful effects on the soil when using wastewater for irrigation depend on the type of treatment applied before reuse [23–25]. In order to have quality water [26,27], and to avoid the eutrophication of natural waters, the nitrogen and phosphorus contents resulting from industrial wastewater and from agricultural and residential activities must be reduced; therefore, the removal of phosphorus in wastewater treatment plants should be pursued [26]. According to [26], the regulation of phosphorus penetration into natural water can be achieved by climatic factors [26]. Saaremäe et al. [28] achieved a 98% reduction in phosphorus content in wastewater using Ca–Fe oxide granules. Bunce et al. [29] used the green microalgae Scenedesmus sp. and Chlorella sp. for the removal of phosphorus from wastewater [29]; phosphorus can be removed by using biochemical processes, specifically, 20–30% by primary and secondary wastewater treatment chemically and 20–40% of phosphorus by biological, physical-chemical processes [30]. Each source of water must be managed and treated [31]. According to [32], in order to evaluate the impact of climate change on natural waters, it is important to know what influence the hydrology of the watershed has on the nutrients and pollutants in the water [32].

To avoid water and soil pollution, wastewater treatment plants have been built [18]. According to the data in Table 1, the share of the population in countries that treat wastewater in treatment plants has increased to 95% in the following countries: Denmark, Germany, Luxembourg, Austria, Sweden, Switzerland, and the United Kingdom. One in two households in Malta and Croatia (in 2020) was connected to secondary urban wastewater treatment plants, and in Iceland (in 2010), Albania, Serbia (in 2020), and in Bosnia and Herzegovina (in 2019). Between 2002 and 2020, Cyprus and Portugal had an increase in wastewater treatment from 18.3% in 2002 to 82.7% in 2018 and from 27.0% to 84.6% [33].

Fifty to eighty percent of the amount of water used comes from household activities. Wastewater also comes from industries and agriculture [34], and the global amount of discharged wastewater is 400 billion m<sup>3</sup>/year [19]. Of the water requirement in agriculture, over 70% comes from treated wastewater [19]. Worldwide, treated wastewater is used to irrigate more than 20 million ha of land [19] (Figure 2).

Water **2022**, 14, 3351 4 of 17

**Table 1.** Share of the population with access to urban wastewater treatment plants, 2002–2020 (%) (data from [33]).

Belgium 47.7 53.2 57.4 71.0 75.0 76.8 80.5 82.8 84.3 83.6 Bulgaria 37.8 38.0 38.8 41.4 45.1 53.9 54.8 61.8 63.7 65.1 Czechia 69.7 70.8 71.9 75.4 76.9 78.0 79.8 81.2 82.3 83.4 Demmark 88.0 93.4 94.2 96.3 96.8 97.1 97.7 Germany (1) (3) (4) 92.6 93.8 97.3 91.9 95.6 95.4 95.6 96.0 Estonia 71.0 72.0 78.0 84.0 79.0 81.0 83.0 83.0 83.0 83.0 Ireland (1) (4) (5) (10) 29.0 59.0 71.0 58.8 60.0 61.2 61.8 61.9 Spain 88.0 85.0 85.0 87.4 92.0 92.8 93.4 94.2 95.6 Spain 88.0 88.0 88.0 93.0 88.7 84.7 86.6 86.6 - France (1) 77.3 79.5 77.7 80.2 80.4 80.5 80.2 79.9 Croatia 54.2 57.5 - 57.6 - 59.6 71.1 75.4 80.4 Lithuania (2) 18.3 28.4 29.8 7.0 57.6 57.6 57.6 57.6 1.2 14.1 75.4 80.4 Lithuania (2) 47.5 - 63.7 63.1 69.4 73.5 75.8 77.0 Luxemburg (2) (3) - 88.1 63.7 63.1 69.4 73.5 75.8 77.0 Luxemburg (2) (3) - 88.1 1.2 91.9 93.3 14.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 6.5 Netherlands 98.5 98.9 99.1 99.3 99.5 99.5 99.5 99.5 99.5 P0.5 Austria (1) 86.0 88.9 91.8 92.7 93.9 94.5 95.0 99.8 99.8 99.1 P0.1 90.3 14.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 6.5 Netherlands 98.5 98.9 99.1 99.3 99.5 99.5 99.5 99.5 99.5 99.5 P0.1 P0.1 18.4 29.3 47.6 51.1 56.9 68.5 73.5 78.1 80.4 80.4 80.4 80.9 P0.1 90.3 14.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0											
Bulgaria 37.8 38.0 38.8 41.4 45.1 53.9 54.8 61.8 63.7 65.1 Czechia 69.7 70.8 71.9 75.4 76.9 78.0 79.8 81.2 82.3 83.4 Denmark 88.0 93.4 94.2 96.3 96.8 97.1 97.7 Germany (¹) (³) (³) 92.6 93.8 97.3 91.9 95.6 95.4 95.6 96.0 Estonia 71.0 72.0 78.0 84.0 79.0 81.0 83.0 83.0 83.0 83.0 Ireland (¹) (⁴) (⁵) (¹0) 29.0 59.0 71.0 58.8 60.0 61.2 61.8 61.9 Greece (⁴) (¹0) 85.0 87.4 92.0 92.8 93.4 94.8 94.2 Spain 88.0 - 88.0 88.0 93.0 88.7 84.7 86.6 86.6 - France (¹) 77.3 79.5 77.7 80.2 80.4 80.5 80.2 79.9 Croatia 54.2 57.5 - 57.6 - 59.6 7.0 36.9 36.9 36.9 36.9 36.9 36.9 36.9 36.9		2002	2004	2006	2008	2010	2012	2014	2016	2018	2020
Czechia         69.7         70.8         71.9         75.4         76.9         78.0         79.8         81.2         82.3         83.4           Denmark         88.0         -         -         -         93.4         94.2         96.3         96.8         97.1         97.7           Germany (¹) (³) (⁴)         92.6         93.8         97.3         91.9         95.6         95.4         95.6         96.0         -         -         -           Estonia         71.0         72.0         78.0         84.0         79.0         81.0         83.0         83.0         83.0           Ireland (¹) (⁴) (⁶) (¹0¹)         29.0         -         -         59.0         71.0         58.8         60.0         61.2         61.8         61.9           Greece (⁴) (¹0¹)         -         -         -         88.0         88.0         93.0         88.7         84.7         86.6         86.6         -           France (¹)         77.3         79.5         -         -         77.7         80.2         80.4         80.2         99.9         36.9         36.9         36.9         36.9         36.9         36.9         36.9         36.9         36.9	Belgium	47.7	53.2	57.4	71.0	75.0	76.8	80.5	82.8	84.3	83.6
Denmark   S8.0   -   -   -   93.4   94.2   96.3   96.8   97.1   97.7	Bulgaria	37.8	38.0	38.8	41.4	45.1	53.9	54.8	61.8	63.7	65.1
Germany (¹) (³) (⁴)         92.6         93.8         97.3         91.9         95.6         95.4         95.6         96.0         -         -           Estonia         71.0         72.0         78.0         84.0         79.0         81.0         83.0         84.7         86.6         66.6         -         86.6         -         77.7         80.2         80.4         80.5         80.2         79.9           Croatia         -         -         -         -         -         -         -         77.7         80.2         80.4         80.5         80.2         79.9           Croatia         -         -         -         -         -         -         -         57.6         -         59.6         -         -         -         -         20.0         36.9         36.9         36.9         36.9	Czechia	69.7	70.8	71.9	75.4	76.9	78.0	79.8	81.2	82.3	83.4
Estonia 71.0 72.0 78.0 84.0 79.0 81.0 83.0 83.0 83.0 83.0 Ireland (1) (4) ( $^5$ ) (10) 29.0 59.0 71.0 58.8 60.0 61.2 61.8 61.9 Greece (4) (10) 88.0 88.0 88.0 93.0 88.7 84.7 86.6 86.6 - France (1) 77.3 79.5 - 7.7 77.7 80.2 80.4 80.5 80.2 79.9 Croatia 7.7 80.2 80.4 80.5 80.2 79.9 Croatia 54.2 57.5 - 57.6 - 59.6 - 59.6 Cyprus (3) 18.3 28.4 29.8 7.7 76.0 36.9 36.9 36.9 36.9 36.9 36.9 Italy (3) (8) 47.5 51.1 62.7 62.5 55.1 58.9 67.6 71.2 74.1 75.4 80.4 Lithuania (3) 47.5 - 63.7 63.1 69.4 73.5 75.8 77.0 Luxemburg (2) (3) - 88.1 96.6 96.9 97.0 97.0 98.3 Hungary 32.4 40.2 45.3 50.0 72.8 73.5 78.1 80.4 80.4 80.9 Malta 12.9 10.9 93. 14.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 6.5 Netherlands 98.5 98.9 99.1 99.3 14.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 6.5 Netherlands 98.5 98.9 99.1 99.3 99.5 99.4 99.5 99.5 99.5 99.5 P9.5 P0.5 P0.5 P0.5 P0.5 P0.5 P0.5 P0.5 P0	Denmark	88.0	-	-	-	93.4	94.2	96.3	96.8	97.1	97.7
Ireland (¹) (¹) (⁵) (¹0)   29.0   -   -   59.0   71.0   58.8   60.0   61.2   61.8   61.9     Greece (⁴) (¹0)   -   -   -   85.0   87.4   92.0   92.8   93.4   94.8   94.2     Spain   88.0   -   88.0   88.0   93.0   88.7   84.7   86.6   86.6   -     France (¹)   77.3   79.5   -   -   77.7   80.2   80.4   80.5   80.2   79.9     Croatia   -   -   -   -   -   36.9   36.9   36.9   36.9   36.9     Italy (³) (8)   -   -   54.2   57.5   -   57.6   -   59.6   -   -     Cyprus (³)   18.3   28.4   29.8   -   -   -   -   -   82.7   -     Latvia   51.1   62.7   62.5   55.1   58.9   67.6   71.2   74.1   75.4   80.4     Lithuania (³)   -   47.5   -   63.7   63.1   69.4   73.5   75.8   77.0     Luxemburg (²) (³)   -   88.1   -   -   -   96.6   96.9   97.0   97.0   98.3     Hungary   32.4   40.2   45.3   50.0   72.8   73.5   78.1   80.4   80.4   80.9     Malta   12.9   10.9   9.3   14.6   0.0   0.0   0.0   0.0   0.0   0.0   6.5     Netherlands   98.5   98.9   99.1   99.3   99.5   99.4   99.5   99.5   99.5   99.5     Austria (¹)   86.0   88.9   91.8   92.7   93.9   94.5   95.0   99.8   99.8   99.1     Poland   54.1   56.8   60.7   62.9   64.5   68.5   71.4   73.4   74.0   74.8     Portugal (²) (⁵) (°)   27.0   32.0   37.0   52.0   55.8   -   -   -     84.6   -     Romania (³)   -   16.9   16.9   -   22.7   35.3   38.2   43.8   48.1   51.8     Slovenia   18.4   29.3   47.6   51.1   51.6   53.7   55.6   63.2   69.0   69.3     Slovakia   -   -   -   -   -   -   -   63.6   65.7   68.8     Finland   81.0   81.0   82.0   82.0   83.0   83.0   85.0   84.0   85.0   85.0     Sweden (¹0)   93.0   94.0   94.0   94.0   94.0   95.0   95.0   95.0   96.0   96.0     Iceland (³)   1.0   1.0   2.0   2.0   1.0   -   -   -   -   -   -   -   -   -	Germany $(^1)(^3)(^4)$	92.6	93.8	97.3	91.9	95.6	95.4	95.6	96.0	-	-
Greece (4) (10)	Estonia	71.0	72.0	78.0	84.0	79.0	81.0	83.0	83.0	83.0	83.0
Spain         88.0         -         88.0         98.0         98.0         88.7         84.7         86.6         86.6         -           France (¹)         77.3         79.5         -         -         77.7         80.2         80.4         80.5         80.2         79.9           Croatia         -         -         -         -         -         -         36.9         36.	Ireland $(^1)(^4)(^5)(^{10})$	29.0	-	-	59.0	71.0	58.8	60.0	61.2	61.8	61.9
France (1) 77.3 79.5 77.7 80.2 80.4 80.5 80.2 79.9 Croatia 54.2 57.5 - 56.9 36.9 36.9 36.9 36.9 36.9 Italy (3) (8) 54.2 57.5 - 57.6 - 59.6 Cyprus (3) 18.3 28.4 29.8 82.7 - 1.2 Extria 51.1 62.7 62.5 55.1 58.9 67.6 71.2 74.1 75.4 80.4 Eithuania (3) 47.5 - 63.7 63.1 69.4 73.5 75.8 77.0 Euxemburg (2) (3) - 88.1 96.6 96.9 97.0 97.0 98.3 Hungary 32.4 40.2 45.3 50.0 72.8 73.5 78.1 80.4 80.4 80.9 Malta 12.9 10.9 9.3 14.6 0.0 0.0 0.0 0.0 0.0 0.0 6.5 Netherlands 98.5 98.9 99.1 99.3 99.5 99.4 99.5 99.5 99.5 99.5 Austria (1) 86.0 88.9 91.8 92.7 93.9 94.5 95.0 99.8 99.8 99.1 Poland 54.1 56.8 60.7 62.9 64.5 68.5 71.4 73.4 74.0 74.8 Portugal (2) (5) (9) 27.0 32.0 37.0 52.0 55.8 84.6 - Romania (3) - 16.9 16.9 - 22.7 35.3 38.2 43.8 48.1 51.8 Slovenia 18.4 29.3 47.6 51.1 51.6 53.7 55.6 63.2 69.0 69.3 Slovakia 63.6 65.7 68.8 Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden (10) 93.0 94.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 1celand (3) 1.0 1.0 2.0 2.0 2.0 1.0	Greece (4) (10)	-	-	-	85.0	87.4	92.0	92.8	93.4	94.8	94.2
Croatia 54.2 57.5 - 57.6 - 59.6 Cyprus (³) (8) 54.2 57.5 - 57.6 - 59.6 Cyprus (³) 18.3 28.4 29.8 82.7 - Latvia 51.1 62.7 62.5 55.1 58.9 67.6 71.2 74.1 75.4 80.4 Lithuania (³) 47.5 - 63.7 63.1 69.4 73.5 75.8 77.0 Luxemburg (²) (³) - 88.1 96.6 96.9 97.0 97.0 98.3 Hungary 32.4 40.2 45.3 50.0 72.8 73.5 78.1 80.4 80.4 80.9 Malta 12.9 10.9 9.3 14.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 6.5 Netherlands 98.5 98.9 99.1 99.3 99.5 99.4 99.5 99.5 99.5 99.5 Austria (¹) 86.0 88.9 91.8 92.7 93.9 94.5 95.0 99.8 99.8 99.1 Poland 54.1 56.8 60.7 62.9 64.5 68.5 71.4 73.4 74.0 74.8 Portugal (²) (⁵) (°) 27.0 32.0 37.0 52.0 55.8 84.6 - Romania (³) - 16.9 16.9 - 22.7 35.3 38.2 43.8 48.1 51.8 Slovenia 18.4 29.3 47.6 51.1 51.6 53.7 55.6 63.2 69.0 69.3 Slovakia 63.6 65.7 68.8 Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden (¹0) 93.0 94.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 1celand (³) 1.0 1.0 2.0 2.0 1.0	Spain	88.0	-	88.0	88.0	93.0	88.7	84.7	86.6	86.6	-
Italy (³) (8)         -         -         54.2         57.5         -         57.6         -         59.6         -         -           Cyprus (³)         18.3         28.4         29.8         -         -         -         -         -         82.7         -           Latvia         51.1         62.7         62.5         55.1         58.9         67.6         71.2         74.1         75.4         80.4           Lithuania (³)         -         -         47.5         -         63.7         63.1         69.4         73.5         75.8         77.0           Luxemburg (²) (³)         -         88.1         -         -         -         96.6         96.9         97.0         97.0         98.3           Hungary         32.4         40.2         45.3         50.0         72.8         73.5         78.1         80.4         80.9         98.3           Malta         12.9         10.9         9.3         14.6         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 </td <td>France (1)</td> <td>77.3</td> <td>79.5</td> <td>-</td> <td>-</td> <td>77.7</td> <td>80.2</td> <td>80.4</td> <td>80.5</td> <td>80.2</td> <td>79.9</td>	France (1)	77.3	79.5	-	-	77.7	80.2	80.4	80.5	80.2	79.9
Cyprus (³) 18.3 28.4 29.8 82.7 - Latvia 51.1 62.7 62.5 55.1 58.9 67.6 71.2 74.1 75.4 80.4 Lithuania (³) 47.5 - 63.7 63.1 69.4 73.5 75.8 77.0 Luxemburg (²) (³) - 88.1 96.6 96.9 97.0 97.0 98.3 Hungary 32.4 40.2 45.3 50.0 72.8 73.5 78.1 80.4 80.4 80.9 Malta 12.9 10.9 9.3 14.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 6.5 Netherlands 98.5 98.9 99.1 99.3 99.5 99.4 99.5 99.5 99.5 99.5 Austria (¹) 86.0 88.9 91.8 92.7 93.9 94.5 95.0 99.8 99.8 99.1 Poland 54.1 56.8 60.7 62.9 64.5 68.5 71.4 73.4 74.0 74.8 Portugal (²) (⁵) (°) 27.0 32.0 37.0 52.0 55.8 84.6 - Romania (³) - 16.9 16.9 - 22.7 35.3 38.2 43.8 48.1 51.8 Slovenia 18.4 29.3 47.6 51.1 51.6 53.7 55.6 63.2 69.0 69.3 Slovakia 63.6 65.7 68.8 Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden (¹0) 93.0 94.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 Iceland (³) 1.0 1.0 2.0 2.0 1.0	Croatia	-	-	-	-	-	36.9	36.9	36.9	36.9	36.9
Latvia 51.1 62.7 62.5 55.1 58.9 67.6 71.2 74.1 75.4 80.4 Lithuania (³) 47.5 - 63.7 63.1 69.4 73.5 75.8 77.0 Luxemburg (²) (³) - 88.1 96.6 96.9 97.0 97.0 98.3 Hungary 32.4 40.2 45.3 50.0 72.8 73.5 78.1 80.4 80.4 80.9 Malta 12.9 10.9 9.3 14.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 6.5 Netherlands 98.5 98.9 99.1 99.3 99.5 99.4 99.5 99.5 99.5 99.5 Austria (¹) 86.0 88.9 91.8 92.7 93.9 94.5 95.0 99.8 99.8 99.1 Poland 54.1 56.8 60.7 62.9 64.5 68.5 71.4 73.4 74.0 74.8 Portugal (²) (⁵) (°) 27.0 32.0 37.0 52.0 55.8 84.6 - Romania (³) - 16.9 16.9 - 22.7 35.3 38.2 43.8 48.1 51.8 Slovenia 18.4 29.3 47.6 51.1 51.6 53.7 55.6 63.2 69.0 69.3 Slovakia 63.6 65.7 68.8 Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden (¹0) 93.0 94.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 1celand (³) 1.0 1.0 2.0 2.0 1.0	Italy $(^3)(^8)$	-	-	54.2	57.5	-	57.6	-	59.6	-	-
Lithuania (3) 47.5 - 63.7 63.1 69.4 73.5 75.8 77.0 Luxemburg (2) (3) - 88.1 96.6 96.9 97.0 97.0 98.3 Hungary 32.4 40.2 45.3 50.0 72.8 73.5 78.1 80.4 80.4 80.9 Malta 12.9 10.9 9.3 14.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 6.5 Netherlands 98.5 98.9 99.1 99.3 99.5 99.4 99.5 99.5 99.5 99.5 Austria (1) 86.0 88.9 91.8 92.7 93.9 94.5 95.0 99.8 99.8 99.1 Poland 54.1 56.8 60.7 62.9 64.5 68.5 71.4 73.4 74.0 74.8 Portugal (2) (5) (9) 27.0 32.0 37.0 52.0 55.8 84.6 - Romania (3) - 16.9 16.9 - 22.7 35.3 38.2 43.8 48.1 51.8 Slovenia 18.4 29.3 47.6 51.1 51.6 53.7 55.6 63.2 69.0 69.3 Slovakia 63.6 65.7 68.8 Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden (10) 93.0 94.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 1celand (3) 1.0 1.0 2.0 2.0 1.0	Cyprus ( <sup>3</sup> )	18.3	28.4	29.8	-	-	-	-	-	82.7	-
Luxemburg (²) (³)       -       88.1       -       -       -       96.6       96.9       97.0       97.0       98.3         Hungary       32.4       40.2       45.3       50.0       72.8       73.5       78.1       80.4       80.4       80.9         Malta       12.9       10.9       9.3       14.6       0.0	Latvia	51.1	62.7	62.5	55.1	58.9	67.6	71.2	74.1	75.4	80.4
Hungary 32.4 40.2 45.3 50.0 72.8 73.5 78.1 80.4 80.4 80.9 Malta 12.9 10.9 9.3 14.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 6.5 Netherlands 98.5 98.9 99.1 99.3 99.5 99.4 99.5 99.5 99.5 99.5 Poland 54.1 56.8 60.7 62.9 64.5 68.5 71.4 73.4 74.0 74.8 Portugal (2) (5) (9) 27.0 32.0 37.0 52.0 55.8 84.6 - Romania (3) - 16.9 16.9 - 22.7 35.3 38.2 43.8 48.1 51.8 Slovenia 18.4 29.3 47.6 51.1 51.6 53.7 55.6 63.2 69.0 69.3 Slovakia 63.6 65.7 68.8 Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden (10) 93.0 94.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 Iceland (3) 1.0 1.0 2.0 2.0 2.0 1.0	Lithuania ( <sup>3</sup> )	-	-	47.5	-	63.7	63.1	69.4	73.5	75.8	77.0
Malta       12.9       10.9       9.3       14.6       0.0       0.0       0.0       0.0       0.0       0.0       0.0       6.5         Netherlands       98.5       98.9       99.1       99.3       99.5       99.4       99.5       99.8       99.8       99.1       48.6       -       -       -       -       -       -       -       -       -       - <td>Luxemburg <math>(^2)(^3)</math></td> <td>-</td> <td>88.1</td> <td>-</td> <td>-</td> <td>-</td> <td>96.6</td> <td>96.9</td> <td>97.0</td> <td>97.0</td> <td>98.3</td>	Luxemburg $(^2)(^3)$	-	88.1	-	-	-	96.6	96.9	97.0	97.0	98.3
Netherlands 98.5 98.9 99.1 99.3 99.5 99.4 99.5 99.5 99.5 99.5 99.5 Austria (¹) 86.0 88.9 91.8 92.7 93.9 94.5 95.0 99.8 99.8 99.1 Poland 54.1 56.8 60.7 62.9 64.5 68.5 71.4 73.4 74.0 74.8 Portugal (²) (⁵) (9) 27.0 32.0 37.0 52.0 55.8 84.6 - Romania (³) - 16.9 16.9 - 22.7 35.3 38.2 43.8 48.1 51.8 Slovenia 18.4 29.3 47.6 51.1 51.6 53.7 55.6 63.2 69.0 69.3 Slovakia 63.6 65.7 68.8 Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden (¹0) 93.0 94.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 1celand (³) 1.0 1.0 2.0 2.0 1.0	Hungary	32.4	40.2	45.3	50.0	72.8	73.5	78.1	80.4	80.4	80.9
Austria (1) 86.0 88.9 91.8 92.7 93.9 94.5 95.0 99.8 99.8 99.1 Poland 54.1 56.8 60.7 62.9 64.5 68.5 71.4 73.4 74.0 74.8 Portugal (2) (5) (9) 27.0 32.0 37.0 52.0 55.8 84.6 - Romania (3) - 16.9 16.9 - 22.7 35.3 38.2 43.8 48.1 51.8 Slovenia 18.4 29.3 47.6 51.1 51.6 53.7 55.6 63.2 69.0 69.3 Slovakia 63.6 65.7 68.8 Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden (10) 93.0 94.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 1celand (3) 1.0 1.0 2.0 2.0 1.0	Malta	12.9	10.9	9.3	14.6	0.0	0.0	0.0	0.0	0.0	6.5
Poland 54.1 56.8 60.7 62.9 64.5 68.5 71.4 73.4 74.0 74.8 Portugal (2) (5) (9) 27.0 32.0 37.0 52.0 55.8 84.6 - Romania (3) - 16.9 16.9 - 22.7 35.3 38.2 43.8 48.1 51.8 Slovenia 18.4 29.3 47.6 51.1 51.6 53.7 55.6 63.2 69.0 69.3 Slovakia 63.6 65.7 68.8 Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden (10) 93.0 94.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 Iceland (3) 1.0 1.0 2.0 2.0 1.0	Netherlands	98.5	98.9	99.1	99.3	99.5	99.4	99.5	99.5	99.5	99.5
Portugal (²) (⁵) (9)         27.0         32.0         37.0         52.0         55.8         -         -         -         84.6         -           Romania (³)         -         16.9         16.9         -         22.7         35.3         38.2         43.8         48.1         51.8           Slovenia         18.4         29.3         47.6         51.1         51.6         53.7         55.6         63.2         69.0         69.3           Slovakia         -         -         -         -         -         -         -         -         63.6         65.7         68.8           Finland         81.0         81.0         82.0         82.0         83.0         83.0         85.0         84.0         85.0         85.0           Sweden (¹0)         93.0         94.0         94.0         94.0         95.0         95.0         95.0         96.0         96.0           Iceland (³)         1.0         1.0         2.0         2.0         1.0         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -	Austria (1)	86.0	88.9	91.8	92.7	93.9	94.5	95.0	99.8	99.8	99.1
Romania (3) - 16.9 16.9 - 22.7 35.3 38.2 43.8 48.1 51.8 Slovenia 18.4 29.3 47.6 51.1 51.6 53.7 55.6 63.2 69.0 69.3 Slovakia 63.6 65.7 68.8 Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden (10) 93.0 94.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 Iceland (3) 1.0 1.0 2.0 2.0 1.0 Norway 47.9 48.3 49.5 49.9 55.7 66.8 67.9	Poland	54.1	56.8	60.7	62.9	64.5	68.5	71.4	73.4	74.0	74.8
Slovenia       18.4       29.3       47.6       51.1       51.6       53.7       55.6       63.2       69.0       69.3         Slovakia       -       -       -       -       -       -       -       -       63.6       65.7       68.8         Finland       81.0       81.0       82.0       82.0       83.0       83.0       85.0       84.0       85.0       85.0         Sweden (10)       93.0       94.0       94.0       94.0       95.0       95.0       95.0       96.0       96.0         Iceland (3)       1.0       1.0       2.0       2.0       1.0       -	Portugal $(^{2})(^{5})(^{9})$	27.0	32.0	37.0	52.0	55.8	-	-	-	84.6	-
Slovakia       -       -       -       -       -       -       -       -       -       68.8         Finland       81.0       81.0       82.0       82.0       83.0       83.0       85.0       84.0       85.0       85.0         Sweden (10)       93.0       94.0       94.0       94.0       95.0       95.0       95.0       96.0       96.0         Iceland (3)       1.0       1.0       2.0       2.0       1.0       -       -       -       -       -       -         Norway       -       -       -       47.9       48.3       49.5       49.9       55.7       66.8       67.9	Romania ( <sup>3</sup> )	-	16.9	16.9	-	22.7	35.3	38.2	43.8	48.1	51.8
Finland 81.0 81.0 82.0 82.0 83.0 83.0 85.0 84.0 85.0 85.0 Sweden ( $^{10}$ ) 93.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 Iceland ( $^{3}$ ) 1.0 1.0 2.0 2.0 1.0 Norway 47.9 48.3 49.5 49.9 55.7 66.8 67.9	Slovenia	18.4	29.3	47.6	51.1	51.6	53.7	55.6	63.2	69.0	69.3
Sweden ( $^{10}$ ) 93.0 94.0 94.0 94.0 95.0 95.0 95.0 96.0 96.0 1celand ( $^{3}$ ) 1.0 1.0 2.0 2.0 1.0 Norway 47.9 48.3 49.5 49.9 55.7 66.8 67.9	Slovakia	-	-	-	-	-	-	-	63.6	65.7	68.8
Iceland (3) 1.0 1.0 2.0 2.0 1.0 Norway 47.9 48.3 49.5 49.9 55.7 66.8 67.9	Finland	81.0	81.0	82.0	82.0	83.0	83.0	85.0	84.0	85.0	85.0
Norway 47.9 48.3 49.5 49.9 55.7 66.8 67.9	Sweden (10)	93.0	94.0	94.0	94.0	94.0	95.0	95.0	95.0	96.0	96.0
	Iceland ( <sup>3</sup> )	1.0	1.0	2.0	2.0	1.0	-	-	-	-	-
Switzerland $\binom{3}{7}$ $\binom{7}{7}$ 96.0 - 97.0 - 98.0	Norway	-	-	-	47.9	48.3	49.5	49.9	55.7	66.8	67.9
	Switzerland $(^3)(^7)$	96.0	-	97.0	-	98.0	-	-	-	-	-
United Kingdom ( <sup>3</sup> ) 99.0 99.0 99.0 96.9 99.5 9.0 10.0 12.5 12.9 13.8	United Kingdom (3)	99.0	99.0	99.0	96.9	99.5	9.0	10.0	12.5	12.9	13.8
Albania 42.0 49.1 56.3 60.8 61.1	Albania	-	-	-	-	-	42.0	49.1	56.3	60.8	61.1
Serbia 5.1 5.8 6.8 7.2 8.6	Serbia	5.1	5.8	6.8	7.2	8.6					
Turkey 19.2 24.8 29.6 31.4 37.6 42.0 49.1 56.3 60.8 61.1	Turkey	19.2	24.8	29.6	31.4	37.6	42.0	49.1	56.3	60.8	61.1
Bosnia and Herzegovina 9.9 10.0 10.0 10.7 10.9 11.4 11.8 29.6 29.0 29.6	Bosnia and Herzegovina (10)	9.9	10.0	10.0	10.7	10.9	11.4	11.8	29.6	29.0	29.6
Kosovo * ( <sup>6</sup> ) 0.55	Kosovo * ( <sup>6</sup> )	-	-	-	-	-	0.55	-	-	-	-

(-) not available (¹) data for 2001 instead of 2002 (²) data for 2003 instead of 2004 (³) data for 2005 instead of 2005 (⁴) data for 2007 instead of 2008 (⁵) data for 2009 instead of 2010 (⁶) data for 2011 instead of 2012 (♂) data for 2013 instead of 2014 (⁶) data for 2015 instead of 2015 (⁶) data for 2017 instead of 2018 (¹⁰) data for 2019 instead of 2020. \* This designation is without prejudice to positions on status, and is in line with UNSCR 1244/1999 and the ICJ Opinion on the Kosovo declaration of independence.

Water 2022, 14, 3351 5 of 17




Figure 2. Wastewater reuse and the hydrologic cycle (adapted from [19]).

#### 2. The Impact of Irrigation with Treated Wastewater on Crops

Due to the drought and a lack of water, especially in arid countries, special attention is currently being paid to the reuse of treated wastewater in irrigation. Currently, the volume of wastewater reuse has increased by 10% to 29% annually in Europe, the United States, and China, and with values lower than 41% in Australia [19,32,35]. Due to the treatment of wastewater, the percentage of its use for irrigation and drinking water has increased [36,37].

According to Rodriguez et al. [37], currently, through the implementation of wastewater treatment technologies, this water is being reused in irrigation as a source of drinking water in developed countries [37].

In Israel, the irrigation of agricultural crops is carried out at values higher than 80% of the treated wastewater [38]. In California, the quality of used water for irrigation is regulated according to standards [19]. The construction of wastewater treatment plants has increased the use of wastewater for irrigation, especially in arid and semi-arid regions.

In arid regions, wastewater and treated water are used to irrigate crops. The use of wastewater from certain industries can cause the accumulation of metals in soil, crops, and food [19].

According to the studies carried out by Qadir et al. [39], the use of untreated wastewater for irrigation can pollute the soil with heavy metals [40] from industries, which can accumulate in the upper part of the soil. For moderate levels of metals in wastewater, no special management is required if the soils are calcareous. If the soil is acidic, weeding should be carried out, avoiding the use of fertilizers and selecting crops that do not accumulate heavy metals.

In deep groundwater, it will take longer for the salts, nitrates, metals, and pathogens contained in the untreated wastewater used for irrigation to have negative effects [39]. The high content of nitrogen, potassium, and phosphorus in the soil irrigated with wastewater determines the development of the following crops: wheat, corn, soybeans, peas, cabbage, tomatoes, lettuce, alfalfa, fruits and cereals, reeds, napier grass, and canola [41–45].

According to Muchuweti et al. [46], the drip irrigation method is ecological because environmental risks can be reduced, direct contact with plant leaves is avoided, water consumption is reduced, nitrate leaching rates can be reduced [47], and contamination with pathogens and soil salinity can be monitored due to the high concentration of sodium in the effluent [18].

According to the studies carried out by Urbano et al. [18], by using the drip irrigation method of lettuce with treated wastewater compared to drinking water, the concentrations of the following nutrients from the soil increased: potassium, calcium, aluminum, nitrogen, and sulfur. E. coli bacteria were not detected on the leaves of lettuce, the physical properties

Water 2022, 14, 3351 6 of 17

of the soil were not affected, and the production of lettuce was higher on the soil irrigated with treated water compared to the soil irrigated with drinking water [18]. Moreover, Souza et al. [18] highlighted the benefits of using drip irrigation with treated wastewater in sewage treatment plants over the sprinkler irrigation method.

The use of wastewater treated at treatment plants in irrigation can replace the use of inorganic fertilizers due to its nitrogen and phosphorus content compared to drinking water, producing quality crops [48–52].

Wastewater irrigation is frequently used in underdeveloped, arid, and semi-arid countries [53,54].

A lot of biomasses were obtained by irrigating energy crops and reeds with wastewater [55].

Green onions, dried onions, and lettuce can be irrigated with wastewater [56]; when irrigating tomatoes with wastewater from the food industry [57], no pathogens were found. Moreover, the reuse of wastewater from the food industry for the irrigation of agricultural crops is available without increasing the health risk related to microbial quality [57].

By irrigating with wastewater treated at a treatment plant, spinach [56], carrots [58], radishes [59], cucumbers [60], eggplant [50], tomatoes [50], and rice [61] had an optimal development. Mandarins [62], bananas [63], lemons [64], apples, and nectarines [65] all had reduced species of bacteria.

According to the studies carried out in the paper in the work [2], untreated wastewater should not be used to irrigate vegetables, but only for fodder crops and fruit trees. Before harvesting crops, irrigation with wastewater should not be used.

### 3. The Impact of Irrigation with Wastewater on the Soil

The main source of water pollution in some countries [66–69] is represented by wastewater [59].

According to [70], the irrigation of tomato and broccoli crops with agro-industrial wastewater to which secondary and tertiary purification and ultrafiltration treatments and disinfection UV radiation were applied did not affect the soil quality and growth of these crops. The irrigation method was by drip so that the plants did not have direct contact with the water, thus avoiding possible contamination with pathogenic bacteria and reducing the amount of water used; these wastewaters are no longer being discharged into the natural waters and are protected (Table 2) [70]. According to Arast et al. [16], wastewater used for soil irrigation, depending on its origin, can have harmful hydrological and physicochemical effects on soils and can modify soil properties in the short or long term [16]. The impact of wastewater irrigation on hydraulic conductivity and on the physico-chemical properties of the soils should be studied in comparison with non-irrigated soils or soils irrigated with clean water and with underground water. The content of phosphorus, potassium, organic matter, calcium, and sodium must be analyzed.

<b>Table 2.</b> Quality indicators	s of purified and potable w	vastewater used for irrigation	n (data from [41,59,70]).

Parameter	TW [41,53]		UW [41,53]		TTW [70]	SW [70]	RW [70]	WHO [59]
рН	7.45 [59]	7.9 [41]	7.89 [59]	7.2 [41]	$7.5 \pm 0.5$	$6.8 \pm 0.4$	$5.7 \pm 0.5$	6–9
EC, dS/m	2.15 [59]	2.3 [41]	3.510 [59]	0.8 [41]	$2.7 \pm 0.5$	$2.7 \pm 1.1$	$2.8 \pm 0.7$	0–3
$SAR meq L^{-1}$	7.27 [59]	-	13 [59]	-	NM	NM	NM	0–15
TDS (mg/L)	764.55 [ <del>5</del> 9]	2157 [41]	1612 [59]	1469 [41]	NM	NM	NM	0-2000
SS (mg/L)	130.55 [59]	-	0 [59]	-	$15.7 \pm 4.9$	$26.6\pm14.6$	$249.1 \pm 89.3$	10
COD (mg/L)	17.14 [59]	59 [41]	10 [59]	34 [41]	$37.7 \pm 14.5$	$40.6\pm16.9$	$985.3 \pm 321.6$	0.5
BOD (mg/L)	2.8 [59]	32 [41]	0.8 [59]	18 [41]	$37.7 \pm 14.5$	$23.1\pm1.3$	-	100

SAR: sodium adsorption ratio; EC: electrical conductivity; TDS: total dissolved solids, suspended solids (SS), BOD: biochemical oxygen demand; COD: chemical oxygen demand. TW—treated water, UW—underground water, RW—secondary treated wastewater, TTW—tertiary treated wastewater, SW—secondary treated wastewater.

Water 2022, 14, 3351 7 of 17

Mirzaei-Takhtgahi et al. [71] and Andrews et al. [72] found that the bulk density of soil irrigated with wastewater decreases due to the formation of soil aggregates.

The use of treated wastewater in irrigation improved all soil characteristics. The following parameters increased: equivalent calcium carbonate, soil organic matter [73], content of phosphorus, calcium, potassium, sodium, total inorganic nitrogen, bio-chemical oxygen, and chemical oxygen demand. The sodium absorption rate, soil electrical conductivity, pH, and magnesium content decreased [74]. Soil electrical conductivity (salinity) is a cause of agricultural soil degradation because it leads to swelling and the dispersion of soil aggregates [2].

The increase in the number of organic materials in a land irrigated with wastewater compared to the agricultural soil irrigated with groundwater can be related to the large number of organic materials in the wastewater used for irrigation [17,73].

High temperature values favor the development of human pathogens in water [59].

Table 2 shows the following parameters of the treated wastewater and groundwater used for irrigation: sodium adsorption ratio (SAR), soil electrical conductivity (EC), pH, dissolved solids content (SS), biochemical oxygen consumption (BOD), and chemical oxygen demand (COD).

The recommended pH values for irrigation water are between 7 and 8.5; any pH value that does not fall within this range indicates the inadequate quality of the irrigation water [17,59]. The evaluation of fresh and used water for irrigation is performed according to the standards of the World Health Organization (WHO) [75–77].

As can be seen, the pH values of the water are in accordance with WHO standards. EC electrical conductivity had higher values in the case of underground water (3.510 dS/m) compared to treated wastewater [35,78,79]. Soils irrigated with treated wastewater had higher electrical conductivities due to the presence of dissolved solids in the soil compared to soils irrigated with ground water [41,80,81]; moreover, lower electrical conductivity values were also found when irrigated with wastewater [82,83]. Nutrients  $(NO_3, phosphorus, calcium, potassium)$  are found in wastewater, which help the development of plants.

The combination of treated wastewater with well water has a better quality than treated wastewater [63]. The content of macroelements, microelements, and anions were higher in the case of irrigation with wastewater; however, it did not exceed the optimal values (Table 1).

When wastewater is used for soil irrigation, attention must be paid to the pH value so as not to acidify the soil salinity, and suspended solids in the soil should not be high in regard to the content of the organic matter and macronutrients [79]. The increase in nutrients and metals in the soil can be due to the decrease in the soil pH value [78,80]. The high pH values of the soil irrigated with wastewater can influence the decrease in soil nutrients, namely, nitrogen, phosphorus, potassium, zinc [22], which can favor the accumulation of organic matter on the surface of the soil, such as black alkali [22].

According to [83] the high concentration of sodium can cause the swelling of the irrigated soil for long periods of time when wastewater is used [36].

Irrigation of the soil with untreated wastewater for a long period of time affects the physical, chemical, and hydraulic characteristics of the soil, decreases water infiltration into the soil and hydraulic conductivity by clogging the pores of the soil at the surface with suspended materials, and reduces the bulk density of the soil [36]. The porosity of the soil irrigated with wastewater was reduced from 40% for the soil irrigated with tap water to 24% for the soil irrigated with wastewater [22].

# 3.1. Analysis of Metals in the Soil as a Result of Irrigation with Wastewater

The accumulation of metals in the soil is influenced by the following factors: pH, cation exchange capacity of the soil, concentration of metals in wastewater, soil texture, and duration of irrigation. According to Habibi et al. [17], the concentration of heavy metals in the soil irrigated with wastewater exceeds the permissible limit in 10–50 years. Soil

Water 2022, 14, 3351 8 of 17

iron density increases after five years of wastewater irrigation, and iron, zinc, manganese, copper, nickel, and lead concentrations increase after 20 years [73].

Table 3 shows the number of metals and micronutrients in soils irrigated with fresh water and wastewater. It is observed that the use of wastewater for soil irrigation led to an increase in the concentrations of iron, copper, zinc, and manganese. The high concentration of ammonium in wastewater causes its accumulation in the soil, and hydrogen ions from ammonium can lower the pH of the soil, thus helping the development of crops.

**Table 3.** The concentration of nutrients and metals in soils irrigated with fresh water and wastewater (data from [17,41,59]).

	Wastewater		Freshwater		WHO [59]
Fe, mg/kg	9.02 [17]	1.58 [54]	1.96 [17]	-	-
Cu, mg/kg	1.14 [17]	0.050 [54]	2.98 [17]	-	-
Zn, mg/kg	18.3 [17]	NM	7.92 [17]	-	-
Mn, mg/kg	10.54 [17]	0.096 [54]	7.76 [17]	-	-
$Ca^{++}$ (mg/L)	61.15 [59]	54 [41]	54.28 [59]	15 [41]	400
$Mg^{++}$ (mg/L)	11.51 [59]	21 [41]	27.66 [59]	9 [41]	60
$Na^+ (mg/L)$	43.53 [59]	119 [41]	83.76 [59]	26 [41]	900
$K^+$ (mg/L)	6.5 [59]	22 [41]	3.89 [59]	5 [41]	0–2
$Fe^{++}$ (mg/L)	1.58 [59]	167 [41]	0.018 [59]	72 [41]	5
$Mn^{++} (mg/L)$	0.096 [59]	86 [41]	0.002 [59]	23 [41]	0.2
$Cu^{++}$ (mg/L)	0.050 [59]	37 [41]	0.079 [59]	18 [41]	0.2
$Pb^{+++}$ (mg/L)	0.019 [59]	18 [41]	0.004 [59]	8 [41]	5
$Cd^{++}$ (mg/L)	0.0091 [59]	5 [41]	0.0001 [59]	2 [41]	0.2
$Cr^{++}$ (mg/L)	0.014 [59]	-	0.029 [59]	-	0.1
$Ni^{++}$ (mg/L)	0.032 [59]	7 [41]	0.006 [59]	3 [41]	0.2
Zn	-	56 [41]	-	17 [41]	-
Co	-	23 [41]	-	4 [41]	-
$\mathrm{NH_{4}^{+}}(\mathrm{mg/L})$	33.31 [59]	18 [41]	0 [59]	5 [41]	0–5
$NO_3^-$ (mg/L)	23.48 [59]	-	0 [59]	-	0–8
P <sub>3</sub> <sup>-</sup> (mg/L)	6.56 [59]	-	0 [59]	-	0–2

Soil pollution with heavy metals is due to irrigation with untreated wastewater, and these metals affect agricultural crops as well [78]. Metal concentrations in purified wastewater do not exceed the limits provided in the WHO standard (Table 3) [58,77].

# 3.2. The Content of Pathogens in Wastewater

In wastewater, there can be bacteria, coliforms, and streptococci that endanger people's health [17,59]. According to the research carried out by Pedrero et Alarcón [63], faecal coliforms were identified in treated wastewater (Table 4), their level exceeding the maximum concentration ranges for use in irrigation water recommended by the World Health Organization (WHO, 1989).

According to the studies carried out by Singh [84], the following microorganisms can exist in wastewater:

- bacteria  $1-10^{10}$  n/L of wastewater; depending on the amount of wastewater and the source, they can survive in water for 10-60 days, in cultures for 2-30 days, and in soil 10-70 days [84];
- helminths  $1-10^3$  n/L can survive in crops for 30–60 years [84], and their eggs can live for many years in the soil;
- protozoa  $1-10^4$  n/L can survive in water for 15–180 days, in cultures for 2–10 days, and in soil for 10–150 days [84];

Water 2022, 14, 3351 9 of 17

- viruses 1–10<sup>6</sup> n/L can survive in water for 50–120 days, in cultures for 15–60 days, and in soil for 20–100 days [84].

<b>Table 4.</b> The bacteria	present in the treated	l water and in the	underground water	(data from	[59]).

Bacterial Count/100 mL	TW	UW	WHO
Total viable bacterial count	$1.1 \times 10^3  [59]$	$2.4\times10^2$	ND
Total coliform	962 [59]	240	1000
Fecal coliform	240 [59]	0.0	<1000
Fecal Streptococci	35–65 [59]	0.0	ND
E. coli	60 [59]	0.0	ND
P. aeuroginosa	20 [59]	0.0	ND
Salmonella	4 [59]	0.0	ND
Total Vibrio	4 [59]	ND	ND
Listeria group	4 [59]	ND	ND
Nematode (egg/L)	3 [59]	ND	1

ND: not detected. TW—treated water, UW—underground water.

These microorganisms can cause the following health problems: diarrhea, cholera, gastroenteritis, giardia, eye infections, meningitis, liver infections, malaria, heart and kidney diseases, dysentery, fever, amebiasis, giardiasis, cryptosporidiosis, respiratory diseases, skin rashes, and paralysis [84]. Helminth eggs and protozoa are very dangerous and very difficult to remove by water treatment [85]. For example, E. coli can exist in sewage contaminated with feces.

Some pathogens can survive for many years in the soil or on crop surfaces if they have a humid environment and high organic content in the soil, their inactivation being achieved by exposure to direct sunlight [34,84,86].

Bacteria have a longer lifespan in soil than on crops or in wastewater [84]. Protozoa viruses have the same survival time in soil and in water. Lettuce, root vegetables, carrots, onions, and radishes irrigated with untreated wastewater, if eaten raw, can be infected with pathogenic microorganisms. Depending on the source (industry, pharmacies, medicine, households), untreated wastewater may contain other toxic compounds such as pharmaceuticals, pesticides, fungicides, herbicides, and polyaromatic compounds, which, if used for long periods of time in irrigation, can be dangerous for the environment and health; these compounds reach the soil, the roots of the crops, and then the groundwater [87–94]. The E. coli count for leaf crops must be less than or equal to  $10^4$ ; for root crops, it must be less than or equal to  $10^3$  (CFU/100 mL); for drip-irrigated crops, it must be less or equal to  $10^5$  [80]; the number of helminth eggs (n/L) must be less than one [84].

#### 4. Wastewater Treatment Procedures

Due to the nutrients that the wastewater contains (sodium, calcium, magnesium, potassium), it can function as an organic fertilizer for the soil [95]. Irrigation of a land area of 4000 m³/ha with 18–60 mg/L of treated wastewater would enrich the soil with 64–248 kg/ha of nitrogen; 6–23 mg/L of treated wastewater would enrich the soil with 16–96 kg/ha of phosphorus. Moreover, 4–66 mg/L of treated wastewater adds to the soil 8–276 kg of potassium, 108–722 lg/ha of sodium from irrigation with 29–178 mg/L, 36–444 kg/ha of magnesium from irrigation with 11–111 mg/L, and 73–821 kg/ha of calcium from irrigation with 21–213 mg/L wastewater [95]. It is recommended to treat the used water so that it is not dangerous for vegetation, animals, and people [96–98].

Treatments applied to wastewater can be preliminary or pretreatments (physical and mechanical) [99]; primary (physico-chemical and chemical); secondary (chemical and biological); tertiary (physical and chemical) (Figure 3) [100].

Water 2022, 14, 3351 10 of 17




Figure 3. Wastewater treatment methods (adapted from [100]).

In the mechanical treatment of wastewater, coarse impurities are filtered, and the water is treated mechanically, wherein approximately 20–30% of the solid substances it contains are removed [100].

The water obtained after primary treatment cannot be used to irrigate crops. Water obtained through secondary and tertiary treatments is recommended for irrigating crops. Advanced treated wastewater is used for indirect drinking and the recharging of surface and groundwater bodies [84].

The elimination of pollutants can be achieved by:

- Conventional methods involving the coagulation and flocculation of suspended solids in a colloidal state or dispersed in very fine particles; chemical precipitation to remove very fine colloidal and suspended substances from wastewater by adding coagulants that make them settle; biodegradation; sand filtration; adsorption;
- Water depollution by electrochemical treatment, membrane separation, advanced oxidation, and nanofiltration [100].

Through aerobic and anaerobic treatment, certain biological micropollutants can be eliminated [101].

According to the research carried out by [102], in untreated wastewater, salinity, dissolved and suspended solids, electrical conductivity, nitrates, and trace elements did not exceed the standardized values. Nitrates exceeded the values stipulated in the standards. Before being used in irrigation, the water used with these organic micropollutants should be treated by nanofiltration [102].

According to [103], another method of eliminating pharmaceutical products from wastewater is through the use of activated carbon and ozonation. The use of anaerobic membrane bioreactors and enzymes can help to eliminate organic micropollutants from wastewater with low costs and high efficiency. In the future, it is recommended to use some economical and environmentally friendly technologies for the elimination of organic micropollutants from wastewater, such as the use of anaerobic membrane bioreactors, constructed wetlands, and different wetlands that, through processes such as pyrolysis, sorption, biodegradation, photolysis, and volatilization, can remove these organic micropollutants with an efficiency between 54 and 98%; lastly, the use of enzymes can help with low costs and high efficiency [103]. According to [104], the toxicity of water polluted with organic micropollutants was analyzed by bioanalytical tests, being applied seven wastewater treatment barriers: the source control; the wastewater treatment plant, the application of the microfiltration treatment, reverse osmosis treatment, and advanced oxidation treatment, natural environment in a tank and drinking water treatment plant (Figure 4). At each treatment stage the toxicity of the water samples was monitored and it was found that the toxicity of the water samples decreased along the seven treatment barriers, certain

Water 2022, 14, 3351 11 of 17

toxic compounds were no longer detected. Bioanalytical tests were used to evaluate the efficiency of micropollutant removal during the water treatment stages. Toxic equivalent concentrations in water samples were applied to the umuC test indicating genotoxicity. These organic micropollutants can have effects on human health as follows: cytotoxicity, genotoxicity, oxidative stress, and cellular effects on the human body, as well as protein damage and estrogenic effects. [105].




Figure 4. Treatments applied to wastewater in order to be reused (adapted from [105]).

Organic pollutants that can exist in industrial wastewater are combustion products, industrial chemicals, consumer and personal care products, biocides, pharmaceuticals, industrial chemicals, pesticides, human metabolites and environmental transformation products, combustion byproducts, water treatment by products, and natural hormones.

Through the bioanalytical tests performed on the organic micropollutants in drinking water treated with these treatments, it was found that there were no drinking water standards exceeded (Figure 5).

According to Council Directive 91/271/EEC of 21 May 1991, regarding the treatment of urban wastewater, for the purpose of its recovery, the current technologies used to remove these pollutants do not completely remove them, as they can be found in sewage sludge, causing problems when the sludge is reused in agriculture [106]. The benefits of wastewater treatment are greater than the costs, and they are conducive to a reduction in the pollutants in the treated wastewater, a positive impact on water quality, and the supply of water for irrigation in agriculture [11].

The price of treatments to eliminate pharmaceutical pollutants from wastewater is presented in Table 5.

Table 6 shows the values of the concentrations of organic micropollutants in effluents and surface waters; their values are lower in surface waters than in sewage treatment plant effluents.

Water **2022**, 14, 3351




Figure 5. Bioanalytical testing of drinking water (adapted from [105]).

**Table 5.** The price of treatments to eliminate pharmaceutical pollutants from wastewater (data from [107]).

Treatment Method	Costs, EUR/m <sup>3</sup>	Residues Left after Treatment, %
Conventional treatment (without micropollutants removal)	0.17	47
Ozone oxidation	0.23	2
UV radiation	0.3	13
Activated carbon	0.48	3
Reverse osmosis	0.65	4

**Table 6.** The values of the concentrations of organic micropollutants (data from [107]).

Compound	Concentrations in Effluents (ng/L)	Concentrations in Surface Water (ng/L)	Compound	Concentrations in Effluents (ng/L)	Concentrations in Surface Water (ng/L)
Dioxins PCDDs	$0.003 \div 0.177$	$0.728 \div 6$	Diclophenac	$50 \div 2500$	$2.8 \div 470$
Furans PCDFs	$0.006 \div 0.05$	0.599	Carbamazepine	$482 \div 950$	$n.d \div 230$
Polychlorinated biphenyls (PCBs)	10 ÷ 908 (7 congeners)	$0.3 \div 150$	Ibuprofen	81 ÷ 2100	10 ÷ 40
Nonylphenol (NP)	$880 \div 22,690$	$0.8^8 \div 18,000$	Naproxen	$21 \div 12,500$	$<$ LOD $\div$ 300
Diethyl phthalate (DEHP)	$6.01 \times 10^6 \div 17.04 \times 10^6$	110 ÷ 36,000	17β-Estradiol (E2	<5 ÷ 631	369
Polycyclic aromatic hydrocarbons (PAHs)	1025 ÷ 3,056,000	4–437	17αEthynylestradiol (EE2)	< 5 ÷ 187	43
MCPA	$25 \div 150$	n.d. ÷ 370	2,4-D	$13 \div 27$	<1000
Diuron	$62 \div 1379$	$2.4 \div 2.849 \times 10^6$	Dieldrin	<10	2.5
Aldrin	Production is banned	15.3	Atrazine	no data	$100 \div 4.9 \times 10^5$
Tributylocine (TBT)	$2.5 \times 10^{6}$	$1.39 \times 10^3 - 1.44 \times 10^3$	Endosulphane	≤220	$\leq$ 4 × 10 <sup>3</sup>

n.d.—not detected; LOD—limit of detection.

Water 2022, 14, 3351 13 of 17

#### 5. Conclusions

In this work, we analyzed the possibility that treated wastewater can be used in agriculture, thus ensuring water for crops and their good management, avoiding the pollution of natural waters and the waste of wastewater.

Due to its nutrient content, this treated water has led to an improvement in soil characteristics and can be a substitute for fertilizers.

The levels of heavy metals in the soil irrigated with untreated wastewater were below the values provided in the standard. The source of the wastewater must be analyzed, and the treatment of industrial wastewater is recommended.

Soil irrigated with treated wastewater has a lower electrical conductivity and sodium absorption ratio than fresh water. The use of treated wastewater does not produce a problem regarding soil salinity and alkalinity. Wastewater is a source of soil water supply. The use of wastewater for irrigation should be based on proper management [89].

The global increase in population has led to an increase in the production of wastewater which, if not purified, can pollute the soil, water, and food with the pathogens it contains. For crop irrigation, the use of wastewater treated by advanced processes is recommended [84].

The water crisis and the prolonged drought due to climate change forces us to properly manage used water and to correctly apply treatment techniques in order to be able to reuse it. The discussed problem, in relation to the need to use treated wastewater in the irrigation of agricultural crops, is constantly being researched by scientists from different regions of the world. A review article on this topic will hopefully be helpful to other researchers interested in this topic.

It is recommended to continue research on the monitoring of wastewater pollutants, the quality of effluent treated with wastewater from different sources of pollution, and the long-term effects of pollution with organic and inorganic substances on the soil, on agricultural crops, and on human health; moreover, innovative materials and nanomaterials must be developed for the elimination of hazardous substances in wastewater, and water treatment processes must be made more efficient. Greater attention must be paid to the efficient management of wastewater and the application of the best techniques for the treatment of the biosolids contained in wastewater to avoid the eutrophication of natural water.

**Author Contributions:** Conceptualization: C.O.R.; methodology: C.O.R., M.R. investigation: G.A.C., resources: C.O.R., M.R., G.A.C.; writing—review and editing: C.O.R., M.R. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

**Informed Consent Statement:** Not applicable. **Data Availability Statement:** Not applicable.

Conflicts of Interest: The authors declare no conflict of interest.

#### References

- Available online: https://www.europarl.europa.eu/news/en/headlines/society/20180703STO07129/eu-responses-to-climatechange (accessed on 1 September 2022).
- 2. Ungureanu, N.; Vlădut, V.; Voicu, G. Water Scarcity and Wastewater Reuse in Crop Irrigation. *Sustainability* **2020**, *12*, 9055. [CrossRef]
- 3. Gerten, D.; Lucht, W.; Ostberg, S.; Heinke, J.; Kowarsch, M.; Kreft, H.; Kundzewicz, Z.W.; Rastgooy, J.; Warren, R.; Schellnhuber, H.-J. Asynchronous exposure to global warming: Freshwater resources and terrestrial ecosystems. *Environ. Res. Lett.* **2013**, *8*, 34032. [CrossRef]
- 4. Pehme, K.M.; Burlakovs, J.; Kriipsalu, M.; Pilecka, J.; Grinfelde, I.; Tamm, T.; Jani, Y.; Hogland, W. Urban hydrology research fundamentals for waste management practices. *Res. Rural. Dev.* **2019**, *1*, 160–167.
- 5. Available online: https://ro.warbletoncouncil.org/distribuye-agua-tierra-1038 (accessed on 8 September 2022).

Water 2022, 14, 3351 14 of 17

6. Nasim, F.A.; Hoque, M.Z.; Hoque, E.; Islam, S.; Parveen, N.; Chakma, S.; Afrad, S.I. How Does Adoption of Crop Variety Reduce the Impact of Drought in Agriculture and Mitigate Food Insecurity of Smallholder Farmers? A Case Study on. *Asian J. Agric. Ext. Econ. Sociol.* **2019**, *30*, 1–12.

- 7. Niles, M.T.; Brown, M.E. A multi-country assessment of factors related to smallholder food security in varying rainfall conditions. *Sci. Rep.* **2017**, *7*, 16277. [CrossRef]
- 8. Challinor, A.J.; Watson, J.; Lobell, D.B.; Howden, S.M.; Smith, D.R.; Chhetri, N. A meta-analysis of crop yield under climate change and adaptation. *Nat. Clim. Chang.* **2014**, *4*, 287–291. [CrossRef]
- 9. Bixio, D.; Thoeye, C.; De Koning, J.; Joksimovic, D.; Savic, D.; Wintgens, T.; Melin, T. Wastewater reuse in Europe. *Desalination* **2006**, *187*, 89–101. [CrossRef]
- 10. Engin, G.O.; Demir, I. Cost analysis of alternative methods for wastewater handling in small communities. *J. Environ. Manag.* **2006**, *79*, 357–363. [CrossRef]
- 11. Fito, J.; Alemu, K. Microalgae–bacteria consortium treatment technology for municipal wastewater management. *Nanotechnol. Environ. Eng.* **2019**, *4*, 4. [CrossRef]
- 12. Bichai, F.; Polo-López, M.I.; Ibañez, P.F. Solar disinfection of wastewater to reduce contamination of lettuce crops by Escherichia coli in reclaimed water irrigation. *Water Res.* **2012**, *46*, 6040–6050. [CrossRef]
- 13. Zema, D.A.; Lucas-Borja, M.E.; Andiloro, S.; Tamburino, V.; Zimbone, S.M. Short-term effects of olive mill wastewater application on the hydrological and physico-chemical properties of a loamy soil. *Agric. Water Manag.* **2019**, 221, 312–321. [CrossRef]
- 14. Banitalebi, G.; Beigi Harchagani, H.; Ghobadinia, M. The effect of long-term irrigation with municipal treated wastewater on the saturated hydraulic conductivity of silty loam soil and its estimation—A case study. *J. Water Soil Sci.* **2016**, *21*, 171–184.
- 15. Mojiri, A.; Abdul Aziz, H. Effects of municipal wastewater on accumulation of heavy metals in soil and wheat (*Triticum aestivum* L.) with two irrigation methods. *Rom. Agric. Res.* **2011**, *28*, 217–222.
- 16. Arast, M.; Zehtabian, G.H.; Jafari, M.; Khosravi, H.; Shojaei, S. The study of urban wastewater, saline water and brackish water effects on some soil characteristics (Case study: Qom plain). *Iran J. Range Desert Res.* **2018**, 23, 541–552.
- 17. Habibi, S. A long-term study of the effects of wastewater on some chemical and physical properties of soil. *J. Appl. Res. Water Wastewater* **2019**, *12*, 156–161.
- 18. Urbano, V.R.; Mendonça, T.G.; Bastos, R.G.; Souza, C.F. Effects of treated wastewater irrigation on soil properties and lettuce yield. *Agric. Water Manag.* **2017**, *181*, 108–115. [CrossRef]
- 19. Zhang, Y.; Shen, Y. Wastewater irrigation: Past, present, and future. Wiley Interdiscip. Rev. Water 2017, 6, e1234. [CrossRef]
- 20. Malekian, R.; Heidarpour, M.; Mostafazadeh Fard, B.; Abedi Kopaei, J. Effect of surface and subsurface irrigation with treated wastewater on bermudagrass properties. *J. Soil Water Sci.* **2008**, *15*, 248–257.
- 21. Khalid, S.; Shahid, M.; Bibi, I.; Sarwar, T.; Shah, A.H.; Niazi, N.K. A review of environmental contamination and health risk assessment of wastewater use for crop irrigation with a focus on low and high-income countries. *Int. J. Environ. Res. Public Health* **2018**, *15*, 895. [CrossRef]
- 22. Sou, M.Y.; Mermoud, A.; Yacouba, H.; Boivin, P. Impacts of irrigation with industrial treated wastewater on soil properties. *Geoderma* **2013**, 200–201, 31–39.
- 23. Ensink, J.H.J.; Mahmood, T.; Dalsgaard, A. Wastewater-irrigated vegetables: Market handling versus irrigation water quality. *Trop. Med. Int. Health* **2007**, 12, 2–7. [CrossRef] [PubMed]
- 24. Jan, F.A.; Ishaq, M.; Khan, S.; Ihsanullah, I.; Ahmad, I.; Shakirullah, M. A comparative study of human health risks via consumption of food crops grown on wastewater irrigated soil (Peshawar) and relatively cleanwater irrigated soil (lower Dir). *J. Hazard. Mater.* **2010**, *179*, 612–621. [CrossRef]
- 25. Rai, P.K.; Tripathi, B.D. Microbial contamination in vegetables due to irrigation with partially treated municipal wastewater in a tropical city. *Int. J. Environ. Health Res.* **2007**, *17*, 389–395. [CrossRef] [PubMed]
- 26. Pierson, D.; Arvola, L.; Allott, N.; Järvinen, M.; Jennings, E.; May, L.; Moore, K.; Schneiderman, E. Modeling the Effects of Climate Change on the Supply of Phosphate-Phosphorus. In *The Impact of Climate Change on European Lakes*; Part of the Aquatic Ecology Series book series (AQEC, Volume 4); Springer: Dordrecht, The Netherlands, 2009; pp. 139–159.
- 27. Rusănescu, C.O.; Popescu, I.N.; David, L. Relative humidity monitoring, (Advances in Environmental and Geological Science and Engineering). In Proceedings of the 3 rd International Conference on Environmental and geological science and Engineering (EG' 10), Corfu Island, Greece, 24–26 August 2017; pp. 175–180.
- 28. Saaremäe, E.; Liira, M.; Poolakese, M.; Tamm, T. Removing phosphorus with Ca-Fe oxide granules—A possible wetlands filter material. *Hydrol. Res.* **2014**, *45*, 368–378. [CrossRef]
- 29. Bunce, J.; Ndam, E.; Ofiteru, I.; Andrew, M.; Graham, D. A review of phosphorus removal technologies and their applicability to small-scale domestic wastewater treatment systems. *Front. Environ. Sci.* **2018**, *6*, 8. [CrossRef]
- 30. Ruzhitskaya, O.; Gogina, E. Methods for Removing of Phosphates from Wastewater. In Proceedings of the MATEC Web of Conferences 2017, Seoul, Korea, 22–25 August 2017; Volume 106, p. 7006.
- 31. Burlakovs, J.; Hogland, W.; Vincevica-Gaile, Z.; Kriipsalu, M.; Klavins, M.; Jani, Y.; Hendroko Setyobudi, R.; Bikse, J.; Rud, V.; Tamm, T. Environmental Quality of Groundwater in Contaminated Areas—Challenges in Eastern Baltic Region. In *Water Resources Quality and Management in Baltic Sea Countries*; Springer: Cham, Switzerland, 2020; pp. 59–84.
- 32. Schneiderman, E.; Järvinen, M.; Jennings, E.; May, L.; Moore, K. Modeling the Effects of Climate Change on Catchment Hydrology with the GWLF Model. In *The Impact of Climate Change on European Lakes*; Springer: Dordrecht, The Netherlands, 2009; pp. 33–50.

Water 2022, 14, 3351 15 of 17

33. Available online: https://ec.europa.eu/eurostat/statistics-explained/index.php?title=File:Tab\_5\_-\_Share\_of\_the\_population\_connected\_to\_at\_least\_secondary\_urban\_wastewater\_treatment,\_2002-2020\_(%25).png (accessed on 1 September 2022).

- 34. Hussain, M.I.; Muscolo, A.; Farooq, M.; Ahmad, W. Sustainable use and management of non-conventional water resources for rehabilitation of marginal lands in arid and semiarid environments. *Agric. Water Manag.* **2019**, 221, 462–476. [CrossRef]
- 35. Aziz, F.; Farissi, M. Reuse of treated wastewater in agriculture: Solving water deficit problems in arid areas (review). *Ann. West Univ. Timis.* **2014**, *17*, 95–110.
- Gharaibeh, M.A.; Ghezzehei, T.A.; Albalasmeh, A.A.; Alghzawi, M.Z. Alteration of physical and chemical characteristics of clayey soils by irrigation with treated waste water. *Geoderma* 2016, 276, 33

  –40. [CrossRef]
- 37. Rodriguez, C.; Van Buynder, P.; Lugg, R.; Blair, P.; Devine, B.; Cook, A.; Weinstein, P. Indirect potable reuse: A sustainable water supply alternative. *Int. J. Environ. Res. Public Health* **2009**, *6*, 1174–1203. [CrossRef]
- 38. Angelakis, A.; Snyder, S. Wastewater treatment and reuse: Past, present, and future. Water 2015, 7, 4887–4895. [CrossRef]
- 39. Qadir, M.; Wichelns, D.; Raschid-Sally, L.; Mccornick, P.G.; Drechsel, P.; Bahri, A.; Minhas, P.S. The challenges of wastewater irrigation in developing countries. *Agric. Water Manag.* **2010**, *97*, 561–568. [CrossRef]
- 40. Abdel Sabour, M.F. Impact of wastewater reuse on cobalt status in Egyptian environment. J. Environ. Sci. 2003, 15, 388–395.
- 41. Abdel-Aziz, R. Impact of Treated Wastewater Irrigation on Soil Chemical Properties and Crop Productivity. *Int. J. Water Resour. Arid. Environ.* **2015**, *4*, 30–36.
- 42. Balkhair, K.S.; El-Nakhlawi, F.S.; Ismail, S.M.; AlSolimani, S.G. Treated wastewater use and its effect on water conservation, vegetative yield, yield components and water use efficiency of some vegetable crops grown under two different irrigation systems in Western Region, Saudi Arabia. *Eur. Sci. J.* 2013, *3*, 395–402.
- 43. Biswas, A.K. Water for sustainable development in the 21st century: A global perspective. Geojournal 1991, 24, 341–345. [CrossRef]
- 44. Khandaker, S.; Saha, G.C.; Islam, M.S.; Ratan, M.M.R. Reuse of textile dying wastewater for irrigation in cultivation of some selected crops: A review. *Int. J. Renew Energy Environ. Eng.* **2014**, *2*, 294–300.
- 45. Qishlaqi, A.; Moore, F.; Forghani, G. Impact of untreated wastewater irrigation on soils and crops in Shiraz suburban area, SW Iran. *Environ. Monit. Assess.* **2008**, 141, 257–273. [CrossRef] [PubMed]
- 46. Muchuweti, M.; Birkett, J.W.; Chinyanga, E.; Zvauya, R.; Scrimshaw, M.D.; Lester, J.N. Heavy metal content of vegetables irrigated with mixtures of wastewater and sewage sludge in Zimbabwe: Implications for human health. *Agric. Ecosyst. Environ.* **2006**, 112, 41–48. [CrossRef]
- 47. Tripathi, V.K.; Rajput, T.B.S.; Patel, N. Biometric properties and selected chemical concentration of cauliflower influenced by wastewater applied through surface and subsurface drip irrigation system. *J. Clean. Prod.* **2016**, 139, 396–406. [CrossRef]
- 48. Souza, C.F.; Bastos, R.G.; Gomes, M.P.M.; Pulschen, A.A. Eficiência de estac¸ão de tratamento de esgoto doméstico visando reuso agrícola. *Rev. Ambient. Água.* **2015**, *10*, 587–597. [CrossRef]
- 49. Blum, J.; Herpin, U.; Melfi, A.J.; Montes, C.R. Soil properties in a sugarcane plantation after the application of treated sewage effluent and phosphogypsum in Brazil. *Agric. Water Manage.* **2012**, *115*, 203–216. [CrossRef]
- 50. Cirelli, G.L.; Consoli, S.; Licciardello, F.; Aiello, R.; Giuffrida, F.; Leonardi, C. Treated municipal wastewater reuse in vegetable production. *Agric. Water Manage.* **2012**, *104*, 163–170. [CrossRef]
- 51. Nogueira, S.F.; Pereira, B.F.F.; Gomes, T.M.; de Paula, A.M.; dos Santos, J.A.; Montse, C.R. Treated sewage effluent: Agronomical and economical aspects on bermudagrass production. *Agr. Water Manage.* **2013**, *116*, 151–159. [CrossRef]
- 52. Marinho, L.E.O.; Tonetti, A.L.; Stefanutti, R.; Coraucci Filho, B. Application of reclaimed wastewater in the irrigation of rosebushes. *Water Air Soil Poll.* **2013**, 224, 1669. [CrossRef]
- 53. Drechsel, P.; Mara, D.D.; Bartone, C.R.; Scheierling, S.M. *Improving Wastewater Use in Agriculture: An Emerging Priority*; World Bank Policy Research Working Paper No. 5412; World Bank: Washington, DC, USA, 2010.
- 54. Bedbabis, S.; Ben Rouina, B.; Boukhris, M.; Ferrara, G. Effect of irrigation with treated wastewater on soil chemical properties and infiltration rate. *J. Environ. Manag.* **2014**, *133*, 45–50. [CrossRef]
- 55. Shilpi, S.; Lamb, D.; Bolan, N.; Seshadri, B.; Choppala, G.; Naidu, R. Waste to watt: Anaerobic digestion of wastewater irrigated biomass for energy and fertiliser production. *J. Environ. Manag.* **2019**, 239, 73–83. [CrossRef]
- 56. Farhadkhani, M.; Nikaeen, M.; Yadegarfar, G.; Hatamzadeh, M.; Pourmohammadbagher, H.; Sahbaei, Z.; Rahmani, H.R. Effects of irrigation with secondary treated wastewater on physicochemical and microbial properties of soil and produce safety in a semi-arid area. *Water Res.* 2018, 144, 356–364. [CrossRef] [PubMed]
- 57. Beneduce, L.; Gatta, G.; Bevilacqua, A.; Libutti, A.; Tarantino, E.; Bellucci, M.; Troiano, E.; Spano, G. Impact of the reusing of food manufacturing wastewater for irrigation in a closed system on the microbiological quality of the food crops. *Int. J. Food Microbiol.* **2017**, 260, 51–58. [CrossRef]
- 58. Hussain, A.; Priyadarshi, M.; Dubey, S. Experimental study on accumulation of heavy metals in vegetables irrigated with treated wastewater. *Appl. Water Sci.* **2019**, *9*, 122–132. [CrossRef]
- 59. Balkhair, K.S. Microbial contamination of vegetable crop and soil profile in arid regions under controlled application of domestic wastewater. *Saudi J. Biol. Sci.* **2016**, 23, S83–S92. [CrossRef] [PubMed]
- 60. Hirzel, D.R.; Steenwerth, K.; Parikh, S.J.; Oberholster, A. Impact of winery wastewater irrigation on soil, grape and wine composition. *Agric. Water Manag.* **2017**, *180*, 178–189. [CrossRef]
- 61. Jang, T.; Jung, M.; Lee, E.; Park, S.; Lee, J.; Jeong, H. Assessing environmental impacts of reclaimed wastewater irrigation in paddy fields using bioindicator. *Irrig. Sci.* **2013**, *31*, 1225–1236. [CrossRef]

Water 2022, 14, 3351 16 of 17

62. Zhang, A.; Cortés, V.; Phelps, B.; Van Ryswyk, H.; Srebotnjak, T. Experimental Analysis of Soil and Mandarin Orange Plants Treated with Heavy Metals Found in Oilfield-Produced Wastewater. *Sustainability* **2018**, *10*, 1493. [CrossRef]

- 63. Panigrahi, P.; Raychaudhuri, S.; Thakur, A.; Nayak, A.; Sahu, P.; Ambast, S. Automatic drip irrigation scheduling effects on yield and water productivity of banana. *Sci. Hortic.* **2019**, 257, 108677. [CrossRef]
- 64. Pedrero, F.; Alarcón, J.J. Effects of treated wastewater irrigation on lemon trees. Desalination 2009, 246, 631–639. [CrossRef]
- 65. Perulli, G.D.; Gaggia, F.; Sorrenti, G.; Donati, I.; Boini, A.; Bresilla, K.; Manfrini, L.; Baffoni, L.; Di Gioia, D.; Grappadelli, L.C.; et al. Treated wastewater as irrigation source: A microbiological and chemical evaluation in apple and nectarine trees. *Agric. Water Manag.* **2021**, 244, 106403. [CrossRef]
- 66. Yehia, H.M.; Sabae, S.Z. Microbial pollution of water in ElSalam canal, Egypt. *Am. Eurasian J. Agric. Environ. Sci.* **2011**, 11, 305–309.
- 67. Niewolak, S. Bacteriological monitoring of River water quality in the north area of wigry national park. *Polish J. Environ. Stud.* **2000**, *9*, 291–299.
- 68. Akaninwor, J.O.; Anosike, E.O.; Egwim, O. Effect of indomie industrial effluent discharge on microbial properties of new Calabar River. *Sci. Res. Essay* **2007**, *2*, 1–5.
- 69. Gunkel, G.; Kosmol, J.; Sobral, M.; Rohn, H.; Montenegro, S.; Aureliano, J. Sugar cane industry as a source of water pollution-case study on the situation in Ipojuca River, pernambuco, Brazil. *Water Air Soil Pollut.* **2007**, *180*, 261–269. [CrossRef]
- 70. Libutti, A.; Gatta, G.; Gagliardi, A.; Vergine, P.; Pollice, A.; Beneduce, L.; Disciglio, G.; Tarantino, E. Agro-industrial wastewater reuse for irrigation of a vegetable crop succession under Mediterranean conditions. *Agric. Water Manag.* **2018**, *196*, 1–14. [CrossRef]
- 71. Mirzaei-Takhtgahi, H.; Ghamarnia, H.; Pirsaheb, M. Impact of irrigation with contaminated water on soil properties (Case Study: Border Land of Gharesoo River). *J. Appl. Res. Water Wastewater* **2018**, *5*, 447–453.
- 72. Andrews, D.M.; Robb, T.; Elliott, H.; Watson, J.E. Impact of long-term wastewater irrigation on the physicochemical properties of humid region soils: "The Living Filter" site case study. *Agric. Water Manag.* **2016**, 178, 239–247. [CrossRef]
- 73. Yang, P.G.; Yang, M.; Mao, R.Z.; Byrne, J.M. Impact of long-term irrigation with treated sewage on soil magnetic susceptibility and organic matter content in north China. *Bull. Environ. Contam. Toxicol.* **2015**, *95*, 102–107. [CrossRef] [PubMed]
- 74. Rattan, R.K.; Datta, S.P.; Chhonkar, P.K.; Suribabu, K.; Singh, A.K. Longterm impact of irrigation with sewage effluents on heavy metal content in soils, crops and groundwater—A case study, Agriculture. *Ecosyst. Environ.* **2005**, *109*, 310–322. [CrossRef]
- 75. WHO. Guideline for Drinking Water Quality Recommendation; World Health Organization: Geneva, Switzerland, 1984; p. 130.
- 76. WHO. Guidelines for the Safe Useof Wastewater and Excreta in Agriculture and Aquaculture; Cairncross, S., Mara, D., Eds.; World Health Organisation: Geneva, Switzerland, 1989; p. 194.
- 77. WHO. Water Quality: Guidelines, Standards and Health; Fewtrell, L., Bartram, J., Eds.; IWA Publishing: London, UK, 2001; ISBN 1900222280.
- 78. FAO. Coping with Water Scarcity. Challenge of the Twenty-First Century; UN-Water: Geneva, Switzerland, 2007.
- 79. Zema, D.A.; Calabro, P.S.; Folino, A.; Tamburino, V.; Zappia, G.; Zimbone, S.M. Wastewater Management in Citrus Processing Industries: An Overview of Advantages and Limits. *Water* **2019**, *11*, 2481. [CrossRef]
- 80. Garcia, C.; Hernandez, L. Influence of salinity on the biological and biochemical activity of a calciorthird soil. *Plant Soil* **1996**, 178, 255–263. [CrossRef]
- 81. Kiran, D.; Ladwani, H.; Krishna, D.; Vivek, S.; Manik, D.; Ramteke, S. Impact of Domestic Wastewater Irrigation on Soil Properties and Crop Yield. *Int. J. Sci. Res. Publ.* **2012**, *2*, 164–172.
- 82. Munir, J.; Mohammad, M.J.A.; Mazahreh, N. Changes in Soil Fertility Parameters in Response to Irrigation of Forage Crops with Secondary Treated Wastewater. *Soil Sci. Plant Anal.* **2003**, *34*, 1281–1294.
- 83. Mancino, C.F.; Pepper, L.L. Irrigation of turf grass with secondary sewage effluent: Soil quality. *Agron. J.* **1992**, *84*, 650–654. [CrossRef]
- 84. Singh, A. A review of wastewater irrigation: Environmental implications. Resour. Conserv. Recycl. 2021, 168, 105454. [CrossRef]
- 85. Peña, A.; Delgado-Moreno, L.; Rodríguez-Liébana, J.A. A review of the impact of wastewater on the fate of pesticides in soils: Effect of some soil and solution properties. *Sci. Total Environ.* **2020**, 718, 134468. [CrossRef]
- 86. Boutilier, L.; Jamieson, R.; Gordon, R.; Lake, C.; Hart, W. Adsorption, sedimentation, and inactivation of *E. coli* within wastewater treatment wetlands. *Water Research* **2009**, *43*, 4370–4380. [CrossRef] [PubMed]
- 87. Brusseau, M.L.; Artiola, J.F. Chapter 12—Chemical Contaminants. In *Environmental and Pollution Science*, 3rd ed.; Academic Press: New York, NY, USA, 2019; pp. 175–190.
- 88. Christensen, E.R.; Wang, Y.; Huo, J.; Li, A. Properties and fate and transport of persistent and mobile polar organic water pollutants: A review. *J. Environ. Chem. Eng.* **2022**, *10*, 107201. [CrossRef]
- 89. Soil, C.; Taskforce, G. Environmental fate and effect of poly- and perfluoroalkyl substances. *Environ. Sci. Eur. Refin. Ind.* **2016**, *8*, 16.
- 90. Petrie, B.; Barden, R.; Kasprzyk-Hordern, B. A review on emerging contaminants in wastewaters and the environment: Current knowledge, understudied areas and recommendations for future monitoring. *Water Res.* **2015**, 72, 3–27. [CrossRef] [PubMed]
- 91. Reemtsma, T.; Miehe, U.; Duennbier, U.; Jekel, M. Polar pollutants in municipal wastewater and the water cycle: Occurrence and removal of benzotriazoles. *Water Res.* **2010**, *44*, 596–604. [CrossRef]

Water 2022, 14, 3351 17 of 17

92. Reemtsma, T.; Weiss, S.; Mueller, J.; Petrovic, M.; Gonz´alez, S.; Barcelo, D.; Ventura, F.; Knepper, T. Polar pollutants entry into the water cycle by municipal wastewater: A European perspective. *Environ. Sci. Technol.* **2006**, *40*, 5451–5458. [CrossRef]

- 93. Arvaniti, O.S.; Stasinakis, A.S. Review on the occurrence, fate and removal of perfluorinated compounds during wastewater treatment. *Sci. Total Environ.* **2015**, 524–525, 81–92. [CrossRef] [PubMed]
- 94. Blair, B.D.; Crago, J.P.; Hedman, C.J.; Treguer, R.J.F.; Magruder, C.; Royer, L.; Royer, S.; Klaper, R.D. Evaluation of a model for the removal of pharmaceuticals, personal care products, and hormones from wastewater. *Sci. Total Environ.* **2013**, 444, 515–521. [CrossRef]
- 95. Lazarova, V.; Bahri, A. Water Reuse for Irrigation: Agriculture, Landscapes, and Turf Grass; CRC Press: Boca Raton, FL, USA, 2005.
- 96. Hsien, C.; Low, J.S.C.; Chung, S.Y.; Tan, D.Z.L. Quality-based water and wastewater classification for waste-to-resource matching. *Resour. Conservat. Recycl.* **2019**, *151*, 104477. [CrossRef]
- 97. Deng, S.; Yan, X.; Zu, Q.; Liao, C. The utilization of reclaimed water: Possible risks arising from waterborne contaminants. *Environ. Pollut.* **2019**, 254, 113020. [CrossRef] [PubMed]
- 98. Diaz-Elsayed, N.; Rezaei, N.; Guo, T.; Mohebbi, S.; Zhang, Q. Wastewater-based resource recovery technologies across scale: A review. *Resour. Conservat. Recycl.* **2019**, 145, 94–112. [CrossRef]
- 99. Anjaneyulu, Y.; Sreedhara Chary, N.; Samuel Suman Raj, D. Decolourization of industrial efuents: Available methods and emerging technologies—A review. *Rev. Environ. Sci. Bio/Technol.* **2005**, *4*, 245–273. [CrossRef]
- 100. Crini, G.; Lichtfouse, E. Advantages and disadvantages of techniques used for wastewater treatment. *Environ. Chem. Lett.* **2019**, 17, 145–155. [CrossRef]
- 101. Falås, P.; Wick, A.; Castronovo, S.; Habermacher, J.; Ternes, T.; Joss, A. Tracing the limits of organic micropollutant removal in biological wastewater treatment. *Water Res.* **2016**, *95*, 240–249. [CrossRef] [PubMed]
- 102. Chávez, A.; Maya, C.; Gibson, R.; Jiménez, B. The removal of microorganisms and organic micropollutants from wastewater during infiltration to aquifers after irrigation of farmland in the Tula Valley, Mexico. *Environ. Pollut.* **2011**, 159, 1354–1362. [CrossRef]
- 103. Krahnstöver, T.; Santos, N.; Georges, K.; Campos, L.; Antizar-Ladislao, B. Low-Carbon Technologies to Remove Organic Micropollutants from Wastewater: A Focus on Pharmaceuticals. *Sustainability* **2022**, *14*, 11686. [CrossRef]
- 104. Macova, M.; Toze, S.; Hodgers, L.; Mueller, J.; Bartkow, M.; Escher, B. Bioanalytical tools for the evaluation of organic micropollutants during sewage treatment, water recycling and drinking water generation. *Water Res.* **2011**, *45*, 4238–4247. [CrossRef] [PubMed]
- 105. Available online: https://biodetectionsystems.com/wp-content/uploads/2020/09/8\_Bioanalytical\_tools\_Escher\_BDS.pdf (accessed on 19 October 2022).
- 106. Council Directive 91/271/EEC of 21 May 1991. Available online: https://ec.europa.eu/environment/water/water-urbanwaste/pdf/UWWTD%20Evaluation%20SWD%20448-701%20web.pdf (accessed on 19 October 2022).
- 107. Włodarczyk-Makuła, M.; Wiśniowska, E.; Popenda, A. Monitoring of Organic Micropollutants in Effluents as Crucial Tool in Sustainable Development. *Probl. Ekorozw.* **2018**, *13*, 191–198.