

Groundwater Management and Allocation Models: A Review

Table S1. Classification of different quantitative simulation groundwater models in the literature

Author (year)	Simulation		Uncertainty	Optimization	Game theory or Conflict resolution	Surface water models	Time step	Case study
	Quantity	Quality						
[1]	MODFLOW						Monthly	Hypothetical
[2]	MODFLOW-96						Monthly	Hill Country, USA
[3]	WatFlow						Annual	Oro Moraine, Canada
[4]		MCS and fuzzy logic-based alpha-cut						Vannetin basin, France
[5]	MODFLOW	GLUE						Hypothetical
[6]				Nash bargaining scenario -Nash non-cooperative game				El Paso, Texas and Ciudad Juarez, Mexico
[7]	ISOQUAD		CDDP and GA				3 Months	Hypothetical
[8]	MODFLOW		Linear optimization				Annual	Island
[9]	MODFLOW and UCODE						Annual	Glacial-till plain on the Jutland peninsula, Western Denmark
[10]	MODFLOW		MINLP				Annual	Upper San Pedro River Basin, southeastern Arizona, Mexico
[11]	LTM		NSGA-II				Annual	Hypothetical
[12]				Non-cooperative equilibrium				Fault zone aquifer of south-central Texas
[13]		Fuzzy α -cut MCS						
[14]	MODFLOW						Monthly	Cosumnes River, California, US
[15]	MODFLOW		GA and ANN				Monthly	The southern part of Tehran, Iran
[16]				Game theory				State of Guanajuato, Mexico
[17]				Game-theoretic model				Hypothetical
[18]	MODFLOW						Annual	Ismarida plain, Northeastern Greece
[19]	FEFLOW						Monthly	Zhangye, China
[20]	MODFLOW	GLUE BMA						Hypothetical
[21]	MODFLOW							North China Plain, China
[22]			CDDP-ANFIS				3 Months	Hypothetical
[23]	MOC		GA				Monthly	Hypothetical
[24]	MODFLOW				SWAT	Monthly		Korea

[25]		FSPDE, FPDE, SPDE			Hypothetical
[26]	advectione mass transport	GA		Annual	Hypothetical
[27]	MODFLOW		SWAT	Monthly	Mihocheon watershed, South Korea
[28]	FEHM	NSMC MCMC (DREAM)	AMALGAM		Annual
[29]		Fuzzy- probabilistic and conventional Monte Carlo simulation			Washington, USA
[30]		Hybrid propagation			Annual
[31]	MODFLOW and ANN	GA		Monthly	Najafabad plain, Iran
[32]	MODFLOW	AM-MCMC			Hypothetical
[33]	MODFLOW		SWAT	Monthly	Yellow River Basin, Inner Mongolia, China
[34]	AEM	PSO		Annual	Dore-France
[35]		ECACO		Daily	Hypothetical
[36]	GMS		Visual Basic	Annual	Maraghe plain, Iran
[37]	MODFLOW	MPS and SGeMS		Annual	Ølgod, Jutland, Denmark
[38]	GMS- MODFLOW 2000			Monthly	Nakuru district, Nairobi
[39]	MODFLOW			Monthly	NCP, China
[40]	ParFlow			Monthly	Klamath River, California, USA
[41]	SGMP				Haryana, India
[42]	MODFLOW	NSMC			
[43]	MODFLOW	HS		Monthly	Izmir, Turkey
[44]	MODFLOW	DE and BFGS		Monthly	Izmir, Turkey
[45]	MODFLOW	GA		Monthly	Iran
[46]		SCR social choice			Spain
[47]	MODFLOW			Annual	Egypt
[48]	MODFLOW	NSGA-II	MCSGA and NGA	Monthly	Rafsanjan plain, Iran
[49]	MODFLOW	MCS	NSGA-II	Annual	Muscat, Oman

Table S2. The research that employed surface water modeling in conjunction with groundwater modeling

Author (year)	Simulation		Uncertainty	Optimization	Game theory or Conflict resolution	Surface water models	Time step	Case study
	Quantity	Quality						
[50]	MODFLOW					SWAT	Monthly	Rattlesnake Creek basin in south-central Kansas, USA
[51]	MODFLOW					SWAT	Monthly	Kansas, USA
[52]	MODFLOW	MT3DM S				SWAT	Monthly	Bonello watershed, Italy
[24]	MODFLOW					SWAT	Monthly	Korea
[27]	MODFLOW					SWAT	Monthly	Mihocheon watershed, South Korea
[33]	MODFLOW					SWAT	Monthly	Yellow River Basin, Inner Mongolia, China
[36]	GMS					Visual Basic	Annual	Maraghe plain, Iran
[53]	MODFLOW	MT3D				SWAT	Annual	Upper Yamuna watershed, India
[54]	MODFLOW	MT3D				SWAT	Monthly	Jucar river basin, Spain
[55]	MODFLOW					SWAT	Monthly	Neishaboor plain, Iran
[56]	MODFLOW	MT3DM S		MOPSO		SWAT	Monthly	Isfahan-Barkhoar, Iran
[57]	MODFLOW	MT3DM S	DREAMzs	MOPSO		SWAT	Monthly	Isfahan-Barkhoar, Iran
[58]	MODFLOW	MT3DM S	DREAMzs	MOPSO	SCR. FB	SWAT	Monthly	Isfahan-Barkhoar, Iran

Table S3. Classification of different qualitative simulation groundwater models in the literature

Author (year)	Simulation		Uncertainty	Optimization	Game theory or Conflict resolution	Surface water models	Time step	Case study
	Quantity	Quality						
[59]	MODFLOW	MT3D		Bundle-Trust			Annual	Na'am An Aquifer, Western Galilee, Israel
[60]	MODFLOW	MT3D	Monte Carlo	Monte Carlo Simple Genetic algorithm and Noisy Genetic algorithm			Annual	Hypothetical
[52]	MODFLOW	MT3DMS				SWAT	Monthly	Bonello watershed, Italy
[61]	MODFLOW	MT3DMS	Spatial bootstrap				Daily	Hypothetical

[62]	MODFLOW	MT3D	Monte Carlo	GA			Hypothetical
[63]	MODFLOW	MT3D			Monthly	Balasore coastal basin, India	
[64]	MODFLOW	MT3D		NSGA-II	YCRT	Monthly	Tehran aquifer, Iran
[65]	MODFLOW	MT3DMS		MINOS		Annual	hypothetical
[66]	MODFLOW	SWAT				Annual	Ras Sudr, Egypt
[67]	MODFLOW	MT3D		NSGA-II	RSBT	Monthly	Tehran aquifer, Iran
[68]	SAHYSMOD	SAHYSMOD				Seasonal	Haryana State, India
[69]	MODFLOW	MT3D	FPPA			Annual	Hypothetical
[70]	MODFLOW	MT3D	FOK	NSGA-II		Annual	hypothetical
[53]	MODFLOW	MT3D			SWAT	Annual	Upper Yamuna watershed, India
[71]		PGREM3D	MCMC			Daily	Hypothetical
[54]	MODFLOW	MT3D			SWAT	Monthly	Jucar river basin, Spain
[72]	MODFLOW	MT3D				Monthly	Nile Delta, Egypt
[73]	MODFLOW	MT3DMS		NSGA-II		Monthly	Najaf Abad plain, Iran
[74]	MODFLOW	MT3DMS	Monte Carlo	NSGA-II	SCR Fallback Bargaining	Monthly	Kavar-Maharloo aquifer, Iran
[56]	MODFLOW	MT3DMS		MOPSO		SWAT	Monthly
[75]	MODFLOW	MT3DMS		Multi-objectives optimization	Non-cooperative game theory	Monthly	Isfahan-Barkhoor, Iran
[57]	MODFLOW	MT3DMS	DREAMzs	MOPSO		SWAT	Monthly
[58]	MODFLOW	MT3DMS	DREAMzs	MOPSO	SCR. FB	SWAT	Monthly

Table S4. The research employing optimization models in conjunction with simulation

Author (year)	Simulation		Uncertainty	Optimization	Game theory or Conflict resolution	Surface water models	Time step	Case study
	Quantity	Quality						
[59]	MODFLOW		MT3D	Bundle-Trust			Annual	Na'man Aquifer, Western Galilee, Israel
[7]	ISOQUAD			CDDP and GA			3 Months	Hypothetical
[76]	MODFLOW			Linear optimization			Annual	Island
[10]	MODFLOW			MINLP			Annual	Upper San Pedro River Basin, southeastern Arizona, Mexico
[11]	LTM			NSGA-II			Annual	Hypothetical

[15]	MODFLOW			GA and ANN		Monthly	The southern part of Tehran, Iran
[77]	(GS/RF)			CMA-ES			Hypothetical
[22]				CDDP-ANFIS		3 Months	Hypothetical
[62]	MODFLOW	MT3D	Monte Carlo	GA			Hypothetical
[23]	MOC			GA		Monthly	Hypothetical
[64]	MODFLOW	MT3D		NSGA-II	YCRT	Monthly	Tehran aquifer, Iran
[65]	MODFLOW	MT3DMS		MINOS		Annual	hypothetical
[26]	advectione mass transport			GA		Annual	Hypothetical
[28]	FEHM		NSMC	AMALGAM		Annual	Yucca Flat, USA
	MCMC (DREAM)						
[67]	MODFLOW	MT3D		NSGA-II	RSBT	Monthly	Tehran aquifer, Iran
[31]	MODFLOW and ANN			GA		Monthly	Najafabad plain in westcentral, Iran
[34]	AEM			PSO		Annual	Dore-France
[35]				ECACO		Daily	Hypothetical
[70]	MODFLOW	MT3D	FOK	NSGA-II		Annual	hypothetical
[43]	MODFLOW			HS		Monthly	Izmir, Turkey
[44]	MODFLOW			DE and BFGS		Monthly	Izmir, Turkey
[45]	MODFLOW			GA		Monthly	Iran
[48]	MODFLOW			NSGA-II	MCSGA and NGA	Monthly	Rafsanjan plain, Iran
[49]	MODFLOW			NSGA-II		Annual	aquifer-Muscat, Oman
[73]	MODFLOW	MT3DMS		NSGA-II		Monthly	Najaf Abad plain, Iran
[78]	MODFLOW		Monte Carlo	NSGA-II	SCR Fallback Bargaining	Monthly	Tashk-Bakhtegan river basin, Iran
[74]	MODFLOW	MT3DMS	Monte Carlo	NSGA-II	SCR Fallback Bargaining	Monthly	Kavar-Maharloo aquifer, Iran
[56]	MODFLOW	MT3DMS		MOPSO		SWAT	Monthly
							Isfahan-Barkhoar, Iran
[75]	MODFLOW	MT3DMS		Multi-objectives optimization	Non-cooperative game theory	Monthly	Khaledabad, Iran
[57]	MODFLOW	MT3DMS	DREAMzs	MOPSO		SWAT	Monthly
[58]	MODFLOW	MT3DMS	DREAMzs	MOPSO	SCR FB	SWAT	Monthly
							Isfahan, Iran
							Isfahan, Iran

Table S5. The research employed uncertainty analyses in conjunction with simulation

Author (year)	Simulation		Uncertainty	Optimization	Game theory or Conflict resolution	Surface water models	Time step	Case study
	Quantity	Quality						
[4]			MCS and fuzzy logic-based alpha-cut					Vannetin basin, France
[5]	MODFLOW		GLUE					Hypothetical
[79]	BIGFLOW		Monte Carlo					Plain of Tadla, Morocco
[13]			Fuzzy α -cut MCS					
[61]	MODFLOW	MT3DMS	Spatial bootstrap				Daily	Hypothetical
[20]	MODFLOW		GLUE BMA					Hypothetical
[62]	MODFLOW	MT3D	Monte Carlo	GA				Hypothetical
[25]			FSPDE, FPDE, SPDE					Hypothetical
[28]	FEHM		NSMC MCMC (DREAM)	AMALGAM			Annual	Yucca Flat, USA
[29]			Fuzzy-probabilistic and conventional Monte Carlo simulation					Hanford site, Washington, USA
[30]			Hybrid propagation				Annual	
[32]	MODFLOW		AM-MCMC					Hypothetical
[69]	MODFLOW	MT3D	FPPA				Annual	Hypothetical
[70]	MODFLOW	MT3D	FOK	NSGA-II			Annual	hypothetical
[71]		PGREM3D	MCMC				Daily	Hypothetical
[37]	MODFLOW		MPS and SGeMS				Annual	Ølgod, Jutland, Denmark
[42]	MODFLOW		NSMC					
[80]		GFLOW	Monte Carlo					Wisconsin. USA
[49]	MODFLOW		MCS	NSGA-II			Annual	aquifer-Muscat, Oman
[81]	MODFLOW		GLUE				Monthly	Birjand aquifer, Iran
[78]	MODFLOW		Monte Carlo	NSGA-II	SCR-Fallback Bargaining		Monthly	Tashk-Bakhtegan river basin, Iran
[74]	MODFLOW	MT3DMS	Monte Carlo	NSGA-II	SCR-Fallback Bargaining		Monthly	Kavar-Maharloo aquifer, Iran
[57]	MODFLOW	MT3DMS	DREAMzs	MOPSO		SWAT	Monthly	Isfahan-Barkhoor, Iran

References

1. Başagaoglu, H., & Mariño, M. A. (1999). Joint management of surface and ground water supplies. *Groundwater*, 37(2), 214-222.
2. Mace, R. E., Chowdhury, A. H., Anaya, R., & Way, S. C. T. (2000). A numerical groundwater flow model of the upper and middle Trinity Aquifer, Hill Country area. Texas Water Development Board Open File Report 00-02.
3. Beckers, J., & Frind, E. O. (2001). Simulating groundwater flow and runoff for the Oro Moraine aquifer system. Part II. Automated calibration and mass balance calculations. *Journal of Hydrology*, 243(1-2), 73-90.
4. Abebe, A. J., Guinot, V., & Solomatine, D. P. (2000, July). Fuzzy alpha-cut vs. Monte Carlo techniques in assessing uncertainty in model parameters. In *Proceedings of 4th international conference on hydroinformatics, Cedar Rapids*.
5. Feyen, L., Beven, K. J., De Smedt, F., & Freer, J. (2001). Stochastic capture zone delineation within the generalized likelihood uncertainty estimation methodology: conditioning on head observations. *Water Resources Research*, 37(3), 625-638.
6. Nakao, M., Wichelns, D., & Montgomery, J. T. (2002). Game theory analysis of competition for groundwater involving El Paso, Texas and Ciudad Juarez, Mexico (No. 375-2016-19905).
7. Hsiao, C. T., & Chang, L. C. (2002). Dynamic optimal groundwater management with inclusion of fixed costs. *Journal of water resources planning and management*, 128(1), 57-65.
8. Barlow, P. M., Ahlfeld, D. P., & Dickerman, D. C. (2003). Conjunctive-management models for sustained yield of stream-aquifer systems. *Journal of Water Resources Planning and Management*, 129(1), 35-48.
9. Harrar, W. G., Sonnenborg, T. O., & Henriksen, H. J. (2003). Capture zone, travel time, and solute-transport predictions using inverse modeling and different geological models. *Hydrogeology journal*, 11(5), 536-548.
10. McPhee, J., & Yeh, W. W. G. (2004). Multiobjective optimization for sustainable groundwater management in semiarid regions. *Journal of water resources planning and management*, 130(6), 490-497.
11. Reed, P. M., & Minsker, B. S. (2004). Striking the balance: long-term groundwater monitoring design for conflicting objectives. *Journal of Water Resources Planning and Management*, 130(2), 140-149.
12. Loaiciga, H. A. (2004). Analytic game-theoretic approach to ground-water extraction. *Journal of Hydrology*, 297(1-4), 22-33.
13. Kumar, V., and Schuhmacher, M. (2005). Fuzzy uncertainty analysis in system modelling. In Proceeding of the 38th European Symposium of the Working Party on Computer Aided Process Engineering, May, 29th -June, 1st , Barcelona, Spain.
14. Fleckenstein, J. H., Niswonger, R. G., & Fogg, G. E. (2006). River-aquifer interactions, geologic heterogeneity, and low-flow management. *Groundwater*, 44(6), 837-852.
15. Karamouz, M., Tabari, M. M. R., & Kerachian, R. (2007). Application of genetic algorithms and artificial neural networks in conjunctive use of surface and groundwater resources. *Water International*, 32(1), 163-176.
16. Salazar, R., Szidarouszky, F., Coppola, E.J., and Rojana, A. (2007). Application of game theory for groundwater conflict in Mexico. *Journal of Environmental Management*. 84 (4), 560-571.
17. Saak, A. E., & Peterson, J. M. (2007). Groundwater use under incomplete information. *Journal of Environmental Economics and Management*, 54(2), 214-228.
18. Pisinaras, V., Petalas, C., Tsirhrintzis, V. A., & Zagana, E. (2007). A groundwater flow model for water resources management in the Ismarida plain, North Greece. *Environmental Modeling & Assessment*, 12(2), 75-89.
19. Wen, X. H., Wu, Y. Q., Lee, L. J. E., Su, J. P., & Wu, J. (2007). Groundwater flow modeling in the Zhangye basin, Northwestern China. *Environmental Geology*, 53(1), 77-84.
20. Rojas, R., Feyen, L., & Dassargues, A. (2008). Conceptual model uncertainty in groundwater modeling: Combining generalized likelihood uncertainty estimation and Bayesian model averaging. *Water Resources Research*, 44(12).
21. Wang, L., Fang, L., & Hipel, K. W. (2008). Basin-wide cooperative water resources allocation. *European Journal of Operational Research*, 190(3), 798-817.
22. Chu, H. J., & Chang, L. C. (2009). Application of optimal control and fuzzy theory for dynamic groundwater remediation design. *Water resources management*, 23(4), 647-660.
23. Chadalavada, S., & Datta, B. (2008). Dynamic optimal monitoring network design for transient transport of pollutants in groundwater aquifers. *Water Resources Management*, 22(6), 651-670.

24. Kim, N. W., Chung, I. M., Won, Y. S., & Arnold, J. G. (2008). Development and application of the integrated SWAT-MODFLOW model. *Journal of hydrology*, 356(1-2), 1-16.
25. Zhang, K., Achari, G., & Li, H. (2009). A comparison of numerical solutions of partial differential equations with probabilistic and possibilistic parameters for the quantification of uncertainty in subsurface solute transport. *Journal of contaminant hydrology*, 110(1-2), 45-59.
26. Katsifarakis, K. L., Mouti, M., & Ntrogkouli, K. (2009). Optimization of groundwater resources management in polluted aquifers. *Global Nest*, 11(3), 283-290.
27. Chung, I. M., Kim, N. W., Lee, J., & Sophocleous, M. (2010). Assessing distributed groundwater recharge rate using integrated surface water-groundwater modelling: application to Mihocheon watershed, South Korea. *Hydrogeology Journal*, 18(5), 1253-1264.
28. Keating, E. H., Doherty, J., Vrugt, J. A., & Kang, Q. (2010). Optimization and uncertainty assessment of strongly nonlinear groundwater models with high parameter dimensionality. *Water Resources Research*, 46(10).
29. Faybischenko, B. (2010). Fuzzy-probabilistic calculations of water-balance uncertainty. *Stochastic Environmental Research and Risk Assessment*, 24(6), 939-952.
30. Li, H., & Zhang, K. (2010). Development of a fuzzy-stochastic nonlinear model to incorporate aleatoric and epistemic uncertainty. *Journal of contaminant hydrology*, 111(1-4), 1-12.
31. Safavi, H. R., Darzi, F., & Mariño, M. A. (2010). Simulation-optimization modeling of conjunctive use of surface water and groundwater. *Water resources management*, 24(10), 1965-1988.
32. Wu, J. C., Lu, L., & Tang, T. (2011). Bayesian analysis for uncertainty and risk in a groundwater numerical model's predictions. *Human and Ecological Risk Assessment: An International Journal*, 17(6), 1310-1331.
33. Luo, Y., and Sophocleous, M. (2011). Tow-way coupling of unsaturated-saturated flow by integrating the SWAT and MODFLOW models with application in an irrigation district in arid region of West China. *Journal of Arid Land*. DOI: 10.3724/SP.J.1227.2011.00164.
34. Gaur, S., Chahar, B. R., & Graillot, D. (2011). Analytic elements method and particle swarm optimization based simulation-optimization model for groundwater management. *Journal of hydrology*, 402(3-4), 217-227.
35. Katabchi, H., & Ataei-Ashtiani, B. (2010). Development of combined ant colony optimization algorithm and numerical simulation for optimal management of coastal aquifers. *Iran-Water Resources Research*, 7(1), 1-12.
36. Mahjoub, H., Mohammadi, M. M., & Parsinejad, M. (2011). Conjunctive use modeling of groundwater and surface water. *Journal of Water Resource and Protection*, 3(10), 726.
37. He, X., Sonnenborg, T. O., Jørgensen, F., Høyer, A. S., Møller, R. R., & Jensen, K. H. (2013). Analyzing the effects of geological and parameter uncertainty on prediction of groundwater head and travel time. *Hydrology and Earth System Sciences*, 17(8), 3245-3260.
38. Yihdego, Y., & Becht, R. (2013). Simulation of lake-aquifer interaction at Lake Naivasha, Kenya using a three-dimensional flow model with the high conductivity technique and a DEM with bathymetry. *Journal of Hydrology*, 503, 111-122.
39. Cao, G., Zheng, C., Scanlon, B. R., Liu, J., & Li, W. (2013). Use of flow modeling to assess sustainability of groundwater resources in the North China Plain. *Water Resources Research*, 49(1), 159-175.
40. Condon, L. E., Maxwell, R. M., & Gangopadhyay, S. (2013). The impact of subsurface conceptualization on land energy fluxes. *Advances in water resources*, 60, 188-203.
41. Singh, A. (2013). Groundwater modelling for the assessment of water management alternatives. *Journal of Hydrology*, 481, 220-229.
42. Yoon, H., Hart, D. B., & McKenna, S. A. (2013). Parameter estimation and predictive uncertainty in stochastic inverse modeling of groundwater flow: Comparing null-space Monte Carlo and multiple starting point methods. *Water Resources Research*, 49(1), 536-553
43. Ayvaz, M. T., & Elçi, A. (2013). A groundwater management tool for solving the pumping cost minimization problem for the Tahtali watershed (Izmir-Turkey) using hybrid HS-Solver optimization algorithm. *Journal of Hydrology*, 478, 63-76.
44. Elçi, A., & Ayvaz, M. T. (2014). Differential-evolution algorithm based optimization for the site selection of groundwater production wells with the consideration of the vulnerability concept. *Journal of Hydrology*, 511, 736-749.
45. Nakhaei, M., Mohammadi, M., & Rezaei, M. (2014). Optimizing of Aquifer Withdrawal Numerical Model Using Genetic Algorithm (Case Study: Uromiyeh Coastal Aquifer). *Iran-Water Resources Research*, 10(2), 94-97.
46. Martinez, Y., & Esteban, E. (2014). Social choice and groundwater management: application of the uniform rule. *Ciencia e investigación agraria*, 41(2), 153-162.
47. El Alfy, M. (2014). Numerical groundwater modelling as an effective tool for management of water resources in arid areas. *Hydrological Sciences Journal*, 59(6), 1259-1274.

48. Parsapour-Moghaddam, P., Abed-Elmdoust, A., & Kerachian, R. (2015). A heuristic evolutionary game theoretic methodology for conjunctive use of surface and groundwater resources. *Water Resources Management*, 29(11), 3905-3918.
49. Zekri, S., Triki, C., Al-Maktoumi, A., & Bazargan-Lari, M. R. (2015). An optimization-simulation approach for groundwater abstraction under recharge uncertainty. *Water resources management*, 29(10), 3681-3695.
50. Sophocleous, M. A., Koelliker, J. K., Govindaraju, R. S., Birdie, T., Ramireddygari, S. R., & Perkins, S. P. (1999). Integrated numerical modeling for basin-wide water management: The case of the Rattlesnake Creek basin in south-central Kansas. *Journal of Hydrology*, 214(1-4), 179-196.
51. Sophocleous, M., & Perkins, S. P. (2000). Methodology and application of combined watershed and ground-water models in Kansas. *Journal of hydrology*, 236(3-4), 185-201.
52. Galbiati, L., Bouraoui, F., Elorza, F. J., & Bidoglio, G. (2006). Modeling diffuse pollution loading into a Mediterranean lagoon: development and application of an integrated surface–subsurface model tool. *Ecological Modelling*, 193(1-2), 4-18.
53. Narula, K. K., & Gosain, A. K. (2013). Modeling hydrology, groundwater recharge and non-point nitrate loadings in the Himalayan Upper Yamuna basin. *Science of the Total Environment*, 468, S102-S116.
54. Pulido-Velazquez, M., Peña-Haro, S., García-Prats, A., Mocholi-Almudever, A. F., Henríquez-Dole, L., Macian-Sorribes, H., & Lopez-Nicolas, A. (2015). Integrated assessment of the impact of climate and land use changes on groundwater quantity and quality in the Mancha Oriental system (Spain). *Hydrology and Earth System Sciences*, 19(4), 1677-1693.
55. Izady, A., Davary, K., Alizadeh, A., Ziae, A. N., Akhavan, S., Alipoor, A., ... & Brusseau, M. L. (2015). Groundwater conceptualization and modeling using distributed SWAT-based recharge for the semi-arid agricultural Neishaboor plain, Iran. *Hydrogeology Journal*, 23(1), 47-68.
56. Kamali, A., & Niksokhan, M. H. (2017). Multi-objective optimization for sustainable groundwater management by developing of coupled quantity-quality simulation-optimization model. *journal of hydroinformatics*, 19(6), 973-992.
57. Norouzi Khatiri, K., Niksokhan, M. H., & Sarang, A. (2020a). Choosing various likelihood functions on uncertainty assessment in groundwater simulation-optimization model. *Water Supply*, 20(2), 737-750.
58. Norouzi Khatiri, K., Niksokhan, M. H., Sarang, A., & Kamali, A. (2020b). Coupled simulation-optimization model for the management of groundwater resources by considering uncertainty and conflict resolution. *Water Resources Management*, 34(11), 3585-3608.
59. Gordon, E., Shamir, U., & Bensabat, J. (2001). Optimal Extraction of Water from Regional Aquiferunder Salinization. *Journal of Water Resources Planning and Management*, 127(2), 71-77.
60. Wu, J., Zheng, C., Chien, C. C., & Zheng, L. (2006). A comparative study of Monte Carlo simple genetic algorithm and noisy genetic algorithm for cost-effective sampling network design under uncertainty. *Advances in Water Resources*, 29(6), 899-911.
61. Feyen, L., & Caers, J. (2006). Quantifying geological uncertainty for flow and transport modeling in multi-modal heterogeneous formations. *Advances in Water Resources*, 29(6), 912-929.
62. Kourakos, G., & Mantoglou, A. (2008). Remediation of heterogeneous aquifers based on multiobjective optimization and adaptive determination of critical realizations. *Water Resources Research*, 44(12).
63. Rejani, R., Jha, M. K., Panda, S. N., & Mull, R. (2008). Simulation modeling for efficient groundwater management in Balasore coastal basin, India. *Water Resources Management*, 22(1), 23-50.
64. Bazargan-Lari, M. R., Kerachian, R., & Mansoori, A. (2009). A conflict-resolution model for the conjunctive use of surface and groundwater resources that considers water-quality issues: a case study. *Environmental management*, 43(3), 470-482.
65. Harou, J. J., Pulido-Velazquez, M., Rosenberg, D. E., Medellín-Azuara, J., Lund, J. R., & Howitt, R. E. (2009). Hydro-economic models: Concepts, design, applications, and future prospects. *Journal of Hydrology*, 375(3-4), 627-643.
66. Medhat, A., and El-Bihery. (2009). Groundwater flow modeling of quaternary aquifer Ras Sudr, Egypt. *Enviroment. Geology*. 58, 1095–1105.
67. Kerachian, R., Fallahnia, M., Bazargan-Lari, M. R., Mansoori, A., & Sedghi, H. (2010). A fuzzy game theoretic approach for groundwater resources management: Application of Rubinstein Bargaining Theory. *Resources, Conservation and Recycling*, 54(10), 673-682.
68. Singh, A., & Panda, S. N. (2012). Integrated salt and water balance modeling for the management of waterlogging and salinization. I: Validation of SAHYSMOD. *Journal of irrigation and drainage engineering*, 138(11), 955-963.
69. Qin, X. S. (2012). Assessing environmental risks through fuzzy parameterized probabilistic analysis. *Stochastic Environmental Research and Risk Assessment*, 26(1), 43-58.
70. Dhar, A., & Patil, R. S. (2012). Multiobjective design of groundwater monitoring network under epistemic uncertainty. *Water resources management*, 26(7), 1809-1825.

71. Wang, H., & Jin, X. (2013). Characterization of groundwater contaminant source using Bayesian method. *Stochastic environmental research and risk assessment*, 27(4), 867-876.
72. Eltarably, M. G., Negm, A. M., Yoshimura, C., & Saavedra, O. C. (2017). Modeling the impact of nitrate fertilizers on groundwater quality in the southern part of the Nile Delta, Egypt. *Water Science and Technology: Water Supply*, 17(2), 561-570.
73. Heydari, F., Saghafian, B., & Delavar, M. (2016). Coupled quantity-quality simulation-optimization model for conjunctive surface-groundwater use. *Water Resources Management*, 30(12), 4381-4397.
74. Alizadeh, M. R., Nikoo, M. R., & Rakhshandehroo, G. R. (2017b). Developing a multi-objective conflict-resolution model for optimal groundwater management based on fallback bargaining models and social choice rules: a case study. *Water Resources Management*, 31(5), 1457-1472.
75. Nazari, S., & Ahmadi, A. (2019). Non-cooperative stability assessments of groundwater resources management based on the tradeoff between the economy and the environment. *Journal of Hydrology*, 578, 124075.
76. Barlow, P. M., Ahlfeld, D. P., & Dickerman, D. C. (2003). Conjunctive-management models for sustained yield of stream-aquifer systems. *Journal of Water Resources Planning and Management*, 129(1), 35-48.
77. Bayer, P., & Finkel, M. (2007). Optimization of concentration control by evolution strategies: Formulation, application, and assessment of remedial solutions. *Water resources research*, 43(2).
78. Alizadeh, M. R., Nikoo, M. R., & Rakhshandehroo, G. R. (2017a). Developing a multi-objective conflict-resolution model for optimal groundwater management based on fallback bargaining models and social choice rules: a case study. *Water Resources Management*, 31(5), 1457-1472.
79. Ababou, R., & Al-Bitar, A. (2004). Salt water intrusion with heterogeneity and uncertainty: mathematical modeling and analyses. In *Developments in Water Science* (Vol. 55, pp. 1559-1571). Elsevier.
80. Juckem, P. F., Fienen, M. N., & Hunt, R. J. (2014). Simulation of groundwater flow and interaction of groundwater and surface water on the Lac du Flambeau Reservation, Wisconsin (No. 2014-5020). US Geological Survey.
81. Hamraz, B., Akbarpour, A., Pourreza Bilondi, M., & Sadeghi Tabas, S. (2015). On the assessment of ground water parameter uncertainty over an arid aquifer. *Arabian journal of Geosciences*, 8(12), 10759-10773.