

Photocatalytic degradation of sulfamethoxazole and enrofloxacin in water using electrospun composite photocatalytic membrane

Xiaohu Lin ^{1,2,3,*}, Haifeng Fang ^{1,3}, Libing Wang ^{1,3}, Danyan Sun ², Gang Zhao ^{2,4} and Jingcheng Xu ^{2,*}

¹ PowerChina Huadong Engineering Corporation Limited, Hangzhou 311122, China;

² College of Environmental Science and Engineering, Tongji University, Shanghai 200092, China;


³ Huadong Eco-environmental Engineering Research Institute of Zhejiang Province, Hangzhou 311122, China;

⁴ Shanghai Urban Construction Design & Research Institute (Group) Co. Ltd., 3447 Dongfang Rd, Shanghai, China;

* Correspondence: tjhjxhlin@tongji.edu.cn (X.L.), jcxutj@126.com (J.X.); Tel.: +86-0571-56613288 (X.L.); +86 021-65982010 (J.X.)

Table S1. Chemical Abstracts Service (CAS) Numbers of the major chemicals.

Chemical	CAS Number
Sulfamethoxazole (SMX)	723-46-6
Enrofloxacin (ENR)	93106-60-6
Acetonitrile	75-05-8
Methanol	67-56-1
Ethyl acetate	141-78-6
Polyacrylonitrile (PAN)	5014-41-9
N,N-dimethylformamide (DMF)	68-12-2
Graphene oxide (GO)	7440-44-0
3-Methacryloxypropyltrimethoxysilane (MEMO)	2530-85-0

**Figure S1.** Adsorption and photocatalytic degradation of (a) SMX and (b) ENR with PAN-TiO₂ composite membrane with the initial concentration of 5 mg/L and uncontrolled pH at room temperature (20°C).