



Correction

## Correction: Groen et al. Use of Image-Guided Surgical Navigation during Resection of Locally Recurrent Rectal Cancer. *Life* 2022, 12, 645

Harald C. Groen <sup>1,\*</sup>, Anne G. den Hartog <sup>1</sup>, Wouter J. Heerink <sup>1</sup>, Koert F. D. Kuhlmann <sup>1</sup>, Niels F. M. Kok <sup>1</sup>, Ruben van Veen <sup>1</sup>, Marijn A. J. Hiep <sup>1</sup>, Petur Snaebjornsson <sup>2</sup>, Brechtje A. Grotenhuis <sup>1</sup>, Geerard L. Beets <sup>1</sup>, Arend G. J. Aalbers <sup>1</sup> and Theo J. M. Ruers <sup>1,3</sup>

- Department of Surgical Oncology, Netherlands Cancer Institute, 1066 CX Amsterdam, The Netherlands
- Department of Pathology, Netherlands Cancer Institute, 1066 CX Amsterdam, The Netherlands
- Faculty of Science and Technology (TNW), Nanobiophysics Group (NBP), University of Twente, 7500 AE Enschede, The Netherlands
- \* Correspondence: h.groen@nki.nl

The authors wish to make the following corrections to this paper [1].

In the published version, the resection rate numbers as reported by Kok et al. [2] were cited incorrectly in the Introduction section on page 2.

The sentence "Among patients operated on for LRRC, R0 resection rate using surgical navigation was 21% compared with 51% in a case control group" should be changed to "Among patients operated on for LRRC, R0 resection rate using surgical navigation was 79% compared with 49% in a case control group".

The authors state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.

## References

- Groen, H.C.; den Hartog, A.G.; Heerink, W.J.; Kuhlmann, K.F.D.; Kok, N.F.M.; van Veen, R.; Hiep, M.A.J.; Snaebjornsson, P.; Grotenhuis, B.A.; Beets, G.L.; et al. Use of Image-Guided Surgical Navigation during Resection of Locally Recurrent Rectal Cancer. *Life* 2022, 12, 645. [CrossRef] [PubMed]
- Kok, E.N.D.; van Veen, R.; Groen, H.C.; Heerink, W.J.; Hoetjes, N.J.; van Werkhoven, E.; Beets, G.L.; Aalbers, A.G.J.; Kuhlmann, K.F.D.; Nijkamp, J.; et al. Association of Image-Guided Navigation with Complete Resection Rate in Patients with Locally Advanced Primary and Recurrent Rectal Cancer. JAMA Netw. Open 2020, 3, e208522. [CrossRef] [PubMed]

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.



Citation: Groen, H.C.; den Hartog, A.G.; Heerink, W.J.; Kuhlmann, K.F.D.; Kok, N.F.M.; van Veen, R.; Hiep, M.A.J.; Snaebjornsson, P.; Grotenhuis, B.A.; Beets, G.L.; et al. Correction: Groen et al. Use of Image-Guided Surgical Navigation during Resection of Locally Recurrent Rectal Cancer. *Life* 2022, 12, 645. *Life* 2023, 13, 678. https://doi.org/10.3390/life13030678

Received: 2 February 2023 Accepted: 23 February 2023 Published: 2 March 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).