

Supplementary Table S2. Haplotype association analysis of *ABCC2*, *ABCB1* and *ALDH1A1* polymorphisms with survival.

Haplotype	Overall survival		Recurrence-free survival	
	<i>p</i> -value univariate	<i>p</i> -value multivariate	<i>p</i> -value univariate	<i>p</i> -value multivariate
Anthracycline pathway				
<i>ABCB1</i> (rs1128503 rs2032582 rs10456429)				
TTT	0.243	0.083	0.394	0.135
TTC	0.459	0.498	0.540	0.545
TGT	0.059	<0.001	<0.001	0.001
CGT	0.042	0.047	0.109	0.112
CGC	0.171	0.053	0.263	0.092
<i>ABCC2</i> (rs3740066 rs2273697)				
TA	0.815	0.988	0.402	0.275
CA	0.544	0.835	0.486	0.869
TG	0.091	0.185	0.095	0.193
CG	0.216	0.224	0.167	0.133
Ifosfamide pathway				
<i>ALDH1A1</i> (rs3764435 rs168351)				
CG	0.313	0.579	0.363	0.665
AG	0.405	0.369	0.284	0.228
CA	0.034	0.021	0.004	0.001
AA	0.139	0.094	0.040	0.020

The statistically significant *p*-values are marked in bold.