

# The checklist of Metriorrhynchina genera and species

Family Lycidae Laporte, 1838

Subfamily Metriorrhynchinae Kleine, 1926a

Tribe Metriorrhynchini Kleine, 1926a

Subtribe Metriorrhynchina Kleine, 1926a

Metriorrhynchinae Kleine, 1926a: 97 (Type species. *Metriorrhynchus* Guérin-Méneville, 1838 (cited as *Metriorrhynchus* in the original publication).

Metriorrhynchini Kleine, 1926a; Kleine, 1933a: 77; Bocak & Bocakova 2008: 716 (in Lycinae).

Metriorrhynchini Kleine, 1926a; Kazantsev, 2005: 77 (in Calochrominae).

Metriorrhynchina Kleine, 1926a; Sklenarova et al. 2014: 47.

=Cladophorinae Kleine, 1928c: 222 (Type genus. *Cladophorus* Guérin-Méneville, 1830); Bocak & Bocakova 1990a: 646.

=Dilolycinae Kleine, 1926a: 186 (Type genus. *Dilolycus* Kleine, 1926a); Bocak & Bocakova 1990a: 646.

=Haplothoracinae Kleine, 1926a: 95, *nomen nudum* (Type genus *Haplothorax* Kleine, 1926a, *nomen nudum*).

=Trichalinae Kleine, 1928c: 222 (Type genus. *Trichalus* Waterhouse, 1877).

=Trichalini Kleine, 1928c; Kleine, 1933a: 69.

=Trichalina Kleine, 1928c; Bocak & Bocakova 1990a: 646, synonymized by Sklenarova et al. 2014: 47.

=Hemiconderina Bocak & Bocakova, 1990: 645 (Type species *Hemiconderis* Kleine, 1926a); Sklenarova et al. 2014: 47.

## ***Broxylus* Waterhouse, 1879**

*Broxylus* Waterhouse, 1879: 20 (Type species. *Calopteron pfeifferi* Waterhouse, 1878: 106; by monotypy).

=*Samanga* Pic, 1921: 9 (Type species. *Samanga fenestrata* Pic, 1921; by monotypy).

*Broxylus pfeifferi* (Waterhouse, 1878) – Sulawesi

*Calopteron pfeifferi* Waterhouse, 1878: 106.

*Broxylus pfeifferae* (Waterhouse, 1878); Waterhouse (1879: 21), Kleine (1933a: 35), incorrect subsequent spelling.

*Broxylus pfeifferi* (Waterhouse, 1878); Bocak & Jass 2004: 69.

*Broxylus fenestratus* (Pic, 1921) – Sulawesi

*Samanga fenestrata* Pic, 1921a: 9.

*Broxylus fenestratus* Pic, 1921a: 9; Bocak & Jass (2004: 70).

*Broxylus jezeki* Bocak & Jass, 2004: 70 – Sulawesi

*Broxylus kalamensis* Bocak & Jass, 2004: 72 – Sulawesi

*Broxylus majeri* Bocak & Jass, 2004: 69 – Sulawesi

*Broxylus orobuensis* Bocak & Jass, 2004: 74 – Sulawesi

*Broxylus pendolensis* Bocak & Jass, 2004: 72 – Sulawesi

*Broxylus pseudofenestratus* Bocak & Jass, 2004: 72 – Sulawesi

*Broxylus tanatorajensis* Bocak & Jass, 2004: 71 – Sulawesi

*Broxylus malinensis* Bocak & Jass, 2004: 71 – Sulawesi

*Broxylus longicollis* (Pic, 1922) – Sulawesi

*Samanga longicollis* Pic, 1922: 22.

*Samanga longicollis* (Pic, 1922); Bocak & Jass (2004: 74).

### ***Cautiromimus* Pic, 1926**

*Cautiromimus* Pic, 1926a: 454 (Type species. *Cladophorus reticulatus* Kleine, 1926; by monotypy).

*Cautiromimus amabilis* (Waterhouse, 1884), **comb. nov.** – New Guinea: Aru Isl.

*Cautires amabilis* Waterhouse, 1884: 281.

*Cautiromimus amabilis* Waterhouse, 1884: 281; hereby proposed.

*Cautiromimus atroscutus* (Pic, 1922), **comb. nov.** – New Guinea

*Cautires atroscutus* Pic, 1922: 18.

*Cautiromimus atroscutus* (Pic, 1922); hereby proposed.

*Cautiromimus elegans* (Kleine, 1926a), **comb. nov.** – New Guinea

*Cautires elegans* Kleine, 1926a: 153.

*Cautiromimus elegans* (Kleine, 1926a); hereby proposed.

*Cautiromimus facetus* (Kleine, 1926a), **comb. nov.** – New Guinea

*Cautires facetus* Kleine, 1926a: 152.

*Cautiromimus facetus* (Kleine, 1926a); hereby proposed.

*Cautiromimus factus* (Kleine, 1926a), **comb. nov.** – New Guinea

*Cautires factus* Kleine, 1926a: 153.

*Cautiromimus factus* (Kleine, 1926a); hereby proposed.

*Cautiromimus fuliginosus* (Kleine, 1926a), **comb. nov.** – New Guinea

*Cautires fuliginosus* Kleine, 1926a: 155.

*Cautiromimus fuliginosus* (Kleine, 1926a); hereby proposed.

*Cautiromimus insulanus* (Kleine, 1926a), **comb. nov.** – New Britain

*Cautires insulanus* Kleine, 1926a: 154.

*Cautiromimus insulanus* (Kleine, 1926a); hereby proposed.

*Cautiromimus kristinae* (Kazantsev, 2010), **comb. nov.** – New Guinea

*Cautires kristinae* Kazantsev, 2010: 94.

*Cautiromimus kristinae* (Kazantsev, 2010); hereby proposed.

*Cautiromimus maculosus* (Kleine, 1926a), **comb. nov.** – New Guinea

*Cautires maculosus* Kleine, 1926a: 155.

*Cautiromimus maculosus* (Kleine, 1926a); hereby proposed.

*Cautiromimus maturus* (Kleine, 1926a), **comb. nov.** – New Guinea

*Cautires maturus* Kleine, 1926a: 150.

*Cautiromimus maturus* (Kleine, 1926a); hereby proposed.

*Cautiromimus mediocris* (Kleine, 1926a), **comb. nov.** – New Guinea

*Cautires mediocris* Kleine, 1926a: 151.

*Cautiromimus mediocris* (Kleine, 1926a); hereby proposed.

*Cautiromimus mendicus* (Kleine, 1926a), **comb. nov.** – New Guinea

*Cautires mendicus* Kleine, 1926a: 151.

*Cautiromimus mendicus* (Kleine, 1926a); hereby proposed.

*Cautiromimus mendozus* (Kleine, 1926a), **comb. nov.** – New Guinea

*Cautires mendozus* Kleine, 1926a: 153.

*Cautiromimus mendozus* (Kleine, 1926a); hereby proposed.

*Cautiromimus mimicus* (Kleine, 1926a), **comb. nov.** – New Guinea

*Cautires mimicus* Kleine, 1926a: 152.

*Cautiromimus mimicus* (Kleine, 1926a); hereby proposed.

*Cautiromimus papuanus* (Kleine, 1935a) – New Guinea

*Bulenides papuanus* Kleine, 1935a: 311.

*Cautires papuanus* Kleine, 1935a: 311; Dudkova & Bocak (2010: 45).

*Cautiromimus reticulatus* Kleine, 1926a – Moluccas: Bacan

*Cladophorus reticulatus* Kleine, 1926a: 143.

*Cautiromimus reticulatus* Kleine, 1926a: 143, Kleine (1933a: 58).

*Cautiromimus socius* (Kleine, 1935a) – New Guinea

*Bulenides socius* Kleine, 1935a: 311.

*Cautiromimus socius* (Kleine, 1935a); Dudkova & Bocak (2010: 45).

### ***Cladophorinus* Kleine, 1926**

*Cladophorinus* Kleine, 1926a: 149 (Type species. *Cladophorinus cyaneus* Kleine, 1926a: 150; by original designation).

*Cladophorinus cyaneus* Kleine, 1926a: 149 – New Guinea

### ***Cladophorus* Guérin-Méneville, 1830**

*Lycus* (*Cladophorus*) Guérin-Méneville, 1830: Plate II, Fig. 9 (Type species. *Cladophorus formosus* Guérin-Méneville, 1830; by subsequent designation).

*Cladophorus* Guérin-Méneville, 1830: Gemminger & Harold 1869: 1633.

= *Odontocerus* Guérin-Méneville 1838: 72 (Type species. *Cladophorus formosus* Guérin-Méneville, 1830; by subsequent designation).

= *Spacekia* Strand, 1936: 168, a junior objective homonym (Type species. *Cladophorus formosus* Guérin-Méneville, 1830).

*Cladophorus* (s. str.) *aberrans* Waterhouse, 1878: 112 – New Guinea: Aru Isl.

*Cladophorus* (s. str.) *acutangulus* Bourgeois, 1892: 513 – Moluccas: Obi Isl.; New Guinea: Aru Isl.

*Cladophorus* (s. str.) *albocinctus* Kleine, 1926a: 125 – New Guinea

*Cladophorus* (s. str.) *amabilis* Kleine, 1926a: 134 – New Guinea

*Cladophorus* (s. str.) *andaiensis* Pic, 1923a: 36 – New Guinea

*Cladophorus* (s. str.) *angustifasciatus* Kleine, 1935a: 319 – New Guinea

*Cladophorus* (s. str.) *apicalis* Macleay, 1886: 152 – New Guinea

- Cladophorus (s. str.) argenteus* Kleine, 1926a: 125 – New Guinea  
*Cladophorus (s. str.) atrolineatus* (Pic, 1921) – New Guinea  
*Odontocerus atrolineatus* Pic, 1921: 12.  
*Cladophorus (s. str.) atrolineatus* (Pic, 1921); Kleine (1933a: 47).  
*Cladophorus (s. str.) basalis* Kleine, 1926a: 127 – Moluccas: Ceram  
*Cladophorus (s. str.) basipennis* Pic, 1923a: 37 – New Guinea  
*Cladophorus (s. str.) beccarii* Bourgeois, 1892: 498 – New Guinea  
*Cladophorus (s. str.) bellus* (Pic, 1923a) – New Guinea  
*Odontocerus bellus* Pic, 1923a: 38.  
*Cladophorus bellus* (Pic, 1923); Kleine (1933a: 47).  
*Cladophorus (s. str.) belzebuth* Bourgeois, 1892: 502 – New Guinea  
*Cladophorus (s. str.) bicolor* Kleine, 1926a: 129 – New Guinea  
*Cladophorus (s. str.) boceki* Kalousova et al., 2017: 510 – New Guinea  
*Cladophorus (s. str.) brunneicornis* Pic, 1923a: 36 – New Guinea  
*Cladophorus (s. str.) brunnescens* Kleine, 1926a: 142 – New Guinea  
*Cladophorus (s. str.) buruanus* Kleine, 1933b: 5 – Moluccas: Buru  
*Cladophorus (s. str.) cavifrons* Kleine, 1935a: 312 – New Guinea  
*Cladophorus (s. str.) celebensis* (Pic, 1921) – Sulawesi  
*Odontocerus celebensis* Pic, 1921: 12.  
*Cladophorus celebensis* (Pic, 1921); Kleine (1933a: 47).  
*Cladophorus (s. str.) cephalotes* (Pic, 1923a) – New Guinea  
*Odontocerus cephalotes* Pic, 1923a: 36.  
*Cladophorus cephalotes* (Pic, 1923a); Kleine (1933a: 47).  
*Cladophorus (s. str.) ceramensis* Kleine, 1926a: 137 – Moluccas: Ceram; New Guinea  
*Cladophorus (s. str.) cinctus* (Waterhouse, 1877) – Australia: Queensland  
*Porrostoma cinctum* Waterhouse, 1877: 80.  
*Metriorrhynchus cinctus* (Waterhouse, 1879: 58); Lea (1909: 66).  
*Cladophorus cinctus* (Waterhouse, 1877); Kleine (1933a: 47).  
*Cladophorus cinctum* (Waterhouse, 1877); Calder (1998: 150).  
= *Metriorrhynchus capucinus* Lea, 1899: 558; Kleine (1933a: 47).  
Note. *C. cinctum* occurs only in Australia, the Kleine's (1933a) reports from Aru Isl., New Guinea, and Ternate are false.  
*Cladophorus (s. str.) collaris* Guérin-Méneville, 1838: 73 – New Guinea  
*Cladophorus (s. str.) craterensis* Kalousova et al., 2017: 511 – New Guinea  
*Cladophorus (s. str.) detractus* Waterhouse, 1879: 64 – New Guinea  
*Cladophorus (s. str.) diabolus* Bourgeois, 1892: 502 – Moluccas: Amboina  
*Cladophorus (s. str.) discobrunneus* Pic, 1923a: 37 – New Guinea  
*Cladophorus (s. str.) diversicornis* Pic, 1923a: 37 – New Guinea  
*Cladophorus (s. str.) divisus* Kleine, 1935b: 177 – Solomon Isl.  
*Cladophorus (s. str.) dohertyi* Pic, 1923a: 37 – New Guinea  
*Cladophorus (s. str.) dorsalis* Bourgeois, 1892: 501 New Guinea: Aru Isl.  
*Cladophorus (s. str.) elegantulus* Kleine, 1926a: 124 – New Guinea  
*Cladophorus (s. str.) emendatus* Kleine, 1926a: 130 – New Guinea

- Cladophorus (s. str.) exactus* Kleine, 1926a: 126 – New Guinea
- Cladophorus (s. str.) extraordinarius* Kleine, 1926a: 138 – New Britain
- Cladophorus (s. str.) fallax* Kleine, 1926a: 139 – New Britain
- Cladophorus (s. str.) flabellifer* Bourgeois, 1892 – New Guinea
- Cladophorus flabellifer* Bourgeois, 1892: 496.
- = *Cladophorus sellatus* Bourgeois, 1892: 498; Kleine, 1933a: 48.
- Cladophorus (s. str.) flavofasciatus* Kleine, 1939a: 110 – New Guinea
- Cladophorus (s. str.) formosus* Guérin-Méneville, 1838 – New Guinea
- Cladophorus formosus* Guérin-Méneville, 1838: 73.
- = *Lycus (Cladophorus) dimidiatus* Guérin-Méneville, 1830: pl. 2, figure 9 (a junior objective homonym of *Lycus dimidiatus* Fabricius, 1801: 111).
- Cladophorus (s. str.) francoisi* Bourgeois, 1897: 72 – Oceania
- Cladophorus (s. str.) fryi* Kleine, 1930d: 410 – New Guinea
- Cladophorus (s. str.) fuscatus* Waterhouse, 1879: 64 – New Guinea
- Cladophorus (s. str.) gagates* Bourgeois, 1897: 72 – Oceania
- Cladophorus (s. str.) gestroi* Kleine, 1926a: 125 – New Guinea
- Cladophorus (s. str.) grandis* Kleine, 1939a: 109 – New Guinea
- Cladophorus (s. str.) griseus* Kleine, 1926a: 143 – New Guinea
- Cladophorus (s. str.) haiaensis* Kalousova et al., 2017: 511 – New Guinea
- Cladophorus (s. str.) hirtus* Kleine, 1935a: 314 – New Guinea
- Cladophorus (s. str.) hospitus* Kleine, 1935a: 312 – New Guinea
- Cladophorus (s. str.) humboldti* Pic, 1923a: 36 – New Guinea
- Cladophorus (s. str.) humeralis* Kleine, 1926a: 130 – New Guinea
- Cladophorus (s. str.) immundus* Kleine, 1926a: 140 – New Guinea
- Cladophorus (s. str.) infernalis* Bourgeois, 1892: 503 – New Guinea; Moluccas
- Cladophorus (s. str.) inflabellatus* Pic, 1923a: 36 – New Guinea
- Cladophorus (s. str.) infrequens* Kleine, 1939a: 110 – New Guinea
- Cladophorus (s. str.) ingenuus* Waterhouse, 1879: 64 – New Guinea
- Cladophorus (s. str.) jobiensis* (Pic, 1921) – Moluccas: Obi Isl.
- Odontocerus jobiensis* Pic, 1921: 12.
- = *Cladophorus jobiensis* (Pic, 1921); Kleine (1933a: 48).
- Cladophorus (s. str.) kailakiensis* Kalousova et al., 2017: 512 – New Guinea
- Cladophorus (s. str.) kochi* Kleine, 1926a: 137 – New Guinea
- Cladophorus (s. str.) latithorax* Kleine, 1930a: 343 – Timor
- Cladophorus (s. str.) laudatus* Kleine, 1935a: 311 – New Guinea
- Cladophorus (s. str.) leopoldi* Pic, 1932: 85 – New Guinea
- Cladophorus (s. str.) longeflabbatus* Pic, 1923a: 36 – New Guinea
- Cladophorus (s. str.) longesuturalis* Pic, 1923a: 37 – New Guinea
- Cladophorus (s. str.) longicornis* Macleay, 1886: 152 – New Guinea
- Cladophorus (s. str.) loriae* Kleine, 1926a: 127 – New Guinea
- Cladophorus (s. str.) lucidus* Kleine, 1926a: 132 – New Guinea
- Cladophorus (s. str.) luctuosus* Kleine, 1926a: 123 – New Guinea
- Cladophorus (s. str.) luculentus* Kleine, 1926a: 132 – New Guinea

- Cladophorus (s. str.) luridus* Kleine, 1926a: 131 – New Guinea
- Cladophorus (s. str.) maculatithorax* (Pic, 1923) – Moluccas: Obi Isl.
- Odontocerus maculatithorax Pic, 1923a: 38.
- Cladophorus maculatithorax* (Pic, 1923a); Kleine (1933a: 49).
- Cladophorus (s. str.) mancus* Kleine, 1926a: 141 – Moluccas: Bacan Isl.
- Cladophorus (s. str.) mandibularis* Bourgeois, 1892: 507 – New Guinea
- Cladophorus (s. str.) manokwarensis* Kalousova et al., 2017: 513 – New Guinea
- Cladophorus (s. str.) melaleucus* Kleine, 1935a: 319 – New Guinea
- Cladophorus (s. str.) metallicus* Kleine, 1926a: 133 – New Guinea
- Cladophorus (s. str.) micans* Kleine, 1926a: 136 – New Guinea, Roon Isl.
- Cladophorus (s. str.) mindikensis* Kalousova et al., 2017: 513 – New Guinea
- Cladophorus (s. str.) miniatus* Macleay, 1887: 235 – Australia: Queensland
- Cladophorus (s. str.) motykai* Kalousova et al., 2017: 514 – New Guinea
- Cladophorus (s. str.) nigrescens* McLeay, 1886: 152 – New Guinea
- Cladophorus (s. str.) nigriceps* Kirsch, 1877: 143 – Moluccas: Halmahera, Buru; New Guinea, Aru Isl.
- Cladophorus (s. str.) obsoletus* Bourgeois, 1892: 513 – New Guinea
- Cladophorus (s. str.) ochraceicollis* Fairmaire, 1883: 22 – New Guinea: Duc de York Isl.
- Cladophorus (s. str.) oculatus* Kleine, 1926a: 126 – New Guinea
- Cladophorus (s. str.) ornatus* Waterhouse, 1879: 65 – New Guinea
- Cladophorus (s. str.) pallens* Kleine, 1926a: 124 – New Guinea
- Cladophorus (s. str.) pallidulus* Bourgeois, 1892: 505 – New Guinea
- Cladophorus (s. str.) papuensis* Bourgeois, 1892: 512 – New Guinea
- Cladophorus (s. str.) piceoscutus* Pic, 1923a: 37 – New Guinea, – Moluccas: Buru Isl.
- Cladophorus (s. str.) pigidialis* (Pic, 1923a) – New Guinea; Moluccas: Bacan Isl.
- Odontocerus pigidialis Pic, 1923a: 38.
- Cladophorus pigidialis* (Pic, 1923a); Kleine (1933a: 50).
- Cladophorus (s. str.) pilosus* Kleine, 1926a: 136 – New Guinea
- Cladophorus (s. str.) planteni* Pic, 1923a: 37 – Oceania: Wake Isl., Marshal Isl.
- Cladophorus (s. str.) praecipuus* Kleine, 1926a: 188 – New Guinea
- Cladophorus (s. str.) praemaculatus* Kleine, 1939a: 111 – New Guinea
- Cladophorus (s. str.) praetor* Kleine, 1935b: 178 – New Guinea
- Cladophorus (s. str.) prodigiosus* Kleine, 1926a: 187 – New Guinea
- Cladophorus (s. str.) psittacinus* Kleine, 1935a: 312 – New Guinea
- Cladophorus (s. str.) quadraticollis* Bourgeois, 1892: 500 – New Guinea, Aru Isl.; Moluccas: Key Isl., Buru
- Cladophorus (s. str.) restrictus* Waterhouse, 1878: 113 – New Guinea, New Britain
- = *Cladophorus tibialis* Bourgeois, 1892: 509; Kleine, 1933a: 50.
- Cladophorus (s. str.) roonensis* (Pic, 1921) – Moluccas: Roon Isl.
- Odontocerus roonensis Pic, 1921: 12.
- Cladophorus roonensis* (Pic, 1921); Kleine (1933a: 50).
- Cladophorus (s. str.) rubentipes* Bourgeois, 1892: 506 – New Guinea, Aru Isl.
- Cladophorus (s. str.) ruber* Kleine, 1939a: 111 – New Guinea

*Cladophorus* (*s. str.*) *rufithorax* Bourgeois, 1892: 509 – New Guinea  
*Cladophorus* (*s. str.*) *scapularis* Kleine, 1926a: 128 – New Guinea  
*Cladophorus* (*s. str.*) *semimarginatus* Pic, 1923a: 37 – New Guinea  
*Cladophorus* (*s. str.*) *semirufus* McLeay, 1886: 152 – New Guinea  
*Cladophorus* (*s. str.*) *septemareolatus* Bourgeois, 1892: 511 – New Guinea: Aru Isl.  
*Cladophorus* (*s. str.*) *splendidus* Kleine, 1935a: 314 – New Guinea  
*Cladophorus* (*s. str.*) *stygius* Bourgeois, 1892: 503 – New Guinea, Aru Isl.; Moluccas: Buru  
*Cladophorus* (*s. str.*) *subdilutus* (Pic, 1923a) – New Guinea  
    *Odontocerus subdilutus* Pic, 1923a: 38.  
    *Cladophorus subdilutus* (Pic, 1923a); Kleine (1933a: 51).  
*Cladophorus* (*s. str.*) *subflabellatus* Pic, 1923a: 36 – New Guinea  
*Cladophorus* (*s. str.*) *subparallelus* Pic, 1923a: 36 – New Guinea  
*Cladophorus* (*s. str.*) *subrutescens* (Pic, 1923a) – New Guinea  
    *Odontocerus subrutescens* Pic, 1923a: 38.  
    *Cladophorus subrutescens* (Pic, 1923a); Kleine (1933a: 51).  
*Cladophorus* (*s. str.*) *tener* Kleine, 1933b: 7 – Moluccas: Bacan  
*Cladophorus* (*s. str.*) *terminalis* Kleine, 1935a: 313 – New Guinea  
*Cladophorus* (*s. str.*) *testaceipes* Pic, 1923a: 37 – New Guinea  
*Cladophorus* (*s. str.*) *testaceocinctus* Pic, 1923a: 37 – New Guinea  
*Cladophorus* (*s. str.*) *tricoloratus* Kleine, 1943a: 150 – New Guinea  
*Cladophorus* (*s. str.*) *vicus* Pic, 1923a: 36 – New Guinea  
*Cladophorus* (*s. str.*) *victoriensis* Pic, 1923b: 2 – Australia: Victoria  
*Cladophorus* (*s. str.*) *pallidescens* Kalousova et al., 2017: 514 – New Guinea  
*Cladophorus* (*s. str.*) *riedeli* Kalousova et al., 2017: 515 – New Guinea  
*Cladophorus* (*s. str.*) *variabilis* Kleine, 1935a: 313 – New Guinea  
*Cladophorus* (*s. str.*) *wallacei* Kleine, 1933a: 8 – Moluccas  
*Cladophorus* (*s. str.*) *wasiorensis* Kalousova et al., 2017: 519 – New Guinea

Subgenus *Falsocautires* Pic, 1926a

Subgenus *Falsocautires* Pic, 1926a: 452 [Type species. *Cladophorus* (*Falsocautires*) *batjanensis* Pic, 1926a].

*Cladophorus* (*Falsocautires*) *batjanensis* Pic, 1926a: 452 – Moluccas: Bacan

### ***Diatrichalus* Kleine, 1926a**

*Diatrichalus* Kleine, 1926a: 167 (Type species *Diatrichalus xylobanoides* Kleine, 1926; by original designation).

=*Mimotrichalus* Pic, 1930: 92. (Type species. *Microtrichalus tenimberensis* Pic, 1930; by monotypy); Bocak, (1998a: 193).

*Diatrichalus absonus* (Kleine, 1926b: 108) – Philippines

*Trichalus absonus* Kleine, 1926b: 108.

*Diatrichalus absonus* (Kleine, 1926b); Bocak (2000a: 16).

- Diatrichalus aeneus* Bocak, 2001a: 7 – New Guinea  
*Diatrichalus aptus* (Kleine, 1926a) – New Guinea: Aru Isl.  
*Trichalus aptus* Kleine, 1926a: 175.  
*Diatrichalus aptus* (Kleine, 1926a); Bocak (2001a: 30).
- Diatrichalus assimilis* (Kleine, 1926a) – New Guinea, New Britain  
*Trichalus assimilis* Kleine, 1926a: 172.  
*Diatrichalus assimilis* (Kleine, 1926a); Bocak (2001a: 30).
- Diatrichalus bipunctatus* Bocak, 2001a: 7 – New Guinea  
*Diatrichalus buruensis* Bocek, 2017: 579 – New Guinea  
*Diatrichalus cerberus* (Bourgeois, 1900) – New Guinea  
*Trichalus cerberus* Bourgeois, 1900: 429.  
*Diatrichalus cerberus* (Bourgeois, 1900); Bocak (2001a: 9).  
= *Trichalus completus* Pic, 1923a: 36; Bocak (2001a: 9).
- Diatrichalus clypeatus* (Kleine, 1926b) – Philippines, Palawan  
*Trichalus clypeatus* Kleine, 1926b: 107.  
*Diatrichalus clypeatus* (Kleine, 1926b); Bocak (2000a: 13).
- Diatrichalus cyanescens* Bourgeois, 1900: 422 – New Guinea, Aru Isl.  
*Trichalus cyanescens*, 1900: 422.  
*Diatrichalus cyanescens* (Bourgeois, 1900); Bocak (2001a: 10).
- Diatrichalus dentatus* (Kleine, 1926a) – New Guinea  
*Trichalus dentatus* Kleine, 1926a: 170.  
*Diatrichalus dentatus* (Kleine, 1926a); Bocak (2001a: 11).
- Diatrichalus dilatatus* Bocak, 2001a: 13 – New Guinea  
*Diatrichalus emarginatus* Bocak, 2001a: 14 – New Guinea  
*Diatrichalus fasciatus* Bocak, 2001a: 14 – New Guinea  
*Diatrichalus fenestratus* Bocak, 2001a: 15 – New Guinea  
*Diatrichalus funereus* (Blackburn, 1900) – Australia: Victoria  
*Trichalus funereus* Blackburn, 1900: 51.  
*Diatrichalus funereus* (Blackburn, 1900); Bocak (2001a: 30).
- Diatrichalus habbema* Bocak, 2001a: 15 – New Guinea  
*Diatrichalus humeralis* Bocak, 2001a: 17 – New Guinea  
*Diatrichalus insulanus* (Kleine, 1933b) – Moluccas: Bacan  
*Trichalus insulanus* Kleine, 1933b: 12.  
*Diatrichalus insulanus* (Kleine, 1933b); Bocak (2001a: 30).
- Diatrichalus kershawi* (Lea, 1908) – Australia: Tasmania  
*Trichalus kershawi* Lea, 1908: 159.  
*Diatrichalus kershawi* (Lea, 1908); Bocak (2001a: 30).
- Diatrichalus luzonicus* (Kleine, 1929) – Philippines  
*Trichalus luzonicus* Kleine, 1929: 485.  
*Diatrichalus luzonicus* (Kleine, 1929); Bocak (2000a: 12).
- Diatrichalus malcheri* Kleine, 1939b: 590 – Solomon Isl.  
*Diatrichalus mancus* Kleine, 1926a: 176 – New Guinea  
*Trichalus mancus* Kleine, 1926a: 176.

- Diatrichalus mancus* (Kleine, 1926a); Bocak (2000a: 17).
- Diatrichalus manokwarensis* Bocek 2017: 580 – New Guinea
- Diatrichalus metallicus* (Kleine, 1935c) – New Guinea
- Trichalus metallicus* Kleine, 1935c: 151.
- Diatrichalus metallicus* Kleine, 1935c: 151; Bocak (2001a: 19).
- Diatrichalus mindikensis* Bocek 2017: 582 – New Guinea
- Diatrichalus niger* (Waterhouse, 1879: 71) – Sundas, Malaya
- Trichalus niger* Waterhouse, 1879: 71.
- Diatrichalus niger* Waterhouse, 1879: 71; Bocak (2001a: 30).
- = *Metriorrhynchus specularis* Schaufuss, 1887: 130.
- = *Trichalus specularis* (Schaufuss, 1887); Kleine (1933a: 72).
- = *Trichalus concolor* Kleine, 1927a: 312; Bocak (2001a: 30).
- = *Trichalus nigricolor* Pic, 1927: 42; Bocak (2001a: 30).
- = *Trichalus niger* var. *notaticollis* Pic, 1927: 42; Bocak (2001a: 30).
- = *Trichalus niger* var. *angustatus* Pic, 1927: 42; Bocak (2001a: 30).
- Diatrichalus pallidihumeralis* Bocak, 2001a: 19 – New Guinea
- Diatrichalus parallelus* Bocak, 2001a: 20 – New Guinea
- Diatrichalus piper* Bocak, 2001a: 21 – New Guinea
- Diatrichalus proprius* Bocak, 2001a: 21 – New Guinea
- Diatrichalus puerilis* (Kleine, 1935b) – Solomon Isl.
- Flabellotrichalus puerilis* Kleine, 1935b: 180.
- Diatrichalus puerilis* (Kleine, 1935b); Bocak (2001a: 30).
- Diatrichalus rubricostatus* Bocak, 2001a: 22 – New Guinea
- Diatrichalus robustus* Bocek, 2017: 582 – New Guinea
- Diatrichalus ruficollis* Bocak, 2000a: 15 – Philippines
- Diatrichalus salomonensis* (Kleine, 1933b) – Solomon Isl.
- Flabellotrichalus salomonensis* Kleine, 1933b: 13.
- Diatrichalus salomonensis* (Kleine, 1933b); Bocak (2001a: 30).
- Diatrichalus schwalleri* Bocak, 2001a: 23 – New Guinea
- Diatrichalus secretus* (Kleine, 1935a) – New Guinea
- Trichalus secretus* Kleine, 1935a: 317.
- Diatrichalus secretus* (Kleine, 1935a); Bocak (2001a: 24).
- Diatrichalus sedlacekiae* Bocak, 2001a: 24 – New Guinea
- Diatrichalus semicostatus* (Blackburn, 1892) – Australia: New South Wales Victoria
- Trichalus semicostatus* Blackburn, 1892: 525.
- Diatrichalus semicostatus* (Blackburn, 1892); Bocak (2001a: 31).
- = *Trichalus raymondi* Lea, 1895: 600; Kleine, 1933a: 73.
- Diatrichalus signatus* (Kleine, 1939c) – Moluccas: Buru
- Trichalus signatus* Kleine, 1939c: 19.
- Diatrichalus signatus* (Kleine, 1939c); Bocak (2001a: 30).
- Diatrichalus sinuaticollis* (Pic, 1923a) – New Guinea
- Trichalus sinuaticollis* Pic, 1923a: 36.
- Diatrichalus sinuaticollis* (Pic, 1923a); Bocak (2001a: 25).

- Diatrichalus striatus* Bocak, 2001a: 25 – New Guinea  
*Diatrichalus subarcuatithorax* (Pic, 1926), comb. nov. – New Guinea  
*Trichalus subarcuatithorax* Pic, 1926: 454.  
*Diatrichalus subarcuatithorax* Pic, 1926; hereby proposed.  
= *Diatrichalus biroi* Kleine, 1943a: 152, **syn. nov.**, hereby proposed.  
*Diatrichalus tenimberensis* (Pic, 1930) – Tanimbar  
*Mimotrichalus tenimberensis* Pic, 1930: 92.  
*Diatrichalus tenimberensis* (Pic, 1930); Bocak (2001a: 26).  
*Diatrichalus tigoplanus* Bocak, 2000a: 13 – Palawan  
*Diatrichalus typicus* (Kleine, 1939d) – Sulawesi  
*Trichalus typicus* Kleine, 1939d: 133.  
*Diatrichalus typicus* (Kleine, 1939d); Bocak (2001a: 31).  
*Diatrichalus vicarius* (Kleine, 1935b) – Solomon Isl.  
*Flabellotrichalus vicarius* Kleine, 1935b: 179.  
*Diatrichalus vicarius* (Kleine, 1935b); Bocak (2001a: 31).  
*Diatrichalus wauensis* Bocak, 2001a: 27 – New Guinea  
*Diatrichalus xylobanoides* Kleine, 1926a: 167 – New Guinea

### ***Ditua* Waterhouse, 1879**

- Ditua* Waterhouse, 1879: 33 (Type species. *Lycus* (genus 20) *deplanatus* Waterhouse, 1878: 100, 109; by monotypy).
- Ditua alternata* Bourgeois, 1892: 515 – New Guinea  
*Ditua balkei* Kazantsev, 2016a: 241 – New Guinea  
*Ditua dichroma* (Boisduval, 1835) – New Guinea, Aru Isl., New Britain  
*Calopteron dichroma* Boisduval, 1835: 123.  
*Ditua dichroma* (Boisduval, 1835); Bourgeois, 1900: 514.  
*Lycus deplanata* Waterhouse, 1878: 100, 109.  
*Ditua deplanata* (Waterhouse, 1878); Waterhouse, 1879: 34;  
*Ditua nigricornis* Bourgeois, 1900: 514.  
*Ditua alternata* Bourgeois, 1900: 515.  
*Ditua elevaticostata* Kazantsev, 2016a: 244 – New Guinea  
*Ditua flavipes* Bourgeois, 1892: 515 – New Guinea  
*Ditua nigra* Kazantsev, 2016a: 241 – New Guinea  
*Ditua pectinicornis* Lea, 1929, **comb. nov.** – Australia: Queensland, Northern Territories  
*Metriorrhynchus pectinicornis* Lea, 1929: 339.  
*Porrostoma pectinicornis* (Lea, 1929); Calder (1998: 160).  
*Ditua pectinicornis* Lea, 1929, hereby transferred to *Ditua* Waterhouse, 1979  
*Ditua sinaevi* Kazantsev, 2016a: 244 – New Guinea  
*Ditua spinifera* Kazantsev, 2016a: 244 – New Guinea  
*Ditua telnovi* Kazantsev, 2016a: 245 – New Guinea  
*Ditua tuzovi* Kazantsev, 2016a: 247 – New Guinea

*Ditua wooklarkiana* (Montrouzier, 1857), **comb. nov.** – Woodlark Isl.

*Eros woodlarkianus* Montrouzier, 1857: 16.

*Ditua wooklarkiana* (Montrouzier, 1857); hereby proposed.

### ***Eniclases* Waterhouse, 1879**

*Eniclases* Waterhouse, 1879: 66 (Type species. *Lycus luteolus* Waterhouse, 1878).

subgenus *Trichalolus* Pic, 1923a: 36; Bocak & Bocakova (1991: 206). (Type species. *Trichalus* (*Trichalolus*) *apertus* Pic, 1923).

*Eniclases apertus* (Pic, 1923a: 36) – New Guinea

*Trichalus* (*Trichalolus*) *apertus* Pic, 1923a: 36.

= *Eniclases fumosus* Kleine, 1926a: 182; Bocak & Bocakova (1991: 217).

*Eniclases bicolor* Bocek & Bocak, 2016: 23 – New Guinea

*Eniclases bokondinensis* Bocek & Bocak, 2016: 26 – New Guinea

*Eniclases brancuccii* Bocek & Bocak, 2016: 25 – New Guinea

*Eniclases divaricatus* (Pic, 1921: 10) – New Guinea

*Trichalus divaricatus* Pic, 1921: 10.

*Eniclases divaricatus* (Pic, 1921); Bocak & Bocakova (1991: 212).

*Eniclases efferatus* Kleine, 1926a: 181 – New Guinea

*Eniclases egregius* Kleine, 1926a: 181 – New Guinea

*Eniclases electus* Kleine, 1926a: 182 – New Guinea

*Eniclases elelimensis* Bocek & Bocak, 2016: 26 – New Guinea

*Eniclases flabellatus* Bocak & Bocakova 1991: 207 – New Guinea

*Eniclases flavoscutellaris* Bocak & Bocakova 1991: 216 – New Guinea

*Eniclases fuscicornis* Bocak & Bocakova 1991: 208 – New Guinea

*Eniclases infuscatus* Bocek & Bocak, 2016: 23 – New Guinea

*Eniclases kusyi* Bocek & Adamkova 2019: 345 – Moluccas: Halmahera

*Eniclases luteolus* (Waterhouse, 1878) – New Guinea

*Lycus luteolus* Waterhouse, 1878: 118.

*Eniclases luteolus* (Waterhouse, 1878); Waterhouse (1879: 66).

*Eniclases lutescens* Pic, 1926: 454 – New Guinea

*Eniclases moluccanus* Kleine, 1930b: 328 – Moluccas: Halmahera

*Eniclases nicricornis* Bocak & Bocakova 1991: 216 – New Guinea

*Eniclases niger* Bocek & Bocak, 2016: 29 – New Guinea

*Eniclases nigriceps* Bocak & Bocakova 1991: 208 – New Guinea

*Eniclases nigroruber* Kleine, 1935a: 318 – New Guinea

*Eniclases pallidus* Bocak & Bocakova 1991: 209 – New Guinea

*Eniclases papuensis* Bocak & Bocakova 1991: 213 – New Guinea

*Eniclases pectinicornis* Bocak & Bocakova 1991: 211 – New Guinea

*Eniclases proximus* Bocek & Bocak, 2016: 29 – New Guinea

*Eniclases pseudoapertus* Bocek & Bocak, 2016: 21 – New Guinea

*Eniclases pseudoluteolus* Bocak & Bocakova 1991: 209 – New Guinea

*Eniclases riedeli* Bocak, 1998d: 14 – New Guinea  
*Eniclases robustus* Bocak & Bocakova 1991: 209 – New Guinea  
*Eniclases sedlaceki* Bocak & Bocakova 1991: 212 – New Guinea  
*Eniclases serratus* Bocak & Bocakova 1991: 217 – New Guinea  
*Eniclases similis* Bocak & Bocakova 1991: 210 – New Guinea  
*Eniclases slipinskii* Bocak & Bocakova 1991: 213 – New Guinea  
*Eniclases subelectus* Bocak & Bocakova 1991: 215 – New Guinea  
*Eniclases tikapurensis* Bocek & Bocak, 2016: 24 – New Guinea  
*Eniclases variabilis* Bocek & Bocak, 2016: 27 – New Guinea  
*Eniclases versicolor* Kleine, 1926a: 182 – New Guinea  
*Eniclases wauensis* Bocak & Bocakova 1991: 214 – New Guinea

***Falsolucidota* Pic, 1921**

*Falsolucidota* Pic, 1921: 9, hors texte, *F. testaceicollis* Pic, 1921: 9 (by monotypy).

*Hemiconderis* Kleine, 1926a: 162, *H. explicatus* Kleine, 1926a: 162 (by monotypy); Kazantsev (2009: 278).

*Falsolucidota anthracina* (Bocak, 1999a), **comb. nov.** – New Guinea

*Hemiconderis anthracinus* Bocak, 1999a: 168.

*Falsolucidota anthracina* Bocak, 1999a: 168; hereby proposed.

*Falsolucidota bipustulata* (Bocak & Bocakova, 1990b), **comb. nov.** – New Guinea

*Hemiconderis bipustulatus* Bocak & Bocakova, 1990b: 219.

*Falsolucidota bipustulata* (Bocak & Bocakova, 1990b); hereby proposed.

*Falsolucidota bistriata* (Bocak & Bocakova, 1990b), **comb. nov.** – New Guinea

*Hemiconderis bistriatus* Bocak & Bocakova, 1990b: 214.

*Falsolucidota bistriata* (Bocak & Bocakova, 1990b); hereby proposed.

*Falsolucidota curticollis* Kazantsev, 2016c: 357 – New Guinea

*Falsolucidota explicata* (Kleine, 1926a) – New Guinea

*Hemiconderis explicatus* Kleine, 1926a: 162.

*Falsolucidota explicata* (Kleine, 1926a); Kazantsev (2010: 278).

*Falsolucidota niger* (Bocak & Bocakova, 1990b), **comb. nov.** – New Guinea

*Hemiconderis niger* Bocak & Bocakova, 1990b: 213.

*Falsolucidota niger* (Bocak & Bocakova, 1990b); hereby proposed.

*Falsolucidota pallidihumeralis* (Bocak & Bocakova, 1990b), **comb. nov.** – New Guinea

*Hemiconderis pallidihumeralis* Bocak & Bocakova, 1990b: 215.

*Falsolucidota pallidihumeralis* (Bocak & Bocakova, 1990b); hereby proposed.

*Falsolucidota paula* Kazantsev, 2016c: 356 – New Guinea

*Falsolucidota plannipennis* Kazantsev, 2016c: 357 – New Guinea

*Falsolucidota rajampatensis* Kazantsev, 2016c: 359 – New Guinea

*Falsolucidota samuelsoni* (Bocak & Bocakova, 1990b), **comb. nov.** – New Guinea

*Hemiconderis samuelsoni* Bocak & Bocakova, 1990b: 217.

*Falsolucidota samuelsoni* (Bocak & Bocakova, 1990b); hereby proposed.

*Falsolucidota sedlaceki* (Bocak & Bocakova, 1990b), **comb. nov.** – New Guinea

- Hemiconderis* sedlaceki Bocak & Bocakova, 1990b: 215.  
*Falsolucidota* sedlaceki (Bocak & Bocakova, 1990b); hereby proposed.  
*Falsolucidota suturalis* (Bocak & Bocakova, 1990b), **comb. nov.** – New Guinea  
*Hemiconderis suturalis* Bocak & Bocakova, 1990b: 217.  
*Falsolucidota suturalis* (Bocak & Bocakova, 1990b); hereby proposed.  
*Falsolucidota telnovi* Kazantsev, 2016c: 357 – New Guinea  
*Falsolucidota testaceicollis* Pic, 1921: 9 – New Guinea: Roon

### **Flabellotrichalus** Pic, 1921

- Flabellotrichalus* Pic, 1921: 9, as a subgenus of *Trichalus* Waterhouse, 1879 (Type species. *Flabellotrichalus* Pic, 1921: 9, by subsequent designation).  
= *Stereotrichalus* Kleine, 1926a: 184 (Type species. *Stereotrichalus evidens* Kleine, 1926a: 184, by subsequent designation).  
= *Villosotrichalus* Pic, 1921: 9 (Type species. *Villosotrichalus reductus* Pic, 1921: 9; by monotypy); Bocak (1998a: 184).  
subgen. *Maibrius* Bocek et Bocak, 2017: 22 (Type species. *Flabellotrichalus (M.) horaki* Bocek et Bocak, 2017; by original designation).

#### Subgenus *Flabellotrichalus* s. str.

- Flabellotrichalus* (s. str.) *bilineatus* Pic, 1921: 9 – Moluccas: Bacan  
*Flabellotrichalus* (s. str.) *cheesmanni* Kleine, 1935a: 317 – New Guinea  
*Flabellotrichalus* (s. str.) *crinitus* (Kleine, 1926a), **comb. nov.** – New Guinea  
*Villosotrichalus crinitus* Kleine, 1926a: 184.  
*Flabellotrichalus crinitus* (Kleine, 1926a); hereby proposed.  
*Flabellotrichalus* (s. str.) *duplicatus* Kleine, 1930b: 330 – Australia: West – Australia  
*Flabellotrichalus* (s. str.) *evidens* Kleine, 1926a: 184 – New Guinea  
*Flabellotrichalus* (s. str.) *flabellatus* (Bourgeois, 1900) – New Guinea  
*Trichalus flabellatus* Bourgeois, 1900: 427.  
*Flabellotrichalus flabellatus* (Bourgeois, 1900); Kleine (1926a: 184).  
*Flabellotrichalus* (s. str.) *flabellicornis* Lea, 1909: 97 – Australia: Queensland  
*Trichalus flabellicornis* Lea, 1909: 97.  
*Flabellotrichalus flabellicornis* Lea, 1909a: 97; Kleine (1933a: 75).  
*Flabellotrichalus* (s. str.) *fuliginosus* Kleine, 1926a: 185 – New Guinea  
*Flabellotrichalus* (s. str.) *incertus* Kleine, 1935a: 318 – New Guinea  
*Flabellotrichalus* (s. str.) *notatithorax* Pic, 1921: 9 – Moluccas: Bacan  
*Flabellotrichalus* (s. str.) *olivieri* (Bourgeois, 1885) – Moluccas: Halmahera  
*Trichalus olivieri* Bourgeois, 1885: 83.  
*Flabellotrichalus* (s. str.) *olivieri* Bourgeois, 1885: 83; Kleine (1933a: 75).  
*Flabellotrichalus* (s. str.) *pilosus* Kleine, 1926a: 185 – New Guinea  
*Flabellotrichalus* (s. str.) *reductus* (Pic, 1921) – New Guinea  
*Villosotrichalus* (s. str.) *reductus* Pic, 1921: 9.  
*Flabellotrichalus* (s. str.) *reductus* (Pic, 1921); Bocak (1998a: 184).

*Flabellotrichalus* (s. str.) *salomonensis* Kleine, 1933b: 13 – Solomon Isl.

*Flabellotrichalus* (s. str.) *semitratus* (Lea, 1909a) – Australia: Queensland

*Trichalus semitratus* Lea, 1909a: 96.

*Flabellotrichalus*. (s. str.) *semitratus* (Lea, 1909a: 96); Kleine (1933a: 79).

*Flabellotrichalus* (s. str.) *talagaranus* Kazantsev 2010a: 96 – Moluccas: Halmahera

*Flabellotrichalus* (s. str.) *vicarius* Kleine, 1935b: 179 – Solomon Isl.

*Flabellotrichalus* (s. str.) *novaeguineensis* Bocak, 1998b: 249 – New Guinea

=*Cladophorus dimidiatus* Bourgeois, 1892: 510 (a primary junior homonym of *Cladophorus dimidiatus*

Guérin-Méneville, 1830: table 2, fig. 9).

Subgenus *Maibrius* Bocek & Bocak, 2017: 22

*Flabellotrichalus* (*Maibrius*) *horaki* Bocek & Bocak, 2017: 22 – New Guinea

### ***Kassemia* Bocak, 1998a**

*Kassemia* Bocak, 1998a: 195 (Type species. *Kassemia oculata* Bocak, 1998; by original designation).

*Kassemia oculata* Bocak, 1998a: 196 – New Guinea

*Kassemia rufithorax* Bocak, 1998a: 196 – New Guinea

*Kassemia sedlacekiae* Bocak, 1998a: 198 – New Guinea

*Kassemia wauensis* Bocak, 1998a: 197 – New Guinea

### ***Leptotrichalus* Kleine, 1925**

*Leptotrichalus* Kleine, 1925a: 296 (Type species. *Metriorrhynchus cyaniventris* Kirsch, 1875; by original designation).

*Leptotrichalus acclinus* Kleine, 1925: 300 – Philippines

*Leptotrichalus accommodatus* Kleine, 1925: 304 – Sulawesi

*Leptotrichalus accuratus* Kleine, 1925: 304 – Philippines

*Leptotrichalus acerbus* Kleine, 1925: 303 – Philippines

*Leptotrichalus acidus* Kleine, 1925: 302 – Philippines

*Leptotrichalus acutus* Kleine, 1925: 302 – Philippines

*Leptotrichalus adjunctus* Kleine, 1925: 307 – Philippines

*Leptotrichalus adolescens* Kleine, 1925: 305 – Philippines

*Leptotrichalus admirabilis* Kleine, 1925: 308 – Philippines

*Leptotrichalus adversarius* Kleine, 1925: 301 – Sumatra

*Leptotrichalus angustatus* (Pic, 1925a) – Philippines

*Trichalus angustatus* Pic, 1925a: 10.

*Trichalus angustatus* (Pic, 1925a); Kleine (1933a: 75).

*Leptotrichalus apicalis* Pic, 1927: 41 – Borneo: Banggi Isl.

*Leptotrichalus atricollis* (Pic, 1921) – Java

*Trichalus atricollis* Pic, 1921: 10.

- Leptotrichalus atricollis* Pic, 1921: 10; Kleine (1933a: 75).
- Leptotrichalus bistriatus* Bocak, 2000b: 181 – Sumatra
- Leptotrichalus celebensis* (Pic, 1921: 9) – Sulawesi
- Trichalus celebensis* Pic, 1921: 9.
- Leptotrichalus celebensis* Pic, 1921: 9; Kleine (1933a: 75).
- Leptotrichalus chapaensis* (Pic, 1923c), **comb. nov.** – Vietnam
- Trichalus chapaensis* Pic, 1923d: 54; Kleine (1933a: 70).
- Leptotrichalus chapaensis* (Pic, 1923); hereby proposed.
- Leptotrichalus celsus* Kleine, 1925: 301 – Philippines
- Leptotrichalus cereus* Kleine, 1925: 301 – Philippines
- Leptotrichalus cicatricosus* Kleine, 1925: 307 – Philippines
- Leptotrichalus circumscriptus* Kleine, 1925: 307 – Philippines
- Leptotrichalus completus* Kleine, 1925: 305 – Bali
- Leptotrichalus compressipes* (Pic, 1925) – Philippines
- Trichalus compressipes* Pic, 1925a: 10.
- Leptotrichalus compressipes* Pic, 1925a: 10; Kleine (1933a: 76).
- Leptotrichalus conciliatus* Kleine, 1925a: 299 – Java
- Leptotrichalus concinnus* Kleine, 1925: 306 – Philippines
- Leptotrichalus cyaneiventris* (Waterhouse, 1879) – Philippines
- Trichalus cyaneiventris* Waterhouse, 1879: 73.
- Leptotrichalus cyaneiventris* (Waterhouse, 1879); Kleine (1925: 300).
- = *Trichalus subcyanescens* Pic, 1926b: 4; a junior objective synonym of *L. cyaneiventris* Waterhouse, 1879;
- Kleine (1933a: 76).
- Note. The records of *L. cyaneiventris* from the Great Sundas and Malay Peninsula (Kleine, 1933a: 76) have not been confirmed and possibly referred to *L. cyaniventris* (Kirsch).
- Leptotrichalus cyaniventris* (Kirsch, 1875) – Great Sundas, Malaya
- Metriorrhynchus cyaniventris* Kirsch, 1875: 35.
- Leptotrichalus cyaniventris* (Kirsch, 1875); Kleine (1933a: 76).
- Leptotrichalus cyaniventris cyaniventris* (Kirsch, 1875); Bocak (2000b: 175).
- = *Trichalus hypocrita* Bourgeois, 1892: 40; Kleine (1933a: 76).
- = *Leptotrichalus basalis* Pic, 1929: 1; Bocak (2000b: 174).
- = *Leptotrichalus pervicax* Kleine, 1939c: 17; Bocak (2000b: 175).
- = *Leptotrichalus cyaniventris atrimembris* Pic, 1928: 32; Bocak (2000b: 175).
- Leptotrichalus densereticulatus* Kleine, 1939a: 17 – Sulawesi
- Leptotrichalus dispar* Kleine, 1926b: 104 – Philippines
- Leptotrichalus dohertyi* Pic, 1927: 41 – Borneo
- Leptotrichalus effeminatus* Kleine, 1925: 306 – Philippines
- Leptotrichalus femoralis* Kleine, 1925: 309 – Philippines
- Leptotrichalus inapicalis* Pic, 1927: 41 – Java
- Leptotrichalus incertus* Kleine, 1932a: 577 – Philippines: Luzon
- Leptotrichalus insulanus* Kleine, 1930b: 335 – Sulawesi: Great Sangir
- Leptotrichalus javanus* Kleine, 1927a: 313 – Java
- Leptotrichalus linearis* Kleine, 1928a: 325 – Borneo

- Leptotrichalus longecostatus* Pic, 1925a: 7 – Philippines: Luzon  
*Trichalus longicollis* (Bourgeois, 1883), **comb. nov.** – Philippines  
*Trichalus longicollis* Bourgeois, 1883: 649.  
*Leptotrichalus longicollis* (Bourgeois, 1883); hereby proposed.
- Leptotrichalus mindorusus* (Pic, 1925) – Philippines  
*Trichalus mindorusus* Pic, 1925a: 10.  
*Leptotrichalus mindorusus* (Pic, 1925a); Kleine (1933a: 76).
- Leptotrichalus nigricauda* Bourgeois, 1886: 181 – Philippines: Luzon  
*Leptotrichalus pallidus* (Dalman, 1818) – Sulawesi: Solo Isl.  
*Lycus pallidus* Dalman in Schoenherr, 1818: 31.  
*Metriorrhynchus pallidus* (Dalman, 1818); Kleine (1933a: 82).  
*Leptotrichalus pallidus* (Dalman, 1818); Bocak et al. (2006: 125).
- Leptotrichalus parvicostatus* Kleine, 1930b: 336 – Lesser Sundas: Sumbawa  
*Leptotrichalus perversus* Kleine, 1932: 575 – Philippines: Luzon  
*Leptotrichalus placitus* Kleine, 1932: 576 – Philippines: Luzon  
*Leptotrichalus pubithorax* (Pic, 1925) – Sumatra  
*Trichalus pubithorax* Pic, 1925a: 8.  
*Leptotrichalus pubithorax* (Pic, 1925a); Kleine (1933a: 76).
- Leptotrichalus pullus* Kleine, 1927: 313 – Java  
*Leptotrichalus reliquus* Kleine, 1932: 576 Luzon  
*Leptotrichalus rubripennis* (Pic, 1921) – Sumatra  
*Trichalus rubripennis* Pic, 1921: 10.  
*Leptotrichalus rubripennis* (Pica, 1921); Kleine (1933a: 77).  
= *Trichalus pubithorax* Pic, 1925a: 8; Bocak (2000b: 178).  
= *Leptotrichalus pubithorax* Pic, 1925a: 8; Kleine (1933a: 76).  
= *Trichalus longecostatus* Pic, 1925a: 7; Bocak (2000b: 178).  
= *Leptotrichalus longecostatus* Pic, 1925a: 7; Kleine (1933a: 76).
- Leptotrichalus rufobasalis* Pic, 1927: 41 – Java  
*Leptotrichalus setosus* Kleine, 1927b: 2 – Philippines  
*Leptotrichalus shelfordi* (Bourgeois, 1906) – Borneo  
*Trichalus shelfordi* Bourgeois, 1906: 190.  
*Leptotrichalus shelfordi* (Bourgeois, 1906); Kleine (1933a: 77).  
= *Leptotrichalus rubrosignatus* Kleine, 1930c: 170; Bocak (2000b: 181).  
= *Leptotrichalus reticulatus* Kleine, 1930b: 333; Bocak (2000b: 181).
- Leptotrichalus similis* Bocak, 2000b: 176 – Sumatra  
*Leptotrichalus subater* (Pic, 1925a) – Philippines  
*Trichalus subater* Pic, 1925a: 10.  
*Leptotrichalus subater* (Pic, 1925a); Kleine (1933a: 77).
- Leptotrichalus submarginatus* Pic, 1921: 10 – Java  
*Leptotrichalus timorensis* Kleine, 1930b: 333 – Timor  
*Leptotrichalus tolianus* (Pic, 1925a) – Sulawesi  
*Trichalus tolianus* Pic, 1925a: 10.  
*Leptotrichalus tolianus* (Pic, 1925a); Kleine (1933a: 77).

*Leptotrichalus tosarianus* Kleine, 1931: 269 – Java

**Lobatang Bocak, 1998a**

*Lobatang* Bocak, 1998a: 190 (Type species. *L. papuensis* Bocak, 1998a: 190; by original designation).

*Spinotrichalus* Kazantsev 2010a: 92 (Type species. *S. telnovi* Kazantsev 2010a; by original designation).

subgenus *Spinotrichalus* Kazantsev 2010a: 92: Bocek & Bocak (2017: 20).

*Lobatang s. str.*

*Lobatang (s. str.) acuticornis* Bocak, 1998a: 192 – New Guinea

*Lobatang (s. str.) miserandus* (Kleine, 1939c) – Sulawesi

*Trichalus miserandus* Kleine, 1939c: 17.

*Lobatang (s. str.) miserandus* (Kleine, 1939c); Bocak (1998a: 192).

*Lobatang (s. str.) papuensis* Bocak, 1998a: 191 – New Guinea

*Lobatang (s. str.) sordescens* Bourgeois, 1900: 426 – New Guinea

*Trichalus sordescens* Bourgeois, 1900: 426.

*Lobatang (s. str.) sordescens* (Bourgeois, 1900); Bocak (1998a: 192).

*Lobatang (s. str.) flavohumeralis* Bocak & Bocakova 1999: 50 – New Guinea

*Lobatang (s. str.) dubitabilis* Kleine, 1925: 32 – Philippines

*Leptotrichalus dubitabilis* Kleine, 1925: 32.

*Lobatang (s. str.) dubitabilis* Kleine, 1925: 32; Bocak & Bocakova (1999: 51).

*Spinotrichalus* Kazantsev 2010a

*Lobatang (Spinotrichalus) telnovi* (Kazantsev 2010a: 93) – Moluccas: Halmahera

**Malacolycus Kleine, 1943**

*Malacolycus* Kleine, 1943: 151 (Type species. *Malacolycus paululus* Kleine, 1943: 151; by monotypy).

*Malacolycus paululus* Kleine, 1943a: 151 – New Guinea

*Malacolycus laci* Kazantsev, 2015a: 113 – New Guinea

**Mangkutanus Kubecek et al., 2011**

*Mangkutanus* Kubecek et al., 2011: 648 (Type species. *Mangkutanus tenggahensis* Dvorak & Bocak, 2007; by original designation).

*Mangkutanus tenggahensis* Dvorak & Bocak, 2007 – Sulawesi

*Sulabanus tenggahensis* Dvorak & Bocak, 2007: 21.

*Mangkutanus tenggahensis* (Dvorak & Bocak, 2007); Kubecek et al. (2011: 648).

*Sulabanus utarensis* Dvorak & Bocak, 2007: 19 – Sulawesi

*Sulabanus utarensis* Dvorak & Bocak, 2007: 21.

*Mangkutanus utarensis* (Dvorak & Bocak, 2007); Kubecek et al. (2011: 650).

### ***Marena Kazantsev, 2007***

*Marena Kazantsev, 2007: 297* (Type species. *Marena tristis* Kazantsev, 2007; by original designation).

*Marena madangensis* Kazantsev, 2007: 299 – New Guinea

*Marena missai* Kazantsev, 2007: 299 – New Guinea

*Marena tristis* Kazantsev, 2007: 299 – New Guinea

### ***Metriorrhynchus Gemminger et Harold, 1869***

*Metriorrhynchus* Gemminger et Harold 1869: 1629, unjustified emendation of *Metriorrhynchus* Guérin-Méneville, 1838 used as an available junior objective synonym by Bocak (1998b) (Type species. *Lycus parallelus* Guérin-Méneville, 1835: 114; by subsequent designation).

=*Metriorrhynchus* Guérin-Méneville, 1838: 72, a junior homonym of *Metriorrhynchus* Meyer, 1830 (Crocodylia) (Type species. *Lycus parallelus* Guérin-Méneville, 1835; by subsequent designation); Bocak, 1998b: 246.

=*Dilolycus* Kleine, 1926a: 186 (Type species. *Dilolycus lamellatus* Kleine, 1926a: 186; by original designation); Bocak (2002: 340).

=*Flabelloporostoma* Pic, 1923a: 35, hors-texte (Type species. *Porrostoma mirabilis* Pic, 1923a: 35; by monotypy); Bocak (2002: 340).

Subgenus of *Porrostoma*: *Flabelloporostoma* (Pic 1923a: 35); Calder (1998: 151).

#### ***Metriorrhynchus abdominalis* (Waterhouse, 1877), comb. nov. – Australia: Queensland**

*Porrostoma abdominale* Waterhouse, 1877: 7; Calder (1998: 152).

*Metriorrhynchus abdominalis* (Waterhouse, 1877); Lea, 1900: 64; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Metriorrhynchus acutus* Kleine, 1926a: 111 – New Guinea

*Metriorrhynchus amplikefalus* Kazantsev, 2015b: 213 – New Guinea

*Metriorrhynchus angustatus* Pic, 1923a: 39 – New Guinea

*Metriorrhynchus angustulus* Waterhouse, 1879: 57 – New Guinea

*Metriorrhynchus angustus* Lea, 1922, comb. nov. – Australia: Queensland

*Metriorrhynchus angustus* Lea, 1922: 3; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma angustus* (Lea, 1922); Calder (1998: 152).

*Metriorrhynchus antennatus* Kleine, 1926a: 111 – New Britain

*Metriorrhynchus apicivarius* Lea, 1921a, comb. nov. – Australia

*Metriorrhynchus apicivarius* Lea, 1921a: 196; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma apicivarius* (Lea, 1921a); Calder (1998: 152).

*Metriorrhynchus apterus* Lea, 1909, comb. nov. – Australia: Queensland

*Metriorrhynchus apterus* Lea, 1909: 72; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma apterus* (Lea, 1909); Calder (1998: 152).

*Metriorrhynchus ater* Waterhouse, 1879: 57 – New Guinea, Aru Isl.

*Metriorrhynchus atratus* (Fabricius, 1801), comb. nov. – Australia: Tasmania

*Lycus atratus* Fabricius, 1801: 113.

- Metriorrhynchus atratus* (Fabricius, 1801); Kleine (1933a: 78; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma atratus* (Fabricius, 1801); Calder (1998: 152).
- Metriorrhynchus atroflavus* Kleine, 1928b: 125 – Moluccas: Bacan
- Metriorrhynchus basalis* Bourgeois, 1911: 44 – New Britain
- Metriorrhynchus batesi* Lea, 1909, **comb. nov.** – Australia: New South Wales
- Metriorrhynchus batesi* Lea, 1909: 81; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma batesi* (Lea, 1909); Calder (1998: 153).
- Metriorrhynchus batjanensis* Pic, 1921: 11 – Moluccas: Bacan
- Metriorrhynchus boettcheri* Kleine, 1926b: 80 – Philippines
- Metriorrhynchus breveapicalis* Pic, 1923b, **comb. nov.** – Australia: New South Wales
- Metriorrhynchus breveapicalis* Pic, 1923b: 3; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma breveapicalis* (Pic, 1923b); Calder (1998: 153).
- Metriorrhynchus brisbanensis* Lea, 1909, **comb. nov.** – Australia: Queensland
- Metriorrhynchus brisbanensis* Lea, 1909: 75; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma brisbanensis* (Lea, 1909); Calder (1998: 153).
- Metriorrhynchus brunneoflavus* Kazantsev, 2015b: 224 – New Guinea
- Metriorrhynchus buergersi* Kleine, 1926a: 103 – New Guinea
- Metriorrhynchus caesareus* Kleine, 1935b: 182 – Solomon Isl.
- Metriorrhynchus centralis* Macleay, 1887, **comb. nov.** – Australia: Queensland
- Metriorrhynchus centralis* Macleay, 1887: 230; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma centralis* (Macleay, 1887); Calder (1998: 153).
- Metriorrhynchus chamaeleon* Kazantsev, 2015b: 219 – New Guinea
- Metriorrhynchus chimaera* Kazantsev, 2015b: 220 – New Guinea
- Metriorrhynchus cliens* Blackburn, 1900, **comb. nov.** – Australia: New South Wales
- Metriorrhynchus cliens* Blackburn, 1900: 53; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma cliens* (Blackburn, 1900); Calder (1998: 153).
- Metriorrhynchus compositus* Lea, 1921b: 59, **comb. nov.** – Australia: New South Wales
- Metriorrhynchus compositus* Lea, 1921b: 59; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma compositus* (Lea, 1921); Calder (1998: 153).
- Metriorrhynchus connexus* Lea, 1929, **comb. nov.** – Australia: Queensland
- Metriorrhynchus connexus* Lea, 1929: 335; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma connexus* (Lea, 1929); Calder (1998: 153).
- Metriorrhynchus costicollis* Lea, 1921b, **comb. nov.** – Australia: Queensland
- Metriorrhynchus costicollis* Lea, 1921b: 84; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma costicollis* (Lea, 1921b); Calder (1998: 153).
- Metriorrhynchus crassipes* Lea, 1921b, **comb. nov.** – Australia: Western, North Territory
- Metriorrhynchus crassipes* Lea, 1921b: 60; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma crassipes* (Lea, 1921b); Calder (1998: 154).

*Metriorrhynchus cribripennis* Waterhouse, 1879: 52 – Moluccas

Note. Australia: New South Wales cited by error by Kleine (1933a: 81).

*Metriorrhynchus croceus* Kleine, 1926b: 79 – Philippines

*Metriorrhynchus cryptoleucus* Lea, 1921a, **comb. nov.** – Australia: Queensland

*Metriorrhynchus cryptoleucus* Lea, 1921a: 193; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma cryptoleucus* (Lea, 1921a); Calder (1998: 153).

*Metriorrhynchus decipiens* Lea, 1929, **comb. nov.** – Australia: Queensland

*Metriorrhynchus decipiens* Lea, 1929: 336; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma decipiens* (Lea, 1929); Calder (1998: 153).

*Metriorrhynchus dentipes* Lea, 1921a, **comb. nov.** – Australia: Queensland

*Metriorrhynchus dentipes* Lea, 1921a: 194; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma dentipes* (Lea, 1921a); Calder (1998: 153).

*Metriorrhynchus diffusimaculatus* Kleine, 1928b, **comb. nov.** – Australia: Queensland

*Metriorrhynchus diffusimaculatus* Kleine, 1928b: 122; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma diffusimaculatus* (Kleine, 1928b); Calder (1998: 153).

*Metriorrhynchus dilutus* Waterhouse, 1879: 58 – New Guinea: Mysol

*Metriorrhynchus discolor* Kleine, 1926a: 112 – New Guinea

*Metriorrhynchus disconiger* Lea, 1909, **comb. nov.** – Australia: Victoria

*Metriorrhynchus disconiger* Lea, 1909: 80; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma disconiger* (Lea, 1909); Calder (1998: 153).

*Metriorrhynchus dohertyi* Pic, 1921: 11 – Moluccas: Bacan

*Metriorrhynchus doleschali* Redtenbacher, 1867: 101 – Moluccas

Note. There were not found any specimens of *M. doleschali* from Aru Isl. And Sulawesi as reported by Kleine, 1933a: 79.

*Metriorrhynchus elongaticollis* Pic, 1925a: 9 – Philippines: Mindanao

*Metriorrhynchus elongatus* Macleay, 1887, **comb. nov.** – Australia: Queensland

*Metriorrhynchus elongatus* Macleay, 1887: 229; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma elongatus* (Macleay, 1887); Calder (1998: 153).

*Metriorrhynchus elutus* Kleine, 1926a: 100 – New Guinea, Aru Isl.

*Metriorrhynchus ephippiger* Guérin-Méneville, 1838: 73 – New Guinea

*Metriorrhynchus eremitus* Blackburn, 1900, **comb. nov.** – Australia: ACT, Victoria

*Metriorrhynchus eremitus* Blackburn, 1900: 55; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma eremita* (Blackburn, 1900); Calder (1998: 153).

*Metriorrhynchus eucerus* Lea, 1921b, **comb. nov.** – Australia: Northern Territory

*Metriorrhynchus eucerus* Lea, 1921b: 60; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma eucerus* (Lea, 1921b); Calder (1998: 154).

*Metriorrhynchus excellens* Kleine, 1926a: 98 – New Guinea

*Metriorrhynchus exornatus* Kleine, 1926a: 105 – New Guinea

*Metriorrhynchus explanatus* Kleine, 1926a: 105 – New Guinea

- Metriorrhynchus faustus* Kleine, 1926a: 113 – New Guinea  
*Metriorrhynchus femoralis* Macleay, 1872, **comb. nov.** – Australia: Queensland  
*Metriorrhynchus femoralis* Macleay, 1872: 262; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.  
*Porrostoma femoralis* (Macleay, 1872); 79; Calder (1998: 155).
- Metriorrhynchus fessus* Kleine, 1926a: 101 – New Guinea  
*Metriorrhynchus filirostris* Lea, 1929, **comb. nov.** – Australia: Queensland  
*Metriorrhynchus filirostris* Lea, 1929: 335; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.  
*Porrostoma filirostris* (Lea, 1929); Calder (1998: 155).
- Metriorrhynchus flavigollis* Waterhouse, 1879: 50 – Moluccas: Bacan  
*Metriorrhynchus flagellatus* Blackburn, 1900, **comb. nov.** – Australian: New South Wales  
*Metriorrhynchus flagellatus* Blackburn, 1900: 53; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.  
*Porrostoma flagellatus* (Blackburn, 1900); Calder (1998: 155).
- Metriorrhynchus flavigostatus* Kleine, 1926a: 103 – New Guinea  
*Metriorrhynchus flavipennis* Lea, 1921a, **comb. nov.** – Australia  
*Metriorrhynchus flavipennis* Lea, 1921a: 195; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.  
*Porrostoma flavipennis* (Lea, 1921a); Calder (1998: 155).
- Metriorrhynchus flavoabdominalis* Kleine, 1926a: 126 – Moluccas: Bacan  
*Metriorrhynchus flavofemoralis* Kleine, 1926a: 186 – Solomon Isl.: Bougainville  
*Metriorrhynchus flavolateralis* Waterhouse, 1879: 56 – New Guinea: Aru  
*Metriorrhynchus flavolimbatus* Lea, 1921a, **comb. nov.** – Australia  
*Metriorrhynchus flavolimbatus* Lea, 1921a: 191; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.  
*Porrostoma flavolimbatus* (Lea, 1921a); Calder (1998: 155).
- Metriorrhynchus foliatus* Macleay, 1887, **comb. nov.** – Australia: Queensland  
*Metriorrhynchus foliatus* Macleay, 1887: 230; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.  
*Porrostoma foliatus* (Macleay, 1887); Calder (1998: 155).
- Metriorrhynchus forcipatus* Kleine, 1926b: 79 – Philippines  
*Metriorrhynchus formosus* Kleine, 1926a: 113 – Solomon Isl.  
*Metriorrhynchus franklinmuelleri* Kleine, 1928b, **comb. nov.** – Australia: Queensland  
*Metriorrhynchus franklinmuelleri* Kleine, 1928b: 121.  
*Porrostoma franklinmuelleri* (Kleine, 1928b); Calder (1998: 155).
- Metriorrhynchus frater* Lea, 1921a, **comb. nov.** – Australia  
*Metriorrhynchus frater* Lea, 1921a: 192; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.  
*Porrostoma frater* (Lea, 1921a); Calder (1998: 155.)
- Metriorrhynchus fuliginosus* Kleine, 1930d: 409 – New Guinea  
*Metriorrhynchus fuligineus* Lea, 1921b, **comb. nov.** – Australia  
*Metriorrhynchus fuligineus* Lea, 1921b: 55; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.  
*Porrostoma fuligineus* (Lea, 1921b); Calder (1998: 156).
- Metriorrhynchus pseudofunestus* Bocak et al., 2020, **nom. nov.** – Australia

*Metriorrhynchus funestus* Lea, 1921b: 58 (a junior homonym of *Metriorrhynchus funestus* (Guérin-Méneville, 1838); hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma funestus* (Lea, 1921b); Calder (1998: 156).

*Metriorrhynchus funestus* Guérin-Méneville, 1838: 73).

*Metriorrhynchus funestus* (Guérin-Méneville, 1838); Gemminger & Harold (1869: 1629).

*Metriorrhynchus pseudofunestus* Bocak et al., 2020 (a new replacement name) for *Metriorrhynchus funestus* (Guérin-Méneville, 1838).

*Metriorrhynchus gloriosus* Kleine, 1926a: 109 – Moluccas: Morotai

*Metriorrhynchus gracilis* Lea, 1909, **comb. nov.** – Australia: Queensland

*Metriorrhynchus gracilis* Lea, 1909: 83; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma gracilis* (Lea, 1909); Calder (1998: 156).

*Metriorrhynchus gratus* Kleine, 1926a: 102 – New Guinea

*Metriorrhynchus guttatus* Kleine, 1926a: 103 – New Guinea

*Metriorrhynchus hackeri* Kleine, 1928b, **comb. nov.** – Australia: Queensland

*Metriorrhynchus hackeri* Kleine, 1928b: 121; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma hackeri* (Kleine, 1928b); Calder (1998: 156).

*Metriorrhynchus hexastichus* Lea, 1921c, **comb. nov.** – Australia: New South Wales

*Metriorrhynchus hexastichus* Lea, 1921c: 351; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma hexastichus* (Lea, 1921c); Calder (1998: 156).

*Metriorrhynchus hirtipes* Macleay, 1887, **comb. nov.** – Australia: Queensland

*Metriorrhynchus hirtipes* Macleay, 1887: 231; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma hirtipes* (Macleay, 1887); Calder (1998: 156).

*Metriorrhynchus immersus* Waterhouse, 1879: 53 – New Guinea

*Metriorrhynchus impudens* Kleine, 1926a: 106 – New Guinea

*Metriorrhynchus inaequalis* (Fabricius, 1801) – Sumatra, Borneo, Malaya

*Lycus inaequalis* Fabricius, 1801: 112.

*Metriorrhynchus inaequalis* (Fabricius, 1801: 112); Waterhouse (1879: 51).

=*Metriorrhynchus notaticollis* Pic, 1921: 11; Kleine (1933a: 81).

*Metriorrhynchus infuscatus* Macleay, 1886 – New Guinea

*Metriorrhynchus insignicornis* Lea, 1921b, **comb. nov.** – Australia

*Metriorrhynchus insignicornis* Lea, 1921b: 56; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma insignicornis* (Lea, 1921b); Calder (1998: 157).

*Metriorrhynchus insignipes* Lea, 1929: 337, **comb. nov.** – Australia

*Metriorrhynchus insignipes* Lea, 1929: 337; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma insignipes* (Lea, 1929); Calder (1998: 157).

*Metriorrhynchus intricatus* Kleine, 1928b: 126 – Moluccas: Bacan

*Metriorrhynchus isarogensis* Bocak, Matsuda, Yagi, 2006: 120 – Philippines

*Metriorrhynchus kingensis* Lea, 1908, **comb. nov.** – Australia: Tasmania: King Isl.

*Metriorrhynchus kingensis* Lea, 1908: 160; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma kingensis* (Lea, 1908); Calder (1998: 157).

*Metriorrhynchus lamellatus* (Kleine, 1926a) – New Guinea

*Dilolycus lamellatus* Kleine, 1926a: 186.

*Metriorrhynchus lamellatus* (Kleine, 1926a); Bocak (2002: 340).

*Metriorrhynchus laosensis* Bocak, 2007 – Laos

*Metriorrhynchus lateanticus* Kazantsev, 2015b: 221 – New Guinea

*Metriorrhynchus lateratius* Lea, 1921c, **comb. nov.** – Australia: Queensland

*Metriorrhynchus lateratius* Lea, 1921c: 353; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma lateratius* (Lea, 1921c); Calder (1998: 157).

*Metriorrhynchus lineatus* (Kirsch, 1875) – Sumatra, Borneo, Malaya

*Dictyopterus lineatus* Kirsch, 1875: 35.

*Metriorrhynchus lineatus* Kirsch, 1875; Kleine (1933a: 81).

=*Metriorrhynchus enganoensis* Pic, 1921: 11; Kleine (1933a: 81) as a synonym of *M. inaequalis* (F.); Bocak (2007: 256).

=*Metriorrhynchus kirschii* Waterhouse, 1879: 50; Bocak (2007: 256).

=*Metriorrhynchus enganoensis* Pic, 1921: 11; Kleine, 1933a: 81; as a synonym of *M. inaequalis* (F.); Bocak (2007: 256).

=*Metriorrhynchus enganicus* Kleine, 1939c: 5; Bocak (2007: 256).

=*Metriorrhynchus regularis* Pic, 1921: 11; Bocak (2007: 256).

=*Metriorrhynchus dives* Kleine, 1927a: 310; Bocak (2007: 256).

*Metriorrhynchus leucomelas* Kleine, 1935c: 152 – New Guinea

*Metriorrhynchus lobatus* Bocak & Matsuda, 1998: 412 – Sulawesi

*Metriorrhynchus longepilosus* Kleine, 1928b, **comb. nov.** – Australia: Queensland

*Metriorrhynchus longepilosus* Kleine, 1928b: 122; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma longepilosus* (Kleine, 1928b); Lea (1921c: 353).

*Metriorrhynchus longicollis* Lea, 1929, **comb. nov.** – Australia

*Metriorrhynchus longicollis* Lea, 1929: 338; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma longicollis* (Lea, 1929); Calder (1998: 157).

*Metriorrhynchus longicornis* Macleay, 1887: 232 – Australia: Queensland

*Metriorrhynchus longissimus* (Pic, 1922) – Sulawesi

*Xylobanus longissimus* Pic, 1922: 16.

*Metriorrhynchus longissimus* (Pic, 1922); Bocak et al. (2006: 125).

*Metriorrhynchus longulus* Kleine, 1926a: 101 – New Guinea

*Metriorrhynchus lorentzi* Kleine, 1926a: 109 – New Guinea, New Britain, Moluccas:

Halmahera

*Metriorrhynchus loricatus* Kleine, 1926a: 99 – New Guinea

*Metriorrhynchus lunatus* Kleine, 1926a: 107 – New Guinea

*Metriorrhynchus luteobrunneus* Bourgeois, 1889: 236 – Moluccas: Amboina

*Metriorrhynchus macphersonensis* Calder, 1998, **comb. nov.** – Australia: Queensland

*Porrostoma macphersonensis* Calder, 1998: 158, a replacement name.

*Metriorrhynchus macphersonensis* (Calder (1998); hereby proposed.

=*Metriorrhynchus hackeri* Lea, 1929: 337 (a junior homonym of *Metriorrhynchus hackeri* Kleine, 1928).

- Metriorrhynchus maculithorax* Kleine, 1926a: 127 – Moluccas: Bacan
- Metriorrhynchus marginatus* Kleine, 1926a: 102 – Sulawesi: Talaud Isl.
- Metriorrhynchus marginipennis* Lea, 1899, **comb. nov.** – Australia: New South Wales
- Metriorrhynchus marginipennis* Lea, 1899: 556; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma marginipennis* (Lea, 1899); Calder (1998: 158).
- Metriorrhynchus martini* (Pic, 1925a) – Moluccas: Buru (2)
- Odontocerus martini* Pic, 1925a: 18.
- Metriorrhynchus martini* (Pic, 1925a); Kleine (1933a: 81).
- Metriorrhynchus menieri* Bocak, Matsuda, Yagi, 2006: 121 – Philippines
- Metriorrhynchus mentior* Blackburn, 1900, **comb. nov.** – Australia: Victoria
- Metriorrhynchus mentior* Blackburn, 1900: 54; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma mentior* (Blackburn, 1900); Calder (1998: 158).
- Metriorrhynchus militaris* Lea, 1909, **comb. nov.** – Australia: New South Wales
- Metriorrhynchus militaris* Lea, 1909: 85; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma militaris* (Lea, 1909); Calder (1998: 158).
- Metriorrhynchus mindanaoensis* Bocak, Matsuda, Yagi, 2006: 122 – Philippines
- Metriorrhynchus minor* Lea, 1921b, **comb. nov.** – Australia: Queensland, New South Wales
- Metriorrhynchus minor* Lea, 1921b: 54; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma minor* (Lea, 1921b); Calder (1998: 158).
- Metriorrhynchus minutus* Lea, 1921b, **comb. nov.** – Australia
- Metriorrhynchus minutus* Lea, 1921b: 54; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma minutus* (Lea, 1921b); Calder (1998: 158).
- Metriorrhynchus mirabilis* (Pic, 1923a), **comb. nov.** – Australia: New South Wales
- Flabelloporrostoma mirabilis* Pic, 1923a: 35; Calder (1998: 151).
- Porrostoma (Flabelloporrostoma) mirabilis* (Pic, 1923a); Calder (1998: 151).
- Metriorrhynchus mirabilis* (Pic, 1923a); Bocak, 2002: 340).
- Metriorrhynchus moerens* Lea, 1909, **comb. nov.** – Australia: Tasmania
- Metriorrhynchus moerens* Lea, 1909: 79; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma moerens* (Lea, 1909); Calder (1998: 159).
- Metriorrhynchus modicus* Lea, 1921b, **comb. nov.** – Australia
- Metriorrhynchus modicus* Lea, 1921b: 59; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma modicus* (Lea, 1921b); Calder (1998: 158).
- Metriorrhynchus mollicollis* Lea, 1929, **comb. nov.** – Australia: Queensland, New South Wales
- Metriorrhynchus mollicollis* Lea, 1929: 338; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma mollicollis* (Lea, 1929); Calder (1998: 159).
- Metriorrhynchus moluccanus* Kleine, 1926a: 127 – Moluccas: Bacan
- Metriorrhynchus monticola* Blackburn, 1892, **comb. nov.** – Australia: Victoria
- Metriorrhynchus monticola* Blackburn, 1892: 526; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma monticola* (Blackburn, 1892); Calder (1998: 159).

- Metriorrhynchus montiphilus* Kleine, 1926a: 111 – New Guinea
- Metriorrhynchus newbataanensis* Bocak, Matsuda, Yagi, 2006: 123 – Philippines
- Metriorrhynchus nigricauda* Kleine, 1928b, **comb. nov.** – Australia: Queensland
- Metriorrhynchus nigricauda* Kleine, 1928b: 123; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma nigricauda* (Kleine, 1928b); Calder (1998: 159).
- Metriorrhynchus nigripes* Macleay, 1872, **comb. nov.** – Australia
- Metriorrhynchus nigripes* Macleay, 1872: 262; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma nigripes* (Macleay, 1872); Calder (1998: 159).
- = *Porrostoma elegans* Waterhouse, 1877: 75; Kleine (1933a: 82).
- Metriorrhynchus nobilis* Waterhouse, 1879: 54 – New Guinea
- Metriorrhynchus occidentalis* Blackburn, 1892, **comb. nov.** – Australia: West Australia
- Metriorrhynchus occidentalis* Blackburn, 1892: 526; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma occidentalis* (Blackburn, 1892); Calder (1998: 159).
- Metriorrhynchus ochropterus* Kleine, 1935c: 153 – New Guinea
- Metriorrhynchus ochii* Bocak, Matsuda, Yagi, 2006: 123 – Philippines
- Metriorrhynchus olivieri* Kazantsev, 2015b: 213 – New Guinea
- Metriorrhynchus opacus* Lea, 1909, **comb. nov.** – Australia: Queensland
- Metriorrhynchus opacus* Lea, 1909: 89; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma opacus* (Lea, 1909); Calder (1998: 159).
- Metriorrhynchus ordinarius* Lea, 1909, **comb. nov.** – Australia: Victoria
- Metriorrhynchus ordinarius* Lea, 1909: 81; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma ordinarius* (Lea, 1909); Calder (1998: 159).
- Metriorrhynchus pagdeni* Kleine, 1935b: 182 – Solomon Isl.
- Metriorrhynchus palawanensis* Bocak, Matsuda, Yagi, 2006: 124 – Philippines
- Metriorrhynchus pallidominor* Lea, 1921b, **comb. nov.** – Australia: Northern Territory
- Metriorrhynchus pallidominor* (Lea, 1921b); hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma pallidominor* Lea, 1921b: 57; Calder (1998: 158).
- Metriorrhynchus pallidipes* Kazantsev, 2015b: 222 – New Guinea
- Metriorrhynchus papuensis* Macleay, 1884: 704 – New Guinea
- Metriorrhynchus parallelus* Guérin-Méneville, 1835 – New Guinea
- Lycus parallelus* Guérin-Méneville, 1835: 114 (in Boisduval, 1835).
- Lycus* (*Metriorrhynchus*) *parallelus* (Guérin-Méneville, 1835); Guérin-Méneville (1838: 72).
- Metriorrhynchus parallelus* (Guérin-Méneville, 1835); Waterhouse (1879: 47).
- Cladophorus parallelus* (Guérin-Méneville, 1835); Kleine (1933: 50).
- Metriorrhynchus parvoniger* Lea, 1921b, **comb. nov.** – Australia
- Metriorrhynchus parvoniger* (Lea, 1921b: 53; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.
- Porrostoma parvoniger* (Lea, 1921b); Calder (1998: 158).
- Metriorrhynchus paradoxa* Blackburn, 1900, **comb. nov.** – Australia: Victoria

*Metriorrhynchus paradoxa* Blackburn, 1900: 55; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma paradoxa* (Blackburn, 1900); Calder (1998: 160).

*Metriorrhynchus pertenuis* Lea, 1929, **comb. nov.** – Australia: Queensland

*Metriorrhynchus pertenuis* Lea, 1929: 336; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma pertenuis* (Lea, 1929); Calder (1998: 160).

*Metriorrhynchus philippinensis* Waterhouse, 1879: 52 – Philippines

*Metriorrhynchus pirlingi* Kleine, 1926a: 114 – New Guinea

*Metriorrhynchus platypus* Kazantsev, 2015b: 222 – New Guinea

*Metriorrhynchus posticalis* Macleay, 1887, **comb. nov.** – Australia: Queensland

*Metriorrhynchus posticalis* Macleay, 1887: 234; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma posticalis* (Macleay, 1887); Calder (1998: 160).

*Metriorrhynchus puncticollis* Waterhouse, 1879: 57 – New Guinea

*Metriorrhynchus pusillus* Kleine, 1928b, **comb. nov.** – Australia: Queensland

*Metriorrhynchus pusillus* Kleine, 1928b: 124; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma pusillus* (Kleine, 1928b); Calder (1998: 160).

*Metriorrhynchus putridus* Kleine, 1935b: 181 – Solomon Isl.

*Metriorrhynchus queenslandicus* Kleine, 1928b, **comb. nov.** – Australia: Queensland

*Metriorrhynchus queenslandicus* Kleine, 1928b: 123; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma queenslandicus* (Kleine, 1928b); Calder (1998: 160).

*Metriorrhynchus quinquecavus* Lea, 1921a, **comb. nov.** – Australia: Queensland

*Metriorrhynchus quinquecavus* Lea, 1921a: 192; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma quinquecavus* (Lea, 1921a); Calder (1998: 160).

*Metriorrhynchus ramicornis* Lea, 1922, **comb. nov.** – Australia: Queensland

*Metriorrhynchus ramicornis* Lea, 1922: 2; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma ramicornis* (Lea, 1922); Calder (1998: 160).

*Metriorrhynchus reductus* Pic, 1925 – New Guinea

*Metriorrhynchus reductus* Pic, 1925: 96.

=*Metriorrhynchus breveapicalis* Pic, 1923a: 39; Kleine (1933a: 82) (a junior primary homonym of *M.*

*breveapicalis* Pic, 1923b: 3, hereby proposed).

*Metriorrhynchus rigidus* Kleine, 1943: 153 – New Guinea

*Metriorrhynchus ruficollis* Lea, 1921c, **comb. nov.** – Australia: Queensland

*Metriorrhynchus ruficollis* Lea, 1921c: 353; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma ruficollis* (Lea, 1921c); Calder (1998: 161).

*Metriorrhynchus rufirostris* Lea, 1909, **comb. nov.** – Australia: Queensland

*Metriorrhynchus rufirostris* Lea, 1909: 88; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma rufirostris* (Lea, 1909); Calder (1998: 162).

*Metriorrhynchus rufomarginatus* Lea, 1921b, **comb. nov.** – Australia: Victoria

*Metriorrhynchus rufomarginatus* Lea, 1921b: 58; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma rufomarginatus* (Lea, 1921b); Calder (1998: 162).

*Metriorrhynchus rusticus* Waterhouse, 1879: 51 – New Guinea: Mysol

*Metriorrhynchus sculpticollis* Lea, 1921c, **comb. nov.** – Australia: Queensland

*Metriorrhynchus sculpticollis* Lea, 1921c: 352; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma sculpticollis* (Lea, 1921c); Calder (1998: 162).

*Metriorrhynchus semicyaneus* Pic, 1923a: 38 – New Guinea: Yule Isl.

*Metriorrhynchus semiflavus* Lea, 1929, **comb. nov.** – Australia: Queensland

*Metriorrhynchus semiflavus* Lea, 1929: 340; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma sculpticollis* (Lea, 1929); Calder (1998: 162).

*Metriorrhynchus semiochraceus* Pic, 1923b, **comb. nov.** – Australia

*Metriorrhynchus semiochraceus* Pic, 1923b: 3; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma semiochraceus* (Pic, 1923b); Calder (1998: 162).

*Metriorrhynchus sericans* Waterhouse, 1879: 53 – Indo-Burma

*Metriorrhynchus sericeicollis* Schaufuss, 1887: 130 – Oceania: Vanuatu (Atchin Isl.)

*Metriorrhynchus sericeus* Waterhouse, 1879: 52 – Java

Note. *M. sericeus* is endemic to Java, other records are based on incorrect identification.

*Metriorrhynchus serraticornis* Macleay, 1887 – Australia: Queensland

*Metriorrhynchus serraticornis* Macleay, 1887: 230; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma serraticornis* (Macleay, 1887); Calder (1998: 162).

*Metriorrhynchus serricornis* Macleay, 1887: 230 – New Guinea

*Metriorrhynchus simsoni* Lea, 1909 – Australia: Tasmania

*Metriorrhynchus simsoni* Lea, 1909: 82; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma simsoni* (Lea, 1909); Calder (1998: 162).

*Metriorrhynchus sinuaticollis* Pic, 1923a, **comb. nov.** – Australia: New South Wales

*Metriorrhynchus sinuaticollis* Pic, 1923a: 35; Kleine, 1933a: 84; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma sinuaticollis* (Pic, 1923a); Calder (1998: 163).

*Metriorrhynchus smaragdinus* Kleine, 1935c: 153 – New Guinea

*Metriorrhynchus stenothorax* Kazantsev, 2015b: 217 – New Guinea

*Metriorrhynchus stenus* Kazantsev, 2015b: 218 – New Guinea

*Metriorrhynchus suaviter* Kleine, 1926a: 107 – New Guinea

*Metriorrhynchus takedai* Bocak, Matsuda, Yagi, 2006: 124 – Philippines

*Metriorrhynchus taoi* Bocak & Matsuda, 1997: 412 – Sulawesi

*Metriorrhynchus telnovi* Kazantsev, 2015b: 223 – New Guinea

*Metriorrhynchus tenebrans* Kleine, 1926a: 98 – New Guinea

*Metriorrhynchus tenebricosus* Kleine, 1928b, **comb. nov.** – Australia: Queensland

*Metriorrhynchus tenebricosus* Kleine, 1928b: 125; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma tenebricosus* (Kleine, 1928b); Calder (1998: 163).

*Metriorrhynchus tenuis* Macleay, 1886: 150 – New Guinea

*Metriorrhynchus thoracicus* (Fabricius, 1801) – Sulawesi, Moluccas,

*Lycus thoracicus* Fabricius, 1801: 117

*Metriorrhynchus thoracicus* (Fabricius, 1801); Gemminger & Harold (1869: 1630).

=*Metriorrhynchus cyanopterus* Redtenbacher, 1867: 412; Kleine (1933a: 84).

Note. No species found in collections from Aru Isl. and New Guinea which were reported earlier (Kleine, 1933)

*Metriorrhynchus tibialis* Lea, 1909, **comb. nov.** – Australia: Queensland

*Metriorrhynchus tibialis* Lea, 1909: 89; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma tibialis* (Lea, 1909); Calder (1998: 163).

*Metriorrhynchus tricavicollis* Lea, 1921a, **comb. nov.** – Australia

*Metriorrhynchus tricavicollis* Lea, 1921a: 191; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma tricavicollis* (Lea, 1921a); Calder (1998: 163).

*Metriorrhynchus trichocerus* Lea, 1921b, **comb. nov.** – Australia

*Metriorrhynchus trichocerus* Lea, 1921b: 61; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma trichocerus* (Lea, 1921b); Calder (1998: 163).

*Metriorrhynchus tricolor* Kleine, 1935c: 153 – New Guinea

*Metriorrhynchus turbinatus* Kazantsev, 2015b: 218 – New Guinea

*Metriorrhynchus tuzovi* Kazantsev, 2015b: 214 – New Guinea

*Metriorrhynchus unicolor* Kleine, 1926a: 98 – New Guinea

*Metriorrhynchus uniformis* (Waterhouse, 1877), **comb. nov.** – Australia: Queensland

*Porrostoma uniforme* Waterhouse, 1877: 76.

*Metriorrhynchus uniformis* (Waterhouse, 1877); Kleine, 1933a: 84; hereby returned to *Metriorrhynchus*

Gemminger & Harold, 1869.

*Porrostoma uniforme* (Waterhouse, 1877); Calder (1998: 163).

*Metriorrhynchus variipennis* Lea, 1909, **comb. nov.** – Australia: New South Wales

*Metriorrhynchus variipennis* Lea, 1909: 86; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma variipennis* (Lea, 1909); Calder (1998: 163).

*Metriorrhynchus versicolor* Kleine, 1926a: 108 – New Guinea

*Metriorrhynchus vittatus* Blackburn, 1888, **comb. nov.** – Australia

*Metriorrhynchus vittatus* Blackburn, 1888: 258; hereby returned to *Metriorrhynchus* Gemminger & Harold, 1869.

*Porrostoma vittatus* (Blackburn, 1888); Calder (1998: 163).

*Metriorrhynchus wallacei* Kleine, 1933b: 13 – New Guinea: Mysol

*Metriorrhynchus weigeli* Kazantsev, 2015b: 215 – New Guinea

*Metriorrhynchus yoshioi* Bocak, Matsuda, Yagi, 2006: 125 – Sulawesi

## *Microtrichalus* Pic, 1921

*Microtrichalus* Pic, 1921: 9 (Type species. *Microtrichalus singularis* Pic, 1921: 9; by monotypy).

=*Falsoenylus* Pic, 1926b: 29 (Type species. *Falsoenylus basipennis* Pic, 1926b: 30; by monotypy); Bocak, 1998a: 182.

*Microtrichalus acutangulus* (Waterhouse, 1878) – New Guinea

*Trichalus acutangulus* Waterhouse, 1878: 114.

*Microtrichalus acutangulus* (Waterhouse, 1878); Bocak (2000c: 12).

=*Trichalus blanchardi*, 1892: 423; Kleine (1933a: 69).

=*Trichalus imitator* Bourgeois, 1900: 424; Kleine (1933a: 69).

=*Trichalus incrassatus* 1900: 425; Kleine (1933a: 69).

*Microtrichalus amoenus* (Kleine, 1929) – Australia: Queensland

*Trichalus amoenus* Kleine, 1929: 479.

*Microtrichalus amoenus* (Kleine, 1929); Bocak (2000c: 12).

*Microtrichalus bakeri* (Kleine, 1929) – Philippines

*Trichalus bakeri* Kleine, 1929: 479.

*Microtrichalus bakeri* (Kleine, 1929); Bocak (1998c: 419).

*Microtrichalus basipennis* (Pic, 1926b) – Philippines

*Falsoenylus basipennis* Pic, 1926b: 30.

*Microtrichalus basipennis* Pic, 1926b: 31; Bocak (1998a: 182).

*Microtrichalus basipes* (Pic, 1923a) – New Guinea

*Trichalus basipes* Pic, 1923a: 36.

*Microtrichalus basipes* (Pic, 1923a); Bocak (2000c: 12).

=*Trichalus bicoloripes* Pic, 1930: 92; Bocak (2000c: 12).

=*Trichalus basicornis* Pic, 1930: 92; Bocak (2000c: 12).

*Microtrichalus castigatus* (Kleine, 1931: 287) – Java

*Trichalus castigatus* Kleine, 1931: 287.

*Microtrichalus castigatus* (Kleine, 1931); Bocak (2000c: 12).

*Microtrichalus conditus* (Kleine, 1927a) – Java

*Trichalus conditus* Kleine, 1927a: 312.

*Microtrichalus conditus* (Kleine, 1927a); Bocak (2000c: 12)

*Microtrichalus costilis* (Kleine, 1926b) – Philippines

*Trichalus costilis* Kleine, 1926b: 108.

*Microtrichalus costilis* (Kleine, 1926b); Bocak (1998c: 425).

*Microtrichalus detractus* (Waterhouse, 1879) – New Guinea, Moluccas: Key Isl.

*Trichalus detractus* Waterhouse, 1879: 70.

*Microtrichalus detractus* (Waterhouse, 1879); Bocak (2000c: 13).

*Microtrichalus faustus* (Kleine, 1935a) – New Guinea

*Trichalus faustus* Kleine, 1935a: 317.

*Microtrichalus faustus* (Kleine, 1935a); Bocak (2000c: 13).

*Microtrichalus favorabilis* (Kleine, 1926a: 177) – New Guinea – New Britain

*Trichalus favorabilis* Kleine, 1926a: 177.

*Microtrichalus favorabilis* (Kleine, 1926a); Bocak (2000c: 13).

*Microtrichalus flavidus* (Bourgeois, 1892: 41) – Borneo, Sumatra

*Trichalus flavidus* Bourgeois, 1892: 41.

*Leptotrichalus flavidus* (Bourgeois, 1892: 41); Kleine, 1930b: 335.

- Microtrichalus flavidus* (Bourgeois, 1892: 41); Bocak, 2000b: 183.
- Microtrichalus fraterculus* (Kleine, 1925b) – Moluccas: Buru  
*Trichalus fraterculus* Kleine, 1925b: 36.  
*Microtrichalus fraterculus* (Kleine, 1925b); Bocak (2000c: 13).
- Microtrichalus fuliginosus* (Bourgeois, 1883) – Borneo  
*Trichalus fuliginosus* Bourgeois, 1883: 646.  
*Microtrichalus fuliginosus* (Bourgeois, 1883); Bocak (2000c: 6).  
= *Trichalus rianganus* Pic, 1927: 41; Bocak (2000c: 6).
- Microtrichalus gorhami* (Pic, 1926) – New Guinea  
*Trichalus gorhami* Pic, 1926: 454.  
*Microtrichalus gorhami* (Pic, 1926); hereby proposed.
- Microtrichalus grandjeani* (Pic, 1930) – New Guinea  
*Trichalus grandjeani* Pic, 1930: 92.  
*Microtrichalus grandjeani* (Pic, 1930); Bocak (2000c: 13).
- Microtrichalus griseus* (Waterhouse, 1879) – New Guinea  
*Trichalus griseus* Waterhouse, 1879: 69.  
*Microtrichalus griseus* (Waterhouse, 1879); Bocak (2000c: 13).
- Microtrichalus halmaherensis* Kazantsev 2010a: 95 – Moluccas: Halmahera
- Microtrichalus ignotus* (Kleine, 1936a) – Java  
*Trichalus ignotus* Kleine, 1936: 133.  
*Microtrichalus ignotus* (Kleine, 1936a); Bocak (2000c: 13).
- Microtrichalus latesuturalis* (Pic, 1926b: 30) – New Guinea  
*Trichalus latesuturalis* Pic, 1926b: 30.  
*Microtrichalus latesuturalis* (Pic, 1926b); Bocak (2000c: 13).
- Microtrichalus leveri* (Kleine, 1935b: 181) – Solomon Isl.  
*Leptotrichalus leveri* Kleine, 1935b: 181.  
*Microtrichalus leveri* (Kleine, 1935b); Bocak (2000c: 13).
- Microtrichalus lineolatus* (Kleine, 1939d) – Java  
*Trichalus lineolatus* Kleine, 1939d: 132.  
*Microtrichalus lineolatus* (Kleine, 1939d); Bocak (2000c: 14).
- Microtrichalus milnei* (Pic, 1923b) – New Guinea  
*Trichalus milnei* Pic, 1923a: 36.  
*Microtrichalus milnei* (Pic, 1923b); Bocak (2000c: 14).
- Microtrichalus multicostatus* (Pic, 1921) – Moluccas: Key Isl.  
*Trichalus multicostatus* Pic, 1921: 10.  
*Microtrichalus multicostatus* (Pic, 1921); Bocak (2000c: 14).
- Microtrichalus pallescens* (Pic, 1921) – Sulawesi  
*Trichalus pallescens* Pic, 1921: 10.  
*Microtrichalus pallescens* (Pic, 1921); Bocak (2000c: 14).
- Microtrichalus patricius* (Kleine, 1935b) – New Britain  
*Trichalus patricius* Kleine, 1935b: 178.  
*Microtrichalus patricius* (Kleine, 1935b); Bocak (2000c: 14).
- Microtrichalus pectoralis* (Pic, 1921) – New Guinea

- Trichalus pectoralis* Pic, 1921: 10.  
*Microtrichalus pectoralis* (Pic, 1921); Bocak (2000c: 14).
- Microtrichalus perturbatus* (Waterhouse, 1879: 70) – New Guinea  
*Trichalus perturbatus* Waterhouse, 1879: 70.  
*Microtrichalus perturbatus* (Waterhouse, 1879); Bocak (2000c: 14).
- Microtrichalus pomeraniensis* (Pic, 1926b) – New Britain  
*Leptotrichalus pomeraniensis* Pic, 1926b: 30.  
*Microtrichalus pomeraniensis* (Pic, 1926b); Bocak, 2000c: 14.
- Microtrichalus pubens* (Kleine, 1935b) – Solomon Isl.  
*Trichalus pubens* Kleine, 1935b: 179.  
*Microtrichalus pubens* (Kleine, 1935b); Bocak (2000c: 14).
- Microtrichalus pygoxanthus* (Bourgeois, 1885) – Moluccas  
*Trichalus pygoxanthus* Bourgeois, 1885: 84.  
*Microtrichalus pygoxanthus* (Bourgeois, 1885); Bocak (2000c: 14).
- Microtrichalus residuus* (Kleine, 1939b) – Solomon Isl.  
*Trichalus residuus* Kleine, 1939b: 590.  
*Microtrichalus residuus* (Kleine, 1939b); Bocak (2000c: 15).
- Microtrichalus retractus* Bocak, 1998c: 423 – Philippines
- Microtrichalus rouyeri* (Pic, 1921) – Borneo  
*Trichalus rouyeri* Pic, 1921: 11.  
*Microtrichalus rouyeri* (Pic, 1921); Bocak (2000c: 8).  
= *Trichalus diversus* Pic, 1927: 41; Bocak (2000c: 8).  
= *Trichalus inconditus* Kleine, 1927a: 312; Bocak (2000c: 8).  
= *Trichalus reductus* Pic, 1927: 42; Bocak (2000c: 8).
- Microtrichalus rubricollis* Bocak, 2000c: 10 – Sumatra
- Microtrichalus salvani* Bocak, 1998c: 423 – Philippines
- Microtrichalus singularis* (Pic, 1921: 9) – Java
- Microtrichalus sulcaticeps* (Pic, 1921) – Java  
*Trichalus sulcaticeps* Pic, 1921: 10.  
*Microtrichalus sulcaticeps* (Pic, 1921); Bocak (2000c: 15).
- Microtrichalus suturalis* Bocak & Bocakova 2000c: 51 – New Guinea
- Microtrichalus tenimberensis* (Kleine, 1933b) – Moluccas: Tanimbar  
*Trichalus tenimberensis* Kleine, 1933b: 11.  
*Microtrichalus tenimberensis* (Kleine, 1933b); Bocak (2000c: 15).
- Microtrichalus testaceicollis* (Pic, 1927) – Sumatra  
*Trichalus testaceicollis* Pic, 1927: 42.  
*Microtrichalus testaceicollis* (Pic, 1927); Bocak (2000c: 11).
- Microtrichalus testaceicoxis* (Pic, 1921) – Java  
*Trichalus testaceicoxis* Pic, 1921: 10.  
*Microtrichalus testaceicoxis* (Pic, 1921); Bocak (2000c: 15).
- Microtrichalus villosipes* Kazantsev, 2010: 95 – Moluccas: Halmahera

***Mimoxylobanus* Pic, 1921**

*Mimoxylobanus* Pic, 1921: 11, hors texte (Type species. *Mimoxylobanus angustatus* Pic, 1921: 11 (by monotypy)).

*Mimoxylobanus angustatus* Pic, 1921: 11 – Lesser Sundas: Sumbawa

*Mimoxylobanus nubilus* Kazantsev, 2015a: 115 – New Guinea

***Porrostoma* Laporte, 1838**

*Porrostoma* Laporte, 1838: 26 (Type species. *Lycus rufipennis* Fabricius, 1801; by monotypy).

*Porrostoma angustifasciatum* Kazantsev, 2015b: 225 – New Guinea

*Porrostoma apicale* Waterhouse, 1877: 77 – Australia: Queensland

*Porrostoma apicale* Waterhouse, 1877: 77.

*Metriorrhynchus apicalis* Waterhouse, 1877: 77; Kleine (1933a: 78).

*Porrostoma atriventris* Pic, 1923a: 35 – Australia

*Porrostoma atriventris* Pic, 1923a: 35.

*Metriorrhynchus atriventris* Pic, 1923a: 35; Kleine (1933a: 78).

*Porrostoma brevirostre* Waterhouse, 1877: 74 – Australia: Victoria

*Porrostoma brevirostre* Waterhouse, 1877: 74; Calder (1998: 153).

*Metriorrhynchus brevirostre* Waterhouse, 1877; Kleine (1933a: 79).

*Porrostoma echidna* Kazantsev, 2015b: 225 – New Guinea

*Porrostoma fallax* Waterhouse, 1877: 79 – Australia: Queensland

*Porrostoma fallax* Waterhouse, 1877: 79; Calder (1998: 155).

*Metriorrhynchus fallax* (Waterhouse, 1877); Kleine (1933a: 80).

*Porrostoma fasciapiculatum* Kazantsev, 2015b: 231 – New Guinea

*Porrostoma flava* Kleine, 1926a: 99 – New Guinea

*Porrostoma forticostatum* (Pic, 1925a), **comb. nov.** – Australia

*Cladophorus forticostatus* Pic, 1925a: 8.

*Porrostoma forticostatum* (Pic, 1925a); hereby proposed.

*Porrostoma fuscolineatus* (Waterhouse, 1879) – Australia: Northwest Australia, New South Wales, Tasmania

*Porrostoma fuscolineatus* Waterhouse, 1879: 48.

*Metriorrhynchus fuscolineatus* (Waterhouse, 1879); Kleine (1933a: 80).

=*Porrostoma lineatum* Waterhouse, 1877: 78 a junior secondary homonym of *Metriorrhynchus lineatus* (Kirsch, 1875).

=*Metriorrhynchus laetus* Blackburn, 1891: 527; Kleine (1933a: 80).

*Porrostoma gorhami* Pic, 1923a: 35 – Australia

*Porrostoma gorhami* Pic, 1923a: 35; Calder (1998: 156).

*Metriorrhynchus gorhami* Pic, 1923a: 35; Kleine (1933a: 80).

*Porrostoma halmaheraensis* Kazantsev, 2015b: 230 – New Guinea

*Porrostoma inflabellata* Pic, 1923a: 35 – Australia

*Porrostoma inflabellata* Pic, 1923a: 35; Calder (1998: 157).

*Metriorrhynchus inflabellatus* (Pic, 1923a); Kleine (1933a: 81).

*Porrostoma irregulare* Waterhouse, 1877: 76 – Australia: Queensland

*Porrostoma irregulare* Waterhouse, 1877: 76; Calder (1998: 157).

*Metriorrhynchus irregularis* (Waterhouse, 1877); Kleine (1933a: 81).

*Porrostoma laterale* Redtenbacher, 1867: 100 – Australia: Queensland, New South Wales

*Porrostoma laterale* Redtenbacher, 1867: 100; Calder (1998: 157).

*Metriorrhynchus lateralis* Redtenbacher, 1867: 100; Kleine (1933a: 81)

=*Metriorrhynchus marginicollis* Macleay, 1872: 263; Kleine (1933a: 81).

*Porrostoma lucida* (Kleine, 1926a); – New Guinea

*Cladophorus lucidus* Kleine, 1926aa: 132.

*Porrostoma lucida* (Kleine, 1926); Kazantsev (2015b: 225).

*Porrostoma melaspis* Bourgeois, 1889: 235 – Australia

*Porrostoma melaspis* Bourgeois, 1889: 236; Calder (1998: 158)

*Metriorrhynchus melaspis* Bourgeois, 1889: 236; Kleine (1933a: 81).

*Porrostoma rhipidium* (Macleay, 1826) – Australia: except Northern Territory

*Lycus rhipidium* Macleay, 1826: 442.

*Metriorrhynchus rhipidius* Macleay, 1826: 442; Gemminger & Harold (1869: 1630).

*Porrostoma rhipidium* Macleay, 1826: 442; Calder (1998: 160).

=*Lycus septemcavus* Macleay, 1826: 442; Kleine (1933a: 82).

=*Porrostoma erythropteron* Erichson, 1842: 144; Kleine (1933a: 82).

=*Metriorrhynchus gigas* Blackburn, 1892: 524; Kleine (1933a: 82).

=*Metriorrhynchus flagellatus* Blackburn, 1900: 53; Kleine (1933a: 82).

*Porrostoma rufipennis* (Fabricius, 1801) – Australia, New Zealand

*Lycus rufipennis* Fabricius, 1801: 114.

*Metriorrhynchus rufipennis* (Fabricius, 1801); Kleine (1933a: 83).

*Porrostoma rufipennis* (Fabricius, 1801); Kuschel (1990: 53).

=*Porrostoma nigrirostris* Macleay in Dejean (1836: 111).

=*Porrostoma marginatus* Erichson, 1842: 145; Kleine (1933a: 83).

=*Lycus goryi* Le Guillou, 1844: 222; Kleine (1933a: 83).

=*Porrostoma haemorrhoidale* Waterhouse, 1877: 79; by Kleine (1933a: 83).

=*Porrostoma salebrosum* Waterhouse, 1877: 79; by Kleine (1933a: 83).

=*Porrostoma lugubre* Waterhouse, 1877: 80; Kleine (1933a: 83).

=*Porrostoma plagiatum* Waterhouse, 1877: 80; Kleine (1933a: 83).

=*Metriorrhynchus erraticus* Broun, 1893: 1146; Kuschel (1990: 53).

=*Metriorrhynchus miles* Blackburn, 1900: 54; Kleine (1933a: 83).

*Porrostoma russatum* Waterhouse, 1877: 77 – Australia: Queensland

*Porrostoma russatum* Waterhouse, 1877: 77; Calder (1998: 162).

*Metriorrhynchus russatus* (Waterhouse, 1877); Kleine (1933a: 83).

*Porrostoma scalare* Waterhouse, 1877: 79 – Australia: N. W. – Australia

*Porrostoma scalare* Waterhouse, 1877: 79; Calder (1998: 162).

*Metriorrhynchus scalaris* (Waterhouse, 1877); Kleine (1933a: 83).

*Porrostoma textile* Waterhouse, 1877: 77 – Australia: Queensland

*Porrostoma textile* Waterhouse, 1877: 77; Calder (1998: 163).

*Metriorrhynchus textilis* Waterhouse, 1877: 77; Kleine (1933a: 84).

*Porrostoma tigroides* Kazantsev, 2015b: 232 – New Guinea

*Porrostoma togatum* (Waterhouse, 1877) – Australia: Western – Australia

*Metriorrhynchus togatus* Waterhouse, 1877: 78; Kleine (1933a: 84).

*Porrostoma togatum* (Waterhouse, 1877): Calder (1998: 163).

*Porrostoma viridum* Kazantsev, 2015b: 227 – New Guinea

*Porrostoma wilhelmi* Kazantsev, 2015b: 228 – New Guinea

### ***Oriomum* Bocak, 1999b**

*Oriomum* Bocak, 1999b: 111 (Type species. *Oriomum femoralis* Bocak, 1999b: 111, by original designation).

*Oriomum femoralis* Bocak, 1999b: 112 – New Guinea

### ***Stadenus* Waterhouse, 1879**

*Stadenus* Waterhouse, 1879: 61 (Type species. *Porrostoma dichroum* Waterhouse, 1877: 86; by original designation).

*Stadenus appositus* Kleine, 1933b: 4 – Australia: Queensland

*Stadenus atricornis* (Lea, 1909) – Australia: Queensland

*Stadenus atricornis* Lea, 1909: 85.

*Metriorrhynchus atricornis* Lea, 1909: 85; Kleine (1922: 5).

*Stadenus dichroum* (Waterhouse, 1877) – Australia: West Australia

*Porrostoma dichroum* Waterhouse, 1877: 86.

*Stadenus dichrous* Waterhouse, 1877; Kleine (1933a: 43).

*Metriorrhynchus dichrous* Waterhouse, 1877: 86; Lea (1909: 67).

*Stadenus inquilinus* (Waterhouse, 1877) – Australia

*Porrostoma inquilinum* Waterhouse, 1877: 81.

*Stadenus inquilinus* Waterhouse, 1877: 81; Kleine (1933a: 43).

*Metriorrhynchus inquilinus* Waterhouse, 1877: 81 (Lea, 1909: 67).

*Stadenus nigrovittatus* (Lea, 1909) – Australia: New South Wales

*Metriorrhynchus nigrovittatus* Lea, 1909: 78.

*Stadenus nigrovittatus* Lea, 1909: 78; Kleine (1933a: 43).

*Stadenus obscuripennis* (Lea, 1909) – Australia: Tasmania

*Metriorrhynchus obscuripennis* Lea, 1909: 77.

*Stadenus obscuripennis* Lea, 1909: 77; Kleine (1933a: 43).

*Stadenus puncticollis* Kleine, 1933b: 3 – Australia: West Australia

*Stadenus triareolatus* (Lea, 1909) – Australia: West – Australia

*Metriorrhynchus triareolatus* Lea, 1909: 78.

*Stadenus triareolatus* Lea, 1909: 78; Kleine (1933a: 43).

### ***Metriorrhynchoides* Kleine, 1926a**

*Metriorrhynchoides* Kleine, 1926a: 118 (Type species. *Metriorrhynchoides helleri* Kleine, 1926a: 119; by original designation).

*Metriorrhynchoides eminens* Kleine, 1926a: 120 – New Guinea

*Metriorrhynchoides flavofasciatus* Kleine, 1926a: 120 – New Guinea

*Metriorrhynchoides helleri* Kleine, 1926a: 119 – New Guinea

*Metriorrhynchoides pulcher* Kleine, 1926a: 119 – New Guinea

### ***Procautires* Kleine, 1925 b**

*Procautires* Kleine, 1925b: 32 (Type species. *Procautires toxopei* Kleine, 1925b: 32; by original designation).

*Procautires aflatellatus* Kazantsev, 2016b: 44 – New Guinea

*Procautires angustiformis* Kazantsev, 2016b: 35 – New Guinea

*Procautires angustisuturalis* Kazantsev, 2016b: 36 – New Guinea

*Procautires bicoloripectus* Kazantsev, 2016b: 38 – New Guinea

*Procautires cladophoroides* Kazantsev, 2016b: 38 – New Guinea

*Procautires bryanti* Kleine, 1933b: 10 – Australia: New South Wales

*Procautires cygnus* Kazantsev, 2016b: 42 – New Guinea

*Procautires divisus* Kleine, 1935a: 320 – New Guinea

*Procautires efferatus* Kleine, 1926a: 158 – New Guinea

*Procautires excitatus* Kleine, 1926a: 160 – New Guinea

*Procautires flavigularis* Kleine, 1926a: 157 – New Guinea

*Procautires forficefer* Kazantsev, 2016b: 39 – New Guinea

*Procautires honestus* Kleine, 1926a: 157 – New Guinea

*Procautires maculosus* Kleine, 1926a: 159 – New Guinea

*Procautires maklaii* Kazantsev, 2016b: 45 – New Guinea

*Procautires miklukhai* Kazantsev, 2016b: 46 – New Guinea

*Procautires miniatus* Kleine, 1926a: 158 – New Guinea

*Procautires misoolensis* Kazantsev, 2016b: 40 – New Guinea

*Procautires mixtus* (Waterhouse, 1879) – New Guinea

*Xylobanus mixtus* Waterhouse, 1879: 43.

*Procautires mixtus* Waterhouse, 1879: 43, Kleine (1933a: 59).

=*Xylobanus acheronticus* Bourgeois, 1892: 504.

=*Procautires acheronticus* (Bourgeois, 1892); Kleine (1933a: 59).

*Procautires multipilosus* Kazantsev, 2016b: 41 – New Guinea

*Procautires nabirensis* Kazantsev, 2016b: 41 – New Guinea

*Procautires nigropumilio* Kazantsev, 2016b: 45 – New Guinea

*Procautires parallelus* Bourgeois, 1892: 505 – New Guinea

*Cladophorus parallelus* Bourgeois, 1892: 505.

*Procautires parallelus* Bourgeois, 1892: 505, Kleine (1933a: 59).

*Procautires sibelaensis* Kazantsev, 2016b: 41 – New Guinea

*Procautires subparallelus* Bocak et al. 2020 – New Guinea

*Xylobanus parallelus* Pic, 1922: 16.

*Procautires parallelus* Pic, 1922: 16; Pic, 1926a: 454 [a junior secondary homonym of *Procautires parallelus* (Bourgeois, 1883)].

*Procautires subparallelus* nom. nov.; hereby designated.

*Procautires suturalis* Kleine, 1926a: 159 – New Guinea

*Procautires toxopei* Kleine, 1925b: 32 – Moluccas: Buru

*Procautires wauvagus* Kazantsev, 2016b: 43 – New Guinea

### ***Pseudodontocerus* Pic, 1921**

*Pseudodontocerus* Pic, 1921: 12 (Type species. *Pseudodontocerus pulcher* Pic, 1921: 12; by monotypy).

=*Carathrix* Kleine, 1926a: 149 (Type species. *Carathrix pilosus* Kleine, 1926a: 149; by original designation), Bocak (2002: 344).

*Pseudodontocerus bicoloripes* Pic, 1923a: 38 – New Guinea: Roon Isl., – Moluccas: Bacan

*Pseudodontocerus pilosus* (Kleine, 1926a) – New Guinea

*Carathrix pilosus* Kleine, 1926a: 149.

*Pseudodontocerus pilosus* (Kleine, 1926a: 149); Bocak (2002: 344).

*Pseudodontocerus pulcher* Pic, 1921: 12 – New Guinea

*Pseudodontocerus ruficollis* (Guérin-Méneville, 1830), **comb. nov.** – New Guinea

*Cladophorus ruficollis* Guérin-Méneville, 1830: plate 2, fig. 8.

*Pseudodontocerus ruficollis* (Guérin-Méneville, 1830); hereby designated.

=*Cladophorus crocicollis* Boisduval, 1835: 116; Gemminger & Harold, 1869: 1633.

### ***Schizotrichalus* Kleine, 1926**

*Schizotrichalus* Kleine, 1926a: 183. (Type species. *Trichalus nigrescens* Waterhouse, 1879: 70; by original designation).

*S. nigrescens* (Waterhouse, 1879: 70 – New Guinea: Raja Ampat

*Trichalus nigrescens* (Waterhouse, 1879: 70).

*Schizotrichalus nigrescens* (Waterhouse, 1879); Kleine (1926a: 183).

*S. halmaherensis* Bocek & Adamkova, 2019: 344 – Moluccas: Halmahera

### ***Sulabanus* Dvorak & Bocak, 2007.**

*Sulabanus* Dvorak & Bocak, 2007: 3 (Type species. *S. mamasensis* Dvorak & Bocak, 2007: 7; by original designation).

*Sulabanus ambangensis* Dvorak & Bocak, 2007: 15 – Sulawesi

*Sulabarus amporiwensis* Dvorak & Bocak, 2007: 17 – Sulawesi  
*Sulabarus barclayi* Dvorak & Bocak, 2007: 10 – Sulawesi  
*Sulabarus brancuccii* Dvorak & Bocak, 2007: 18 – Sulawesi  
*Sulabarus brunneus* Dvorak & Bocak, 2007: 12 – Sulawesi  
*Sulabarus cordatus* Dvorak & Bocak, 2007: 9 – Sulawesi  
*Sulabarus dumongabonensis* Dvorak & Bocak, 2007: 13 – Sulawesi  
*Sulabarus gracilis* Dvorak & Bocak, 2007: 15 – Sulawesi  
*Sulabarus katarinae* Dvorak & Bocak, 2007: 14 – Sulawesi  
*Sulabarus lalui* Dvorak & Bocak, 2007: 11 – Sulawesi  
*Sulabarus lineatus* Dvorak & Bocak, 2007: 14 – Sulawesi  
*Sulabarus mamasensis* Dvorak & Bocak, 2007: 7 – Sulawesi  
*Sulabarus major* Dvorak & Bocak, 2007: 16 – Sulawesi  
*Sulabarus minor* Dvorak & Bocak, 2007: 9 – Sulawesi  
*Sulabarus nigricolor* (Pic, 1922) – Sulawesi  
*Xylobarus nigricolor* Pic, 1922: 4.  
*Sulabarus nigricolor* (Pic, 1922); Dvorak & Bocak (2007: 21).  
*Sulabarus nigricordatus* Dvorak & Bocak, 2007: 10 – Sulawesi  
*Sulabarus niger* Dvorak & Bocak, 2007: 16 – Sulawesi  
*Sulabarus oocularis* Dvorak & Bocak, 2007: 18 – Sulawesi  
*Sulabarus pendolensis* Dvorak & Bocak, 2007: 11 – Sulawesi  
*Sulabarus robustus* Dvorak & Bocak, 2007: 17 – Sulawesi  
*Sulabarus rufomarginatus* Dvorak & Bocak, 2007: 12 – Sulawesi  
*Sulabarus similis* Dvorak & Bocak, 2007: 19 – Sulawesi  
*Sulabarus ulci* Dvorak & Bocak, 2007: 7 – Sulawesi

### ***Synchonnu* Waterhouse, 1879**

*Synchonnu* Waterhouse, 1879: 59, *S. clientulus* Waterhouse, 1879: 59; by monotypy).  
= *Achras* Waterhouse, 1879: 61 (Type species. *A. limbatus* Waterhouse, 1879: 62; by monotypy); Kusy et al. (2018: 29).  
= *Enylus* Waterhouse, 1879: 72 (Type species. *E. segregatus* Waterhouse, 1879; by monotypy); Kusy et al. (2018: 29).  
= *Strophicus* Waterhouse, 1879: 73 (Type species. *S. nigellus* Waterhouse, 1879: 73; by monotypy); Bocak (2002: 335).

*Synchonnu ailaketoae* Kusy et al., 2018: 32 – Australia: Queensland

*Synchonnu amplus* (Kleine, 1930) – Australia: New South Wales

*Enylus amplus* Kleine, 1930b: 329.

*Synchonnu amplus* (Kleine, 1930b); Kusy et al. (2018: 29).

*Synchonnu campestris* Kusy et al., 2018: 35 – Australia: Queensland

*Synchonnu chilvertonensis* Kusy et al., 2018: 33 – Australia: Queensland

*Synchonnu clientulus* (Waterhouse, 1877) – Australia: Queensland

*Porrostoma clientulum* Waterhouse, 1877: 81.

- Synchonnuus clientulus* (Waterhouse, 1877); Waterhouse (1879: 59).
- Synchonnuus corrugatus* Pic, 1923a: 35 – Australia
- Synchonnuus crypticum* Kusy et al., 2018: 36 – Australia: Queensland
- Synchonnuus dubenovae* Kusy et al., 2018: 32 – Australia: Queensland
- Synchonnuus etheringtoni* Kusy, 2017: 156 – New Guinea
- Synchonnuus eungellensis* Kusy et al., 2018: 34 – Australia: Queensland
- Synchonnuus flavonotatum* Kusy et al., 2018: 33 – Australia: Queensland
- Synchonnuus humeralis* Pic, 1923a: 37 – Moluccas: Obi Isl.
- Synchonnuus imperfectus* (Kleine, 1935a), **comb. nov.** – New Guinea
- Strophicus imperfectus* Kleine, 1935a: 320.
- Synchonnuus imperfectus* (Kleine, 1935a); hereby proposed.
- Synchonnuus leucomelas* (Kleine, 1926a), **comb. nov.** – New Guinea
- Strophicus leucomelas* Kleine, 1926a: 152.
- Synchonnuus leucomelas* Kleine, 1926a: 152; hereby proposed.
- Synchonnuus limbatum* (Waterhouse, 1877) – Australia: New South Wales
- Porrostoma limbatum* Waterhouse, 1877: 81.
- Achras limbatum* Waterhouse, 1877: 81; Waterhouse (1879: 61).
- Synchonnuus limbatum* (Waterhouse, 1877); Kusy et al. (2018: 29).
- Synchonnuus maseki* Kusy et al., 2018: 32 – Australia: Queensland
- Synchonnuus monteithi* Kusy et al., 2018: 35 – Australia: Queensland
- Synchonnuus nigellus* (Waterhouse, 1879) – New Guinea: Mysol
- Strophicus nigellus* Waterhouse, 1879: 73.
- Synchonnuus nigellus* (Waterhouse, 1879: 73); Bocak (2002: 335).
- Synchonnuus segregatus* (Waterhouse, 1879) – Australia: Queensland
- Enylus segregatus* Waterhouse, 1879: 72.
- Synchonnuus segregatus* (Waterhouse, 1879); Kusy et al. (2018: 29).
- Synchonnuus slipinskii* Kusy et al., 2018: 34 – Australia: Queensland
- Synchonnuus testaceithorax* Pic, 1923a: 35 – New Guinea
- Synchonnuus variabilis* Kusy et al., 2018: 36 – Australia: Queensland

### *Trichalus* Waterhouse, 1877

- Trichalus* Waterhouse, 1877: 82 (Type species. *Trichalus flavopictus* Waterhouse, 1877: 82; by subsequent designation).  
 =*Xantheros* Fairmaire 1877: 167 (Type species. *Xantheros ochreatus* Fairmaire 1877: 167; by subsequent designation).

- Trichalus aemulus* Waterhouse, 1878: 114 – Moluccas: Bacan
- Trichalus albertisi* Bourgeois, 1900: 428 – New Guinea
- Trichalus amicus* Kleine, 1929: 482 – Australia: Queensland
- Trichalus ampliatus* Waterhouse, 1877 – Australia: New South Wales, Victoria
- Trichalus ampliatus* Waterhouse, 1877: 83.
- = *Trichalus auritus* Lea, 1895: 600; Kleine (1933a: 69).

=*Trichalus distinctus* Lea, 1895: 602; Kleine (1933a: 69).

*Trichalus anceps* Waterhouse, 1878 – Moluccas: Bacan Ternate

*Trichalus anceps* Waterhouse, 1878: 114.

=*Trichalus ternatensis* Bourgeois, 1900: 427 (a senior secondary homonym of *Trichalus ternatensis* Kleine, 1930); Kleine (1933a: 69).

*Trichalus angularis* Kleine, 1929: 482 – Australia: Queensland

*Trichalus angulicollis* (Fairmaire 1877) – Australia: Queensland

*Xantheros angulicollis* Fairmaire 1877: 167.

*Trichalus angulicollis* Fairmaire 1877: 167; Lea (1909: 94).

*Trichalus angustulus* McLeay 1887: 235 – Australia: Queensland

*Trichalus angustus* Kleine, 1929: 480 – Australia: Queensland

*Trichalus animosus* Kleine, 1929: 477 – Australia

*Trichalus antiquus* Kleine, 1939c: 12 – Java

*Trichalus apicalis* McLeay 1886: 152 – New Guinea

*Trichalus apiciflavus* Lea, 1909: 99 – Australia: New South Wales

*Trichalus apparatus* Kleine, 1929: 481 – Australia: Queensland

*Trichalus applicatus* Kleine, 1929: 484 – Australia: Queensland

*Trichalus argutus* Kleine, 1929: 478 – Australia: Queensland

*Trichalus ater* McLeay 1887: 233 – Australia: Queensland

*Trichalus atripennis* McLeay 1887: 234 – Australia: New South Wales Queensland

*Trichalus basipennis* Lea, 1922: 6 – Australia: Queensland

*Trichalus bifurcatus* Lea, 1909: 96 – Australia: Tasmania

*Trichalus communis* Waterhouse, 1879 – Sunda, Malaya

*Trichalus communis* Waterhouse, 1879: 71; Bocek et al. (2017: 7).

*Microtrichalus communis* (Waterhouse, 1879); Bocak (1998c: 426).

=*Trichalus barbieri* Pic, 1949: 14; Bocak (2000c: 5).

=*Trichalus javanus* Pic, 1927: 42; Bocak (2000c: 5).

=*Trichalus laticornis* Pic, 1927: 42; Bocak (2000c: 5).

=*Trichalus nothus* Kleine, 1933b: 12; Bocak (2000c: 5).

=*Trichalus undulatithoraxis* Pic, 1927: 42; Bocak (2000c: 5).

*Trichalus curticollis* Pic, 1927: 42; Bocak, 2000c: 5 – Java

*Trichalus discoideus* (Erichson 1842) – Australia: Tasmania

*Porrostoma discoideus* Erichson 1842: 145.

*Metriorrhynchus discoideus* (Erichson 1842); Gemminger & Harold (1869: 1629).

*Trichalus discoideus* (Erichson 1842); Kleine (1933a: 71).

*Trichalus discretus* Bourgeois, 1884: 67 – Java

*Trichalus faustus* Kleine, 1935a: 317 – New Guinea

*Trichalus flavicans* Blanchard 1856: 76 – New Guinea: Aru Isl.

*Trichalus flavopictus* Waterhouse, 1877: 82 – Australia: Queensland

*Trichalus foveolatus* Pic, 1921: 10 – Moluccas: Obi

*Trichalus froggatti* (Macleay 1887: 233) – Australia: Queensland

*Xylobanus froggatti* McLeay 1887: 233.

*Trichalus froggatti* (Macleay 1887); Kleine (1933a: 71).

- Trichalus gorhami* Pic, 1926a: 454 – New Guinea  
*Trichalus griffithi* Lea, 1909: 98 – Australia: Queensland  
*Trichalus hirsutus* Kleine, 1926a: 173 – New Guinea  
*Trichalus honoratus* Kleine, 1929: 484 – Wetar Isl.  
*Trichalus immanus* Kleine, 1929: 478 – New Guinea  
*Trichalus infaustus* Lea, 1921b: 62 – Australia  
*Trichalus insignis* Lea, 1895: 601 – Australia: New South Wales  
*Trichalus keiensis* Pic, 1921: 10 – Moluccas: Key Isl.  
*Trichalus pseudoternatensis* **nom. nov.** – Moluccas: Ternate  
    *Diatrichalus ternatensis* Kleine, 1930b: 329.  
    *Trichalus ternatensis* (Kleine, 1930b), a junior secondary homonym of *Trichalus ternatensis* Bourgeois, 1900;  
    Bocak (2001a: 30).  
    *Trichalus pseudoternatensis* **nom. nov.**  
*Trichalus lanatus* Kleine, 1926a: 172 – New Guinea  
*Trichalus languidus* Bourgeois, 1900: 423 – New Guinea  
*Trichalus lateapicalis* Pic, 1930: 92 – Moluccas: Bacan  
*Trichalus leopoldi* Pic, 1932: 87 – New Guinea: Aru Isl.  
*Trichalus lineatus* Pic, 1931: 26 – Malaya  
*Trichalus manifestus* Kleine, 1926a: 177 – New Guinea  
*Trichalus marcidus* Kleine, 1926a: 175 – New Guinea  
*Trichalus metasternalis* Lea, 1929: 340 – Australia: Northern Territory  
*Trichalus nigroscutellatus* Kleine, 1926: 176 – New Guinea  
*Trichalus nubicollis* (Fairmaire, 1877) – Australia: Queensland  
    *Xantheros nubicollis* Fairmaire, 1877: 167.  
    *Trichalus nubicollis* (Fairmaire, 1877); Fairmaire (1879: 99).  
*Trichalus ochreatus* (Fairmaire 1877) – Australia: New South Wales  
    *Xantheros ochreatus* Fairmaire, 1877: 167.  
    *Trichalus ochreatus* (Fairmaire, 1877); Fairmaire (1879: 99).  
*Trichalus pallidipennis* McLeay 1886: 152 – New Guinea  
*Trichalus patricius* Kleine, 1935b: 178 – New Britain  
*Trichalus perplexus* Bourgeois, 1900: 430 – Moluccas: Ternate  
*Trichalus placidus* Lea, 1922: 5 – Australia: Queensland  
*Trichalus praecipuus* Kleine, 1933b: 12 – Moluccas: Bacan  
*Trichalus pubens* Kleine, 1935b: 179 – New Britain  
*Trichalus pulcherrimus* Kleine, 1926a: 174 – New Guinea  
*Trichalus quadricavus* Lea, 1921b: 62 – Australia: Queensland  
*Trichalus repandus* Kleine, 1929: 479 – Moluccas  
*Trichalus residuus* Kleine, 1939b: 590 – Solomon Isl.  
*Trichalus secretus* Kleine, 1935a: 317 – New Guinea  
*Trichalus serraticornis* (Fabricius, 1775) – Australia  
    *Pyrochroa serraticornis* Fabricius 1775: 203.  
    *Trichalus serraticornis* (Fabricius 1775); Waterhouse (1877: 84).  
*Trichalus signatus* Kleine, 1939c: 19 – Moluccas: Buru

*Trichalus subarcuatithorax* Pic, 1926a: 454 – New Guinea  
*Trichalus subtilis* Kleine, 1933b: 12 – Moluccas: Bacan  
*Trichalus sulciformis* Kleine, 1934: 116 – Australia: Northern Territory  
*Trichalus sulcatus* Waterhouse, 1877: 83 – Australia: Queensland  
*Trichalus umbrosus* Kleine, 1929: 485 – New Guinea  
*Trichalus versicolor* Kleine, 1929: 486 – Moluccas: Bacan

***Wakarumbia* Bocak, 1999a**

*Wakarumbia* Bocak, 1999a: 166 (Type species. *W. gracilis* Bocak, 1999a: 167; by original designation).

*Wakarumbia amporivensis* Bocak, 2001b: 261 – Sulawesi

*Wakarumbia angustior* (Pic, 1922) – Sulawesi

*Xylobanus angustior* Pic, 1922: 17.

*Wakarumbia angustior* (Pic, 1922); Bocak & Bocakova (2000d: 44).

*Wakarumbia aurea* Dvorak & Bocak, 2009: 53 – Sulawesi

*Wakarumbia brendelli* Bocak, 2000d: 273 – Sulawesi

*Wakarumbia brunnescens* Bocak, 2000d: 274 – Sulawesi

*Wakarumbia celebensis* (Kleine, 1933) – Sulawesi

*Protaphes celebensis* Kleine, 1933b: 2.

*Wakarumbia celebensis* Kleine, 1933b: 2; Bocak (2000d: 274).

*Wakarumbia decepta* Dvorak & Bocak, 2009: 53 – Sulawesi

*Wakarumbia equalis* Bocak, 2001b: 262 – Sulawesi

*Wakarumbia fasciata* Bocak, 2001b: 263 – Sulawesi

*Wakarumbia flavohumeralis* Bocak, 2000d: 275 – Sulawesi

*Wakarumbia gracilis* Bocak, 1999a: 167 – Sulawesi: Buton Isl.

*Wakarumbia grandis* Bocak, 2000d: 276 – Sulawesi

*Wakarumbia grisea* Bocak, 2001b: 264 – Sulawesi

*Wakarumbia hanae* Dvorak & Bocak, 2009: 54 – Sulawesi

*Wakarumbia hirsuta* Dvorak & Bocak, 2009: 54 – Sulawesi

*Wakarumbia kalamensis* Bocak, 2001b: 264 – Sulawesi

*Wakarumbia kundratai* Dvorak & Bocak, 2009: 56 – Sulawesi

*Wakarumbia lateniger* (Pic, 1922) – Sulawesi

*Xylobanus angustior lateniger* Pic, 1922: 16.

*Wakarumbia lateniger* (Pic, 1922); Bocak & Bocakova (2000: 44).

*Wakarumbia linearis* Dvorak & Bocak, 2009: 56 – Sulawesi

*Wakarumbia mamasensis* Bocak, 2001b: 265 – Sulawesi

*Wakarumbia montana* Bocak, 2001b: 266 – Sulawesi

*Wakarumbia nigra* Bocak, 2000d: 276 – Sulawesi

*Wakarumbia obscura* Dvorak & Bocak, 2009: 57 – Sulawesi

*Wakarumbia orobuensis* Bocak, 2001b: 266 – Sulawesi

*Wakarumbia obstinata* Dvorak & Bocak, 2009: 58 – Sulawesi

*Wakarumbia pendolensis* Dvorak & Bocak, 2009: 58 – Sulawesi

*Wakarumbia petri* Bocak, 2001b: 266 – Sulawesi  
*Wakarumbia pseudofasciata* Dvorak & Bocak, 2009: 59 – Sulawesi  
*Wakarumbia oculata* Bocak, 2000d: 276 – Sulawesi  
*Wakarumbia pallescens* Bocak, 2000d: 276 – Sulawesi  
*Wakarumbia similis* Bocak, 2000d: 277 – Sulawesi

### ***Xylobanomimus* Kleine, 1926**

*Xylobanomimus* Kleine, 1926a: 166 (Type species. *Xylobanomimus papuensis* Kleine, 1926a: 166; by original designation).

*Xylobanomimus papuensis* Kleine, 1926a: 166 – New Guinea

### ***Xylobanomorphus* Kleine, 1935a**

*Xylobanomorphus* Kleine, 1935a: 316 (Type species. *Xylobanomorphus transformis* Kleine, 1935a: 316; by monotypy).

*Xylobanomorphus balkei* Kazantsev, 2010: 97 – New Guinea  
*Xylobanomorphus elongatissimus* Kazantsev, 2010: 97 – New Guinea  
*Xylobanomorphus transformis* Kleine, 1935a: 316. – New Guinea  
*Xylobanomorphus triton* Kazantsev, 2015a: 113 – New Guinea

Dubious placement:

*Xylobanomorphus villosus* (Kazantsev, 2006) – Sri Lanka

*Xylobanus villosus* Kazantsev, 2006: 99.

*Xylobanomorphus villosus* (Kazantsev, 2006); Kazantsev 2010: 99.

Note. The placement of this species needs further revision, see the comments in Results and Discussion above.

### ***Xylotrix* Kazantsev, 2015a**

*Xylotrix* Kazantsev, 2015a: 115 (Type species. *Xylotrix athrix* Kazantsev, 2015a: 115; by original designation).

*Xylotrix athrix* Kazantsev, 2015a: 115 – New Guinea  
*Xylotrix avicollis* Kazantsev, 2015a: 116 – New Guinea

### ***Incertae sedis in Metriorrhynchina***

(these species have been placed in *Xylobanus* Waterhouse, 1879 if not stated otherwise)

(*Xylobanus*) *ampliatus* Macleay, 1887: 233 – Australia: Queensland  
(*Xylobanus*) *australianus* Kleine, 1927c: 70 – Australia: New South Wales  
(*Xylobanus*) *baitetaensis* Kazantsev, 2015a: 108 – New Guinea

(*Xylobanus*) *pseudobasalis* Bocak et al., 2020, **nom. nov.** – Australia: Queensland

*Metriorrhynchus basalis* Lea, 1921a: 190 (a junior primary homonym of *Metriorrhynchus basalis* Bourgeois, 1911).

*Porrostoma basalis* (Lea, 1921); Calder (1998: 153).

*Porrostoma pseudobasalis* Bocak et al., 2020; a new replacement name for *Metriorrhynchus basalis* Lea, 1921.

(*Xylobanus*) *pseudobasalis* (Bocak et al., 2020); hereby proposed.

(*Xylobanus*) *basiflavus* Lea, 1909: 76 – Australia: Queensland

(*Xylobanus*) *cancellatus* Lea, 1909: 73 – Australia: Queensland, New South Wales

(*Xylobanus*) *canus* Kleine, 1927c: 54 – Australia

(*Xylobanus*) *confluens* Bourgeois, 1900: 420 – New Guinea

*Cautires confluens* Bourgeois, 1900: 420.

*Xylobanus confluens* Bourgeois, 1900: 420;165 Kleine (1926: 165).

(*Xylobanus*) *conquisitus* Kleine, 1927c: 46 – Australia: Tasmania

(*Xylobanus*) *coenosus* Lea, 1899: 557 – Australia: New South Wales

(*Xylobanus*) *constricticollis* Lea, 1909: 76 – Australia Western – Australia

(*Xylobanus*) *corvus* Kleine, 1935a: 315 – New Guinea

(*Xylobanus*) *culex* Kazantsev, 2015a: 111 – New Guinea

(*Xylobanus*) *densereticulatus* Kleine, 1927c: 47 – New Guinea

(*Xylobanus*) *diminutivus* Lea, 1909: 84 – Australia: Queensland

(*Xylobanus*) *fakfakensis* Kazantsev, 2015a: 112 – New Guinea

(*Xylobanus*) *flavomarginatus* Kleine, 1933b: 11 – Australia

(*Xylobanus*) *fumosus* Macleay, 1887: 231 – Australia: Queensland

(*Xylobanus*) *hackeri* Kleine, 1933b: 11 – Australia: Queensland

(*Xylobanus*) *heterodoxus* Lea, 1909: 87 – Australia: New South Wales

(*Xylobanus*) *insignipennis* Blackburne, 1900: 52 – Australia: Tasmania

(*Xylobanus*) *longicornis* Macleay, 1887: 232 – Australia: Queensland

(*Xylobanus*) *meyricki* Blackburne, 1886: 258 – Australia: Western – Australia

(*Xylobanus*) *milnei* Pic, 1923a: 36 – New Guinea

(*Xylobanus*) *mimicus* Lea, 1921, **comb. nov.** – Australia: Victoria

*Metriorrhynchus mimicus* Lea, 1921b: 54.

*Porrostoma mimicus* (Lea, 1921); Calder (1998: 158).

(*Xylobanus*) *mimicus* Lea, 1921, hereby proposed.

(*Xylobanus*) *miniaticollis* Macleay, 1887: 232 – Australia: Queensland

(*Xylobanus*) *mirabilis* Kleine, 1926a: 165 – New Guinea

(*Xylobanus*) *mobilis* Kleine, 1926a: 164 – New Guinea

(*Xylobanus*) *modestus* Kleine, 1926a: 163 – New Guinea

(*Xylobanus*) *neglectus* Kleine, 1926a: 164 – New Guinea

(*Xylobanus*) *nigronotatus* Pic, 1923a: 36 – New Guinea

(*Xylobanus*) *obscurus* Macleay, 1886: 151 – New Guinea

(*Xylobanus*) *parvulus* Pic, 1922: 14 – New Guinea

(*Xylobanus*) *pecten* Kazantsev, 2015a: 109 – New Guinea

(*Xylobanus*) *piceoscutus* Pic, 1922: 14 – New Guinea

(*Xylobanus*) *ramosus* Lea, 1909: 74 – Australia: New South Wales

- (*Xylobanus*) *robustithorax* Kleine, 1927c: 71 – Moluccas: Halmahera  
 (*Xylobanus*) *rotundareolatus* Kazantsev, 2015a: 109 – New Guinea  
 (*Xylobanus*) *simplicicornis* Lea, 1909: 74 – Australia: Queensland  
 (*Xylobanus*) *sodalis* Kleine, 1935a: 315 – New Guinea  
 (*Xylobanus*) *tamborinensis* Calder, 1998, **comb. nov.** – Australia: Queensland  
*Porrostoma tamborinensis* Calder (1998: 163 (a replacement name for *Metriorrhynchus marginicollis* Lea, 1921).  
 =*Metriorrhynchus marginicollis* Lea, 1921b: 55 (a junior primary homonym of *Metriorrhynchus marginicollis* Macleay, 1872).  
 =*Porrostoma marginicollis* (Lea, 1921); Calder (1998: 163).  
 (*Xylobanus*) *tamborinensis* (Calder, 1998), hereby proposed.  
 (*Xylobanus*) *telefominensis* Kazantsev, 2015a: 110 – New Guinea  
 (*Xylobanus*) *testaceicollis* Macleay, 1887: 234 – Australia: Queensland  
 (*Xylobanus*) *testaceoapicalis* Pic, 1923c: 2 – Australia  
 (*Xylobanus*) *testaceohumeralis* Pic, 1923c: 2 – Australia  
 (*Xylobanus*) *testaceoscutus* Pic, 1922: 15 – New Guinea  
 (*Xylobanus*) *uniseriatus* Lea, 1909: 72 – Australia: New South Wales  
 (*Xylobanus*) *venustus* Kleine, 1935a: 316 – New Guinea  
 (*Xylobanus*) *versicolor* Kleine, 1927c: 70 – Australia: South – Australia  
 (*Xylobanus*) *waigeensis* Kazantsev, 2015a: 110 – New Guinea

## References

- Blackburn, T. 1888 Further notes on Australian Coleoptera, with descriptions of new species. *Trans. R. Soc. S. Austral.* 10, 177–287.
- Blackburn, T. 1892 Notes on Australian Coleoptera, with descriptions of new species. Part X. *Proc. Linn. Soc. N. S. W.* (2)6, 479–550.
- Blackburn, T. 1900 Further notes on Australian Coleoptera, with descriptions of new genera and species. Part XXVI. *Trans. R. Soc. S. Austral.* 24, 35–68.
- Blanchard, E. 1856 *Voyage au pôle sud et dans l'Océanie sur les corvettes l'Astrolabe et la Zélée: pendant les années 1837–1840 by Dumont d'Urville, Astrolabe expedition, 1837–1840*. Vol. iv., Zoologie Insectes. Didot: Paris, 422 pp.
- Bocak, L. 1998a A generic revision and phylogenetic analysis of the subtribe Trichalinina (Coleoptera: Lycidae: Metriorrhynchini). *Acta Soc. Zool. Boh.*, 62, 167–200.
- Bocak, L. 1998b Nomenclatural notes on taxa of the family Lycidae described by Guérin-Méneville (Insecta: Coleoptera). *Ann. Zool.*, 48, 245–251.
- Bocak, L. 1998c A revision of the genus *Microtrichalus* Wat. from the Philippines (Coleoptera: Lycidae). *Eur. J. Entomol.*, 95, 417–428.
- Bocak, L. 1998d A new species of the genus *Eniclasses* Wat. (Coleoptera, Lycidae). *Acta Univ. Palack. Olom.* 37, 35(1997), 13–16.
- Bocak, L. 1999a New taxa from the subtribe Hemiconderinina. *Entomologische Blätter* 95, 166–170.

- Bocak, L. **1999b** A new genus *Oriomum* from New Guinea (Coleoptera, Lycidae, Metriorrhynchini). *Entomologia Basilensis* (1998), 21, 111–114.
- Bocak, L. **2000a** A revision of the genus *Diatrichalus* Kleine from the Philippines (Coleoptera: Lycidae). *Raffl. Bull. Zool.* 48, 11–16.
- Bocak, L. **2000b** To the knowledge of the genus *Leptotrichalus* Kleine from Sumatra, Borneo and Continental Asia (Coleoptera: Lycidae) *Ann. Soc. entomol. Fr.* **2000**, 36, 71–184.
- Bocak, L. A review of the genus *Microtrichalus* Pic from Sumatra, with notes on Oriental and Australian species (Coleoptera: Lycidae). *Acta Soc. Zool. Bohem.* **2000c**, 64, 3–16.
- Bocak, L. **2000d** Revision of the genus *Wakarumbia* (Coleoptera: Lycidae). *Eur. J. Entomol.* 97, 271–278.
- Bocak, L. **2001a** A revision of the genus *Diatrichalus* Kleine from New Guinea (Coleoptera: Lycidae). *Stuttg. Beitr. Naturk. Ser. A.* 622, 1–32.
- Bocak, L. **2001b** New species of the genus *Wakarumbia* from Sulawesi (Coleoptera: Lycidae). *Raffl. Bull. Zool.* 49, 259–267.
- Bocak, L. **2002** Revision and phylogenetic analysis of Metriorrhynchinae. *Eur. J. Entomol.* 99, 315–351.
- Bocak, L. **2007** A Revision of *Metriorrhynchus* (Coleoptera: Lycidae) from the Greater Sunda Islands and Continental Asia. *Eur. J. Entomol.* 55, 253–260.
- Bocak, L. & Bocakova, M. **1990a** Revision of the supergeneric classification of the family Lycidae (Coleoptera). *Pol. Pismo Entomol.* 59, 623–676.
- Bocak, L. & Bocakova, M. **1990b**, Revision of the genus *Hemiconderis* (Coleoptera, Lycidae). *Acta Entomol. Bohemoslov.* 89, 209–220.
- Bocak, L. & Bocakova, M. **1991** Revision of the genus *Eniclasses* Waterhouse, 1879 (Coleoptera, Lycidae, Metriorrhynchinae) *Mitt. Münch. Entomol. Gess.* **1991**, 81, 203–226.
- Bocak, L. & Bocakova, M. **1999** New taxa of Lycidae from Indonesia, China and Nepal. *Acta Univ. Palack. Olom.* 37, 47–56.
- Bocak L. & Bocakova M. **2000** Nomenclatural note on Lycidae with a description of a new species (Coleoptera). *Acta Univ. Palack. Fac. Rer. Nat.. Biol.* (2000) (38, 41–46).
- Bocak, L. & Jass, R. **2004** Revision of the genus *Broxylus* Waterhouse (Coleoptera, Lycidae). *D. Entomol. Zeit.* 51, 65–75.
- Bocak, L., Matsuda, K., Yagi, T. **2006** A revision of *Metriorrhynchus* from the Philippines with molecular evidence of an Australian origin of the Oriental *Metriorrhynchus* fauna (Coleoptera, Lycidae) *Eur. J. Entomol.* 103, 115–126.
- Bocek, M. **2017** New species of *Diatrichalus* (Coleoptera: Lycidae, from New Guinea and the Moluccas. *Zootaxa* 4247, 577–584.
- Bocek, M. & Adamkova, K. **2019** New species of Moluccan trichaline net-winged beetles, with remarks on the phylogenetic position and distribution of *Schizotrichalus* (Coleoptera: Lycidae: Metriorrhynchinae). *Zootaxa* 4623, 341–350.
- Bocek, M. & Bocak, L. **2016** Where are species limits in polymorphic mimetic beetles from New Guinean mountains: a case of *Eniclasses* net-winged beetles (Lycidae: Metriorrhynchini). *ZooKeys* 593, 15–35.
- Bocek, M. & Bocak, L. **2017** The molecular phylogeny and classification of trichaline net-winged beetles (Lycidae: Metriorrhynchini) *PeerJ* 5 e3963.
- Boisduval, J.B.A.D. **1835** *Voyage de Decouvertes de l'Astrolabe execute par ordre du Roi, pendant les années 1826-1827-1828-1829, sous le commandement de M.J. Dumont d'Urville. Faune entomologique de*

- l'Ocean Pacifique, avec l'illustration des insectes nouveaux recueillis pendant le voyage. 2<sup>e</sup> Partie.*  
Coléoptères et autres Ordres. J. Tastu: Paris, Vol. 2, vii+716 pp.
- Bourgeois, J. **1883** Lycides nouveaux ou peu connus du Musée civique de Genes. *Ann. Mus Civ. Stor. Natur. Gen.* 18, 621–660
- Bourgeois, J. **1884** Diagnoses de Lycides nouveaux ou peu connus. 4<sup>e</sup> partie. *Ann. Soc. entomol. Fr.* (6)4, 61–68.
- Bourgeois, J. **1885** Diagnoses de Lycides nouveaux ou peu connus. 5<sup>e</sup> partie. *Ann. Soc. entomol. Fr.* (6)5, 71–84.
- Bourgeois, J. **1886** Lycidae. In: Baer, G.A. Catalogue de Coléoptères des Iles Philippines. *Ann. Soc. entomol. Fr.* (6)6, 98–193.
- Bourgeois, J. **1889** Diagnoses de Lycides nouveaux ou peu connus. 6<sup>e</sup> partie. *Ann. Soc. entomol. Fr.* (6)9, 225–236.
- Bourgeois, J. **1892** Lycides nouveaux ou peu connus du Musée civique de Genes. *Ann. Mus Civ. Stor. Natur. Gen.* (2)12, 495–516.
- Bourgeois, J. **1897** Description de Malacodermes nouveaux recueillis en Océanie par M. le Dr Ph. François [Col.]. *Bull. Soc. entomol. Fr.* 1897, 72–74.
- Bourgeois, J. **1900** Lycides nouveaux ou peu connus de Musée de Genes. Deuxième mémoire. *Ann. Mus. Civ. Stor. Natur. Gen.* 21, 420–432.
- Bourgeois, J. **1906** Des Lycides du Sarawak Museum (Bornéo). *Ann. Soc. entomol. Fr.* 75, 184–194.
- Bourgeois, J. **1911** Description d'un Lycide nouveau de Nouvelle-Poméranie (ancienne Nouvelle-Bretagne) [Col.]. *Bull. Soc. entomol. Fr.* 1911, 44–45.
- Broun, T. **1893** Manual of the New Zealand Coleoptera. *Parts V–VII.* Wellington: New Zealand Institute. i–xvii+975–1504 pp.
- Calder, A.A. **1998.** Coleoptera: Elateroidea. In: Wells, A. (Ed.), *Zoological Catalogue of Australia.* Vol. 29.6. CSIRO Publishing: Melbourne. i–xiii + 1–248 pp.
- Laporte [de Castelnau], F.L. **1838** Études entomologiques ou descriptions des insectes nouveaux et observations sur leur synonymie. *Rev. entomol.*, 4[1836], 5–60.
- Dalman, J.W. **1818** In Schonherr, C.J. *Appendix ad C.J. Schonherr Synonymiam Insectorum sistens descriptiones novarum specierum.* Scarfs: Lewerentz, Vol. 1(3) 266 pp.
- Dejean, P.F.M.A. **1836** Catalogue des coléoptères de la collection de M. le comte Dejean. *Troisième édition, revue, corrigée et augmentée.* Méquignon-Marvis Père et Fils: Paris, Livr. 1, xiv + 503 pp.
- Dudkova P. & Bocak L. **2010** A review of the Cautires obsoletus species group from Indo–Burma (Coleoptera: Lycidae). *Zootaxa* 2527, 28–48.
- Dvorak, M. & Bocak, L. **2007** Sulabanus gen. nov., a new genus of Lycidae (Coleoptera) from Sulawesi. *Zootaxa* 1611, 1–24.
- Dvorak, M. & Bocak, L. **2009** Ten new species of Wakarumbia Bocak, 1999 from Sulawesi (Coleoptera: Lycidae), with a key to males of the genus. *Zootaxa* 2282, 51–61.
- Erichson, W.F. **1842** Beitrag zur Fauna von Vandiemensland, mit besonderer Ruecksich auf die geographische Verbreitung der Insecten. *Archiv fuer Naturgeschichte* 8, 83–287.
- Fabricius, J.C. **1801** *Systema Eleutherorum secundum ordines, genera, species: adiectis synonymis, locis, observationibus, descriptionibus.* Bibliopolii Academicci: Kiliae, Vol. 2 687 pp.
- Fairmaire, L. **1877** Diagnoses de Coléoptères australiens et melanesiens. *Petit. Nouv. Entomol.* 2(180), 166–167.

- Fairmaire, L. **1879** Descriptions de Coléoptères nouveaux ou peu connus du Musée Godeffroy. *Journ. Mus. Godeffroy* 14, 80–114.
- Fairmaire, L. **1883** Essai sur les Coléoptères de l'archipel de la Nouvelle-Bretagne. *Ann. Soc. Entomol. Belg.* 27, 1–58.
- Gemminger, M. & von Harold, E. **1869** Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Band 6. Rhipiceridae–Cionidae. Pp. 1609–1800.
- Guérin-Méneville, F.E. **1830** Crustacés, arachnides et insectes in Duperrey, L. I. (Ed.), *Voyage autour du monde ... sur la Corvette de Sa Majesté, La Coquille, pendant les années 1822, 1823, 1824 et 1825. Zoologie*. Bertrand: Paris. 22 color plates.
- Guérin-Méneville, F.E. **1838** Crustacés, arachnides et insectes in Duperrey, L. I. (Ed.), *Voyage autour du monde sur la Corvette de Sa Majesté, La Coquille, pendant les années 1822, 1823, 1824 et 1825. Zoologie*, vol. 2, part 2.
- Kalousova, R. & Bocak, L. **2017** Species delimitation of colour polymorphic *Cladophorus* (Coleoptera: Lycidae) from New Guinea. *Zootaxa* 4320, 505–522.
- Kazantsev, S.V. **2006** New taxa of net-winged beetles (Coleoptera, Lycidae) from Sri Lanka. *Eurasian Entomol. J.* 5, 127–131.
- Kazantsev, S.V. **2007** Marena gen.n., new Metriorrhynchini genus from New Guinea (Coleoptera: Lycidae). *Russ. Entomol. J.* 16, 297–300.
- Kazantsev, S.V. **2009** On the status and systematic position of the genera *Falsolucidota* Pic, 1921 and *Macrolycinella* Pic, 1922, with notes on *Lopheros* LeConte, 1881 (Coleoptera: Lycidae). *Russ. Entomol. J.* 18, 277–283
- Kazantsev, S.V. **2010**. New Taxa of Papuan net-winged beetles (Lycidae, Coleoptera). *Latv. Entomol.* 48, 92–100.
- Kazantsev, S.V. **2015a** New *Xylobanus* and related taxa of net-winged beetles from New Guinea (Coleoptera: Lycidae). *Russ. Entomol. J.* **2015**, 24, 107–118.
- Kazantsev, S.V. **2015b** New species of *Metriorrhynchus* Gemminger et Harold, 1869 and *Porrostoma* Laporte, 1838 from New Guinea (Coleoptera: Lycidae). *Russ. Entomol. J.* **2015**, 24, 211–233.
- Kazantsev, S.V. **2016a** A review of *Ditua* Waterhouse, 1879 with description of seven new species from New Guinea (Coleoptera: Lycidae). *Russ. Entomol. J.* 25, 239–248.
- Kazantsev, S.V. **2016b** New species of *Procautires* Kleine, 1925 from New Guinea (Coleoptera: Lycidae). *Russ. Entomol. J.* **2016**, 25, 35–47.
- Kazantsev, S.V. **2016c** New and little-known species of *Falsolucidota* Pic, 1921 from New Guinea (Coleoptera: Lycidae). *Russ. Entomol. J.* **2016**, 25, 355–360.
- Kirsch T. **1875** Neue Käfer aus Malacca". *Mitt. Koenigl. Zool. Mus. Dresden* 1, 3–34.
- Kirsch T. **1877** Beithrag zur Kenntniss der Coleopteren-Fauna von Neu Guinea. *Mitt. Koenigl. Zool. Mus. Dresden* 3, 135–161.
- Kleine, R. **1925a**, Dritter Beitrag zur Kenntnis der Lycidae. Die neue Gattung *Leptotrichalus*. *Philipp. J. Sci.* 28, 295–311.
- Kleine, R. **1925b** Fauna Buruana. Coleoptera, Fam. Lycidae. (2. Beitrag zur Kenntnis der Lycidae.). *Treubia*, 7, 31–37.
- Kleine, R. **1926a** Coleoptera Lycidae. *Nova Guinea* 13, 91–195.
- Kleine, R. **1926b** Die Lyciden der Philippinen-Inseln. *Philipp. J. Sci.* 31, 33–114.
- Kleine, R. **1927a** Neue Lycidae von den Sunda-Inseln. *Treubia* 9, 293–316.

- Kleine, R. 1927b *Libnetomimus* eine neue Lycidengattung von den Philippinen-Inseln. *Soc. Ent.* 1, 42, 1–2, 4 ff.
- Kleine, R. 1927c Bestimmungstabelle der Gattung *Xylobanus* C. O. Waterhouse. *Tijdschr. Ent.* 70, 43–72.
- Kleine, R. 1928a Dr. Mjoebergs Lycidenausbeute aus dem ostliehen Borneo. *Stett. Ent. Zeit.* 89, 313–331.
- Kleine, R. 1928b Neue *Metriorrhynchus* von Australien und Batjan (Col. Lycid.). *Ent. Mitt.* 17, 120–128.
- Kleine, R. 1928c Neue Indische Lycidae nebst faunistischen Bermerkungen. *Ind. Forest Rec. Ent.* 13, 221–268.
- Kleine, R. 1929 Bestimmungstabelle der Gattung *Trichalus*. *Treubia* 10, 471–493.
- Kleine, R. 1930a Zur Lycidenfauna der kleinen Sunda-Inseln. *Treubia* 11, 341–347.
- Kleine, R. 1930b Bestimmungstabelle der Trichalusverwandtschaft. *Treubia* 9, 325–340.
- Kleine, R. 1930c Neue Lyciden der Malaiischen subregion. *J. Fed. Malay Mus.* 16, 169–174.
- Kleine, R. 1930d Nova Guinea
- Kleine, R. 1931 Zur kenntnis der Lycidenfauna Javas. *Treubia* 13, 245–290.
- Kleine, R. 1932 Neue Brenthidae und Lycidae von den Philippinen. *Philipp. J. Sci.* 49, 571–579.
- Kleine, R. 1933a Lycidae. Part 128. In Schenkling S. (ed.) *Coleopterorum Catalogue auspiciis et auxilio*. W. Junk: Berlin, 145 pp.
- Kleine, R. 1933b Neue Lyciden und Bemerkungen zum Cat. Col. Junk-Schenkling Lycidae. *Stett. Ent. Zeit.* 94, 1–20.
- Kleine, R. 1934 Prof. Dr E. Handschin, Studienreise auf den Sundainseln und in Nordaustralien, 1930–32. 5. Brenthidae und Lycidae. *Mitt. Schweiz. Entomol. Ges.* 16, 115–117.
- Kleine, R. 1935a Bericht über die von Miss Cheesman in Britisch Neu-Guinea gesammelten Brenthiden und Lyciden. *Nova Guinea* 17, 303–322.
- Kleine, R. 1935b Neue Brenthiden und Lyciden (Col.). von den Salomonen. *Arb. Morph.- Tax. Ent.* 2, 174–182.
- Kleine, R. 1935c Fünf neue Lycidae vom Edie Creek, Britisch Neu Guinea. *Nova Guinea* 17, 151–154.
- Kleine, R. 1936 Neue Lycidae aus Java (Coleoptera). *Arb. Morph. Taxon. Ent.* 3, 132–140.
- Kleine, R. 1939a Neue Brenthiden und Lyciden die Miss Cheesman 1936 in Hollandisch Neu-Guinea gesammelt hat. *Nova Guinea* (n. s.) 3, 106–112.
- Kleine, R. 1939b Neue Brenthiden und Lyciden von den Salomon-Inseln. *Ann. Mag. Nat. Hist.* (11)4, 587–591.
- Kleine, R. 1939c Neue Lyciden von den Orientalischen Inseln und Molukken. *Treubia* 17, 5–19.
- Kleine, R. 1939d Neue Brenthiden und Lyciden aus den Hollandischen Kolonien. *Treubia* 17, 131–135.
- Kleine, R. 1943 Neue Lyciden aus dem Ungarischen National-Museum (Coleopt.). *Ann. Hist.-Nat. Mus. Nation. Hung.* 36, 145–156.
- Kubecek, V., Bray, T. C. & Bocak, L. 2015 Molecular phylogeny of Metanoeina net-winged beetles identifies *Ochinoeus*, a new genus from China and Laos (Coleoptera: Lycidae). *Zootaxa*, 3955, 113–122.
- Kubecek, V., Dvorak, M. & Bocak, L. 2011 The phylogenetic structure of Metriorrhynchini fauna of Sulawesi, (Coleoptera: Lycidae) with description of a new genus. *Zool. Stud.* 50, 645–656.
- Kusy, D. 2017 A new species of *Synchonrus* (Coleoptera: Lycidae) from New Guinea, with an identification key to the Papuan species. *Acta entomol. mus. nat. Pragae* 57, 153–160

- Kusy, D., Sklenarova, K. & Bocak L. **2018** The effectiveness of DNA-based delimitation in *Synchonrus* net-winged beetles (Coleoptera: Lycidae) assessed, and description of 11 new species. *Austral Entomol.* 57, 25–39.
- Lea, A.M. **1895** Descriptions of new species of Australian Coleoptera. *Proc. Linn. Soc. N. S. W.* (2)9, 589–634.
- Lea, A.M. **1899** Descriptions of new species of Australian Coleoptera. Part V. *Proc. Linn. Soc. N. S. W.* 23, 521–645.
- Lea, A.M. **1908** The Coleoptera of King Island, Bass Strait. *Proc. R. Soc. Vic. (n.s.)* 20, 143–207.
- Lea, A.M. **1909** Revision of the Australian and Tasmanian Malacodermidae. *Trans. Entomol. Soc. Lond.* 1909, 45–251.
- Lea, A.M. **1921a** On Coleoptera, mostly from Queensland. *Mem. Qld Mus.* 7, 182–240.
- Lea, A.M. **1921b** On Australian Coleoptera of the family Malacodermidae. *Trans. R. Soc. S. Aust.* 45, 50–135.
- Lea, A.M. **1921c** Descriptions of new species of Australian Coleoptera. Part XVII. *Proc. Linn. Soc. N. S. W.* 46, 351–369.
- Lea, A.M. **1922** Results of Dr E. Mjoberg's Swedish Scientific Expeditions to Australia 1910–1913. 26. Cryptophagidae, Cucujidae, Malacodermidae, Melandryidae, Mordellidae, Rhipidophoridae and Oedemeridae. *Ark. Zool.* 14(11), 1–21.
- Lea, A.M. **1929** On Coleoptera, mostly from Queensland. *Mem. Qld Mus.* 9, 335–363.
- Le Guillou, M. Description de vingt insectes Coléoptères recueillis pendant le voyage autour du monde de l'Astrolabe et la Zelee. *Rev. Zool.* **1844**, 7, 220–225
- Macleay, W.J. **1872** Notes on a collection of insects from Gayndah. *Trans. Entomol. Soc. N. S. W.* 2(4), 239–318.
- Macleay, W.J. **1886** The insects of the Fly River, New Guinea, "Coleoptera". *Proc. Linn. Soc. N. S. W.* (2)1, 136–157.
- Macleay, W.J. **1887** The Insects of the Cairns District, Northern Queensland. *Proc. Linn. Soc. N. S. W.* (2)2, 211–238.
- Montrouzier, P. **1857** Essai sur la faune de l'île de Woodlark ou Mouiou. *Ann. Soc. Agr. Lyon* 7, 1–114.
- Pic, M. **1921** Contribution a l'étude des Lycides. *L'Echange, Rev. Linn.* 404–406, 1–12, hors texte.
- Pic, M. **1922** Contribution a l'étude des Lycides. *L'Echange, Rev. Linn.* 407–410, 13–28, hors texte.
- Pic, M. **1923a** Contribution a l'étude des Lycides. *L'Echange, Rev. Linn.* 411–413, 29–40, hors texte.
- Pic, M. **1923b** Nouveautés diverses. *Mél. exot.-entomol.* 38, 1–32.
- Pic, M. **1923c** Malacodermes exotiques. *L'Echange, Rev. Linn.* 418–419, 1–4, hors texte.
- Pic, M. **1923d** Faune Entomologique de L'Indochine Francaise. Lycidae. Opuscules del L'Institut Scientifique De L'Indochine, Saigon 1 60 pp.
- Pic, M. **1925b** Noms nouveaux et correction concernant divers Lycides [COL.]. *Bull. Soc. Entomol. Fr.* 1925(5), 96.
- Pic, M. **1926a** Remarques critiques, synonymies et diagnoses [Col.]. *Bull. Soc. Zool. Fr.* 51, 451–455.
- Pic, M. **1926b** Malacodermes exotiques. *L'Echange, Rev. Linn.* 423–426, 21–36, hors texte.
- Pic, M. **1927** Malacodermes exotiques. *L'Echange, Rev. Linn.* 427–430, 37–52, hors texte.
- Pic, M. **1928** Nouveautés diverses. *Mél. exot.-entomol.* 52, 1–32.
- Pic, M. **1929** Nouveautés diverses. *Mél. exot.-entomol.* 53, 1–32.
- Pic, M. **1930** Malacodermes exotiques. *L'Echange, Rev. Linn.* 439–442, 77–92, hors texte.

- Pic, M. **1931** Nouveautés diverses. *Bull. Soc. Agr. Lyon* 10, 25–26.
- Pic, M. **1932** Lycidae. In: Résultats Scientifiques du Voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Léopold de Belgique publiés par V. van Straelen. *Mém. Mus. Roy. Hist. Nat. Belgique, hors séries* Vol. 4(4), 100 pp.
- Redtenbacher, L. **1867** *Reise der österreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859 unter den Befehlen des Commodore B. von Wüllerstorf-Urbair. Zoologischer Theil. Zweiter Band. Coleopteren. Kaiserlich-Königlichen Hof- und Staatsdruckerei: Wien.* IV, 249 pp., 5 Tables.
- Schaufuss, L.W. **1887** Beitrag zur Fauna der Niederländischen Besitzungen auf den Sunda-Inseln. *Hor. Soc. Entomol. Ross.* 21, 102–147.
- Sklenarova, K. & Kubecek, V. Bocak L. **2014** Subtribal classification of Metriorrhynchini (Insecta: Coleoptera: Lycidae): an integrative approach using molecular phylogeny and morphology of adults and larvae. *Arthr. Syst. & Phyl.* 72, 37–54.
- Strand, E. **1936** Miscellanea nomenclatorica zoologica et paleontological. *Fol. Zool. Hydrobiol.* 9, 167–170.
- Waterhouse, C.O. **1877** A Monograph of the Australian species of the Coleopterous family Lycidae. *Trans. Entomol. Soc. Lond.* 1877, 73–86.
- Waterhouse, C.O. **1878** On the different forms occurring in the Coleopterous family Lycidae, with descriptions of new genera and species. *Transactions of the Entomological Society of London*, 1878, 95–118.
- Waterhouse, C.O. **1879** Illustration of the typical specimens of Coleoptera in the collection of the British Museum. Part I. – Lycidae. London: British Museum, 93 pp.
- Waterhouse, C.O. **1884** Coleoptera collected during the expedition of H.M.S. 'Challenger'. *Ann. mag. nat. hist.* (5)13, 73–78.