

Supplementary Materials

Electrochemically Synthesized Nanoflowers to Nanosphere-Like NiCuSe₂ Thin Films for Efficient Supercapacitor Application

Surendra K. Shinde ¹, Dae-Young Kim ¹, Vinayak G. Parale ², Hyung-Ho Park ² and Hemraj M. Yadav ^{3,*}

¹ Department of Biological and Environmental Science, College of Life Science and Biotechnology, Dongguk University, 32 Dongguk-ro, Biomedical Campus, Ilsandong-gu, Siksa-dong, Gyeonggi-do, Goyang-si 10326, Korea; surendrashinde@dongguk.edu (S.K.S.); sbpkim@dongguk.edu (D.-Y.K.)

² Department of Materials Science and Engineering, Yonsei University, 50 Yonsei-ro, Seodaemun-gu, Seoul 03722, Korea; vinayakparale3@gmail.com (V.G.P.); hhpark@yonsei.ac.kr (H.-H.P.)

³ Department of Energy and Materials Engineering, Dongguk University, Seoul 04620, Korea

* Correspondence: hemrajy@dongguk.edu or hemrajy@gmail.com; Tel.: +82-02-2290-1869




Figure S1. (a–c) CV curves of the S-1, S-2 and S-3 samples at a different scan rate from 10–100 mV s⁻¹ in the potential range 0 to 0.5 V with 1 M KOH electrolytes, respectively, (d) cycling stability with respect to the number of cycles.