

Article

Structural and Phase Evolution upon Annealing of $\text{Fe}_{76}\text{Si}_{9-x}\text{B}_{10}\text{P}_5\text{Mo}_x$ ($x = 0, 1, 2$ and 3) Alloys

Darling Perea¹, Carolina Parra¹, Parthiban Ramasamy^{2,*†}, Mihai Stoica^{3,†}, Jürgen Eckert^{2,4,‡}, Francisco Bolívar¹ and Félix Echeverría¹

¹ Centro de Investigación, Innovación y Desarrollo de Materiales, CIDEMAT, Universidad de Antioquia UdeA, Calle 70 No. 52–21, 050010 Medellín, Colombia; darling.perea@udea.edu.co (D.P.); carolina.parrav@udea.edu.co (C.P.); francisco.bolivar@udea.edu.co (F.B.); felix.echeverria@udea.edu.co (F.E.)

² Erich Schmid Institute of Materials Science, Austrian Academy of Sciences, Jahnstraße 12, A 8700 Leoben, Austria; Juergen.Eckert@oeaw.ac.at

³ Laboratory of Metal Physics and Technology, Department of Materials, ETH Zurich, Vladimir-Prelog-Weg CH-8093 Zurich, Switzerland; mihai.stoica@mat.ethz.ch

⁴ Department of Materials Science, Chair of Materials Physics, Montanuniversität Leoben, Jahnstraße 12, A 8700 Leoben, Austria

* Correspondence: parthiban.ramasamy@oeaw.ac.at; Tel: +43 3842-804-422

† Previous address: Institute for Complex Materials, Leibniz Institute for Solid State and Materials Research (IFW Dresden), Helmholtzstr. 20, D-01069 Dresden, Germany

‡ Adjunct with National University of Science and Technology (MISIS), LeninskyProsp., 4, 119049 Moscow, Russia




Figure S1. SEAD pattern of the $\text{Fe}_7\text{Si}_9\text{B}_{10}\text{P}_5$ sample annealed at 1073 K.



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).