

**Supplementary Table S1.** Reference doses (RfD) in ( $\text{mg kg}^{-1}\text{day}^{-1}$ ) for the different toxic metals

Metals	RfD <sub>ing</sub>	RfD <sub>dermal</sub>	RfD <sub>inh</sub>	References
As	$3.00 \times 10^{-4}$	$3.00 \times 10^{-4}$	$3.00 \times 10^{-4}$	[1]
Cd	$5.00 \times 10^{-4}$	$5.00 \times 10^{-4}$	$5.70 \times 10^{-5}$	[1]
Cr	$3.00 \times 10^{-3}$	-	$3.00 \times 10^{-5}$	[2]
Hg	$3.00 \times 10^{-4}$	$3.00 \times 10^{-4}$	$8.60 \times 10^{-5}$	[2]
Pb	$3.60 \times 10^{-3}$	-	-	[3]

## References

- [1] US EPA (1991) United State Environmental Protection Agency. Human Health Evaluation Manual, Supplemental Guidance: Standard Default Exposure Factors; USEPA: Washington, DC, USA, 1991.
- [2] US EPA (2011) (Exposure factors handbook 2011 edition (Final); <http://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=236252>
- [3] Luo XS, Ding J, Xu B (2012) Incorporating bioaccessibility into human health risk assessments of heavy metals in urban park soils. Sci Total Environ 424:88–96