

Supplemental Table S4. Pseudoparticle neutralization titers, expressed as 50% inhibitory concentration (IC₅₀) of the SARS-CoV-2 IgG-positive samples, listed according to increasing S/CO values. S/CO refers to the signal/cut-off readout from the SARS-CoV-2 IgG-assay.

Sample	Age	Sex	Location	City Risk Level	S/CO ^a	IC ₅₀ ^a
X1141	60	Female	Foshan	High	1.002	<20
X707	31	Female	Shenzhen	High	1.012	171
X178	55	Male	Guangzhou	High	1.034	96
X102	21	Female	Huizhou	High	1.04	47
X4898	82	Male	Shantou	Low	1.174	46
X89	32	Female	Guangzhou	High	1.21	<20
X162	31	Female	Shenzhen	High	1.23	<20
X12208	50	Male	Qingyuan	Low	1.418	179
X10986	44	Female	Zhongshan	High	1.427	440
X3727	89	Male	Jiangmen	Low	1.541	<20
X1475	11	Male	Shenzhen	High	1.549	34
X1337	44	Female	Foshan	High	1.723	20
X9951	1	Female	Shantou	Low	1.759	<20
X5032	62	Male	Shantou	Low	1.764	51
X11873	71	Female	Zhuhai	High	2.121	<20
X6922	19	Female	Foshan	High	2.442	<20
X510	27	Female	Shenzhen	High	4.658	30
X220	30	Male	Zhongshan	High	4.878	388
X3972	4	Male	Shenzhen	High	9.3	106
X12476	76	Female	Zhuhai	High	13.406	99
X9864	36	Male	Zhuhai	High	15.515	194

^a No significant correlation as determined using Pearson's correlation test (r=0.223, p=0.33)