

Supplement S1

Figure S1. Partial views of the city of Porteirinha, Minas Gerais state, Brazil. A. Higher region. B. Lower region



Supplement S2

Table S1. Relative distribution of coat type and sex associated with the prevalence ratio evaluated in the third canine census survey (CCS₃). Porteirinha, Minas Gerais state, Brazil.

Characteristics	Relative distribution (%)	No. dogs		Prevalence and confidence interval (%)
		Examined	Positive	
Coat type	Long-haired	18.2	274	0.7 (0.09 □ 2.59)
	Short-haired	81.8	1230	2.8 (1.93 □ 3.83)
	Total	100.0	1504	2.46 (1.76 □ 3.41)
Odds ratio= 3.98 (0.93 □ 24.09); relative risk 1.02 (1.01 □ 1.04); χ^2 (Pearson) 4.18, p = 0.0409				
Gender	Female	40.7	612	2.61 (1.55 □ 4.30)
	Male	59.3	892	2.35 (1.50 □ 3.63)
	Total	100.0	1504	2.46 (1.76 □ 3.41)
Odds ratio 1.1 (0.58 □ 2.15) ; Yates corrigido χ^2 = 0.02, p = 0.880				

Supplement S3

Table S2. Data from the 3rd canine census survey (CCS³) per neighborhood of the urban area of Porteirinha, Minas Gerais state, Brazil. Incidence is expressed by the number of new cases of CVL/canine population exposed in the area x 1000. Prevalence is expressed by the number of cases of CVL/canine population exposed in the area x 1000. CMI stands for Comparative Morbidity Index.

Neighborhood	No. dogs			Seropositive dogs			Incidence	Prevalence	CMI
	New	Introduced	New	Existant	Total				
Centro	21	38	5	6	320	15.6	1.87	0.88	
Floresta	5	9	0	0	43	0	0	0	0
Morada do Parque	0	3	0	0	8	0	0	0	0
Ouro Branco	12	24	0	0	144	0	0	0	0
Renascença	8	17	0	0	124	0	0	0	0
São Judas Tadeu	10	49	9	12	237	38	5.06	2.16	
São Sebastião	5	19	0	5	97	0	5.15	2.83	
Vila Kennedy	11	35	0	1	149	0	0.67	0.28	
Vila Mato Verde	5	8	1	1	32	31.3	3.12	1.31	
Vila Serranópolis	10	15	3	3	136	22.1	2.2	0.88	
Vila União	5	15	4	4	100	40	4	1.71	
Vila Vitória	13	12	1	5	114	8.8	4.38	2.27	
Total	105	244	23	37	1504	15.2	2.46	-	