

# Participants' Bias in Disability Research on Family Quality of Life during the 0–6 Years Stage

Carmen T. Francisco Mora <sup>1</sup>, Alba Ibáñez-García <sup>2,\*</sup>  and Anna Balcells-Balcells <sup>1</sup> 

<sup>1</sup> Faculty of Psychology, Education and Sports Sciences, Ramon Llull University, 08022 Barcelona, Spain; carmenrm@blanquerna.url.edu (C.T.F.M.); annabb0@blanquerna.url.edu (A.B.-B.)

<sup>2</sup> Faculty of Education, Group of Research on Quality of Life, Health and Supports in Socioeducative Contexts (EDU-QoL), Universidad de Cantabria, 39005 Santander, Spain

\* Correspondence: alba.ibanez@unican.es

**Abstract:** Background: Over the past two decades, various research teams have designed and applied instruments to measure the quality of life of families with a member who has a disability. A recent systematic review on the state of the Family Quality of Life in early care identified that many of these studies collected data only from the mothers. The present study aimed to investigate whether there is a bias in participant selection in these types of studies. Method: A systematic review of the scientific literature was conducted in three databases—Scopus, Web of Science, Eric—from 2000 to 2022. A total of 72 empirical studies were identified. Results: The findings indicate that most studies examining the Family Quality of Life were based on the information of a single informant per family unit. The profiles of participants according to the research objective are quite similar. In one-third of studies, the authors reported that family members who participate cannot be represented by only mothers or one participant per household. Conclusions: Given the dynamic and collective nature of the construct, the application of a systemic approach is necessary.

**Keywords:** family quality of life; conceptualization; participants; research ethics; disability; family



**Citation:** Francisco Mora, C.T.; Ibáñez-García, A.; Balcells-Balcells, A. Participants' Bias in Disability Research on Family Quality of Life during the 0–6 Years Stage. *Behav. Sci.* **2023**, *13*, 753. <https://doi.org/10.3390/bs13090753>

Academic Editor: Marc J. Tassé

Received: 27 July 2023

Revised: 28 August 2023

Accepted: 7 September 2023

Published: 11 September 2023



**Copyright:** © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

## 1. Introduction

Bronfenbrenner [1] describes the importance of the family microsystem as a natural context for the development of children in permanent interaction with other environments or systems. In this theory, the relationships of people with environments and systems are represented on a daily basis, influencing our psychomotor, cognitive, moral, affective, and social development.

The child is the main microsystem, along with family, friends, school, and neighbors, who are other microsystems. In the mesosystem are the interactions between two or more microsystems; for example, the relationship of the family with teachers or with neighbors. In the exosystem are, for example, the extended family and the media. They are environments in which boys and girls do not interact directly, but they do influence them. For example, the work of parents affects free time with their sons and daughters. Finally configured are the macrosystem, culture, customs, and values, among others.

From the family systems theory, each family is conceived as a complex social system in which the individuals that make up the family influence each other to form a family unit whose globality is greater than the sum of its parts [2].

According to Mandak et al. [3], in the context of the systemic and ecological theoretical framework and the principle of integrality, family research should be understood from a holistic perspective rather than focusing on individual subsystems. These authors also argued that families “have qualities and characteristics that cannot be understood by narrowly focusing on one or two family members” (p. 7). Other scholars have similarly emphasized a transformative paradigm that prioritizes listening to the voice of the family [4]. This approach is characteristic of the inclusive movement [5,6] and what Bruner

called the “narrative turn” in social sciences [7–10], which highlights the importance of the representativeness of the participating subjects in the fields of epistemology and research ethics without solely depending on external sources of information.

Scabini and Iafrate [11] found that family research presents a challenge associated with “the need to obtain information both at the level of the family group and in relation to the subsystems that compose it” (p. 230). Similarly, participatory family research studies [12,13] emphasize the active role of family members as research subjects. In this study, we adhered to the first and sixth principles of Citizen Science: “Citizen science projects actively involve citizens in scientific tasks that generate new knowledge or a better understanding” and “Citizen science represents a type of research like any other, with its limitations and biases that must be considered and controlled” [14] (p. 1).

In the field of disability, Family Quality of Life (FQoL) research is characterized by a plurality of approaches that focus on different aspects of research among families (narrative, participatory, and inclusive). The conceptualization of FQoL requires a specific theoretical framework [15,16], a distinct definition, and assessment methods, which are distinct from Individual Quality of Life (QoL). Specifically, Gardiner et al. [17] and Fernandez et al. [18] proposed consideration of the principles of systems theories to investigate in the research of FQoL. Boelsma et al. [19], in a case study on longitudinal research and holistic approaches, have shown how FQoL changes in a family over the years.

Francisco et al. [20], in a systematic review, identified that many of the selected studies collected data from only mothers and suggested the need for future research “to understand the ethical requirement that the methods used to address FQoL respect the holistic nature of the research” (p. 16). Although some studies have highlighted ethical implications in FQoL research [21,22], there is a need for further development in the area to ensure that the research methods take into account the family and its subsystems as a unit to avoid biases in information and address crucial epistemological and ethical implications.

Given the importance of considering all family members in research focused on the family as a unit of analysis, this study aims to identify the extent of participation of family members in QoL studies for families with children with disabilities aged between 0 and 6 years. To achieve this objective, the following research questions will be answered:

Q1: What are the profiles of participants in FQoL research during the 0–6 years stage?

Q2: Are there differences in the profiles of participants according to the research objective, such as (a) development of conceptualization, (b) development of assessment instruments for FQoL, or (c) applied research?

Q3: If any biases or limitations are identified, what perspectives do researchers provide in response?

Focusing on the profiles of the participants in the most relevant research conducted on FQoL will allow us to know in greater depth whether the advances made to date are based on a family approach that brings together the perspective of all or almost all the members of the family or, on the contrary, are fundamentally nourished by the voice of one member of the family (usually the mother) who represents the whole unit. Knowing where we are in relation to this aspect, as well as the limitations identified by the researchers, will hopefully encourage the design of future studies to understand family opinion in a way that is more in line with a holistic approach.

## 2. Methods

This study draws on a systematic review conducted by Francisco et al. [20], which examined the scientific literature on QoL research for families with children who have disabilities aged 0 to 6 years. A total of 63 articles were selected and analyzed from the perspective of the construct of FQoL.

In this study, based on the results obtained in the systematic review up to August 2019, the bibliographic search in the Scopus, Web of Science, and Eric databases was extended from 2019 until August 2022 using the same keywords: “Family quality of life” or “Quality of family life”. We also decided to exclude the term ‘disability’ to maintain the same

criteria and arguments as in the previous SR (i.e., to enrich our understanding of FQoL, to cover any type or diagnosis of disability, and to improve our current measurements on disability-related FQoL). The keywords have been searched using the criteria: title, abstract, and keyword.


The inclusion criteria for this study were:

- (a) reported empirical work that included families of children aged 0 to 6 years with disabilities and/or developmental concerns;
- (b) published after 1999, the FQoL studies began in the year 2000 within the field of disability;
- (c) written in English, most commonly used in publications, or Spanish, which is the researchers' native language;
- (d) published in peer-reviewed journals or book chapters.

In terms of exclusion criteria were studies that:

- (a) considered disability as a disease since the new paradigm of FQoL and early intervention focuses on the family rather than on the disease, according to the medical-rehabilitative paradigm;
- (b) examined FQoL from an individual rather than a holistic perspective;
- (c) conceptualized FQoL from a medical-rehabilitative perspective. The medical-rehabilitative perspective focuses attention on the child's disability rather than on the unity of the family and respecting its protagonism. The exclusion criterion "considered disability as a disease" refers to the exclusion of those articles whose understanding of disability is based on the medical model, according to which disability is "the restriction or lack (due to an impairment) of the ability to of the ability to perform an activity in the manner or within the range considered normal for a human being" [23]. We argue with the World Health Organization, which in 2001 defined disability as "an umbrella term for impairments, activity limitations, and participation restrictions. It denotes the negative aspects of the interaction between an individual (with a health condition) and that individual's contextual factors (environmental and personal factors)" [23].

The present study extends the systematic review by Francisco et al. [20], removing theoretical articles, and includes studies published between 2019 and 2022. A total of 1492 studies were identified, and after eliminating duplicates and applying the exclusion criteria (Figure 1), 72 articles were finally selected for the current systematic review.



**Figure 1.** Flowchart of the selection process according to the recommendations of the Prisma statement [24]. Source: Own elaboration.

A total of 72 articles were analyzed in this study, with 59 articles from the systematic review by Francisco et al. [20] and 13 from the updated search. The breakdown of these publications is as follows: (a) 71 empirical studies found in the databases; and (b) T = the Family Quality of Life Survey (FQOLS-2006) is identified through other sources [25].

### 3. Results

The 72 selected empirical studies were classified and analyzed following each research question.

#### 3.1. What Is the Profile of Participants in FQoL Research during the 0–6 Years Stage?

The articles were evaluated based on those following a “traditional approach,” which, according to Wang et al. [26], are studies that only relied on the perspective of a single family member to assess FQoL and those that follow an approach that is consistent with the systemic theory. The FQoL research developed from that conducted in the individual QoL setting and in the belief that a qualified family member could provide information about the others. The systemic approach requires that the information come from family members due to their relational or subsystemic position in the family unit as a whole.

As shown in Table 1, 65 out of the 72 selected articles followed the traditional approach, which indicates that each family unit surveyed or interviewed was represented by a single member or main caregiver. These studies are grouped in column (1) of Table 1 under the formula  $nF = nP$ , where  $n$  represents the number,  $F$  the families, and  $P$  the participants. The remaining seven studies are included under the formula  $nF < nP$ , suggesting that for each family, there were more participants from families surveyed or interviewed. Within this

second group, distinctions included the study by Vanderkerken et al. [27], which presents a systemic approach by focusing on the family as a unit rather than on information provided by a single participant. In addition, four studies focused on the parental subsystem, with one study on the sibling subsystem and another study comparing the QoL of fathers and mothers.

**Table 1.** Articles classified according to participant profile.

Approach	Participants	Number of Studies	Authors
Traditional Approach (nF = nP)	50–69% mothers	7	Rivard et al. [28]; Feng et al. [29]; Huang et al. [30]; Mas et al. [31]; Levinger et al. [32]; Schlebusch et al. [33]; Schlebusch et al. [34].
	70–89% mothers	22	Svavarsdottir and Tryggvadottir [35]; Córdoba et al. [36]; Verdugo et al. [37]; Chiu et al., [38]; Waschl et al. [39]; Escorcía et al. [40]; Giné et al. [41]; Balcells-Balcells et al. [42]; Balcells-Balcells et al. [43]; Bhojti et al. [44]; Chiu et al. [45]; Hoffman et al. [46]; Algood and Davis [47]; Barnard et al. [48]; Balcells-Balcells et al. [49]; Eskow et al. [50]; Hsiao et al. [51]; Hsiao et al. [52]; Boehm y Carter [53]; Samuel et al. [54]; Schertz et al. [55]; Rillotta et al. [56].
	90–99% mothers	12	Kyzer et al. [57]; Kyzer et al. [58]; Jackson et al. [59]; Taub y Werner [60]; Samuel et al. [61]; Susanto et al. [62]; Samuel et al. [63]; Steel et al. [64]; Epley et al. [65]; Davis y Gavidia Payne [66]; Summers et al. [67]; Clark et al. [68]
	Mothers only	6	Cohen et al. [69]; Holloway et al. [70]; McStay et al. [71]; Meral et al. [72]; Rodrigues et al. [73]; Valverde y Jurdi [74]
	Not specified	18	Bello-Escamilla et al. [75]; Brown et al. [22]; Brown et al. [76]; García Grau et al. [77]; García Grau et al. [78]; García Grau et al. [79]; Giné et al. [80]; Hielkema et al. [81]; Leadbitter et al. [82]; Lei et al. [83]; Liu et al. [84]; Lee et al. [85]; Neikrug et al. [86]; Perry e Isaacs [87]; Tait and Husain [88]; Tejada-Ortigosa et al. [89]; Verger et al., [3]; Wang et al. [90].
New approaches (nF < nP)	Systemic	1	Vanderkerken et al. [27].
	Dyads fathers/mothers	5	Wang et al., [26]; McStay et al., [91]; Mello et al. [92]; Vanderkerken et al. [93]; Demchick et al. [94]
	Siblings	1	Moyson et Royers [95].

Source: Own elaboration.

Studies adopting a traditional approach were classified based on the profile of the single participant, typically specifying their gender and relationship to the child with a disability. To facilitate the analysis of the results, these studies were grouped into five categories: (1) mothers that constituted 50–69% of participants; (2) mothers that constituted 70–89% of participants; (3) mothers that constituted 90–99% of participants; (4) only mothers participated; and (5) no informant profile specified. In cases where only mothers were involved, or no information on gender or relationship was specified, the studies were sorted alphabetically.

The percentages of the five groups of studies are stated below in descending order. The largest group (33% of the total studies) comprised 22 studies, with the participation of mothers ranging from 70% to 89%. The second group, comprising 24% of the total studies, was represented by 16 studies that did not specify the profile of the participant. The third group, consisting of 23% of the total studies, was represented by 15 studies with 90% to 99% participation of mothers. The fourth group comprised 11% of the total studies and corresponded to 11 studies, with 50% to 69% of mothers participating. Finally, 9% of the total studies were represented by six studies where only mothers participated. In five of the six studies, the researchers explicitly invited only mothers to participate, while in the

remaining study [73], the authors invited a member representing their respective families to participate, but only 10 mothers agreed to participate.

The studies employing new approaches ( $n = 7$ ) were organized into three groups:

1. The first group comprised a single study by Vanderkerken et al. [27], which stands out as having utilized a systemic design representing all three subsystems: spousal, parental, and sibling. This study included 49 parental dyads, 1 father, 12 mothers, 10 children with disabilities, and 14 siblings, with a total of 135 participants from a sample of 63 family units ( $n_F 63 < n_P 135$ ). The authors stated, “In addition, we went beyond parents’ perceptions by also taking into account the views of children (with and without disability) on FQoL and by comparing parents’ and children’s views on FQoL” [27] (p. 782).
2. The second group consisted of five studies that investigated FQoL from the perspective of both fathers and mothers. These studies were grouped because the number of families was smaller than the number of participating relatives ( $n_F < n_P$ ). Four of these studies adopted a parental subsystemic approach. Vanderkerken et al. [93] examined 34 parental dyads and argued that “members of the same family had different opinions regarding FQoL, which supports the idea of including every family member’s opinion when evaluating the complex reality of quality of life in families” [29] (p. 13). This systemic approach examines FQoL from the standpoint of the members of the parental subsystem. Similar approaches can be found in the studies by McStay et al. [91], Demchick et al. [94], and Mello et al. [92]. The fifth study in this group was by Wang et al. [26], which compared the individual perspectives of fathers and mothers. While providing information on the parental subsystem, the purpose of the study was to “test whether mothers and fathers similarly view the conceptual model” [26] (p. 977).
3. The third group comprised a study by Moyson and Roeyers [95], which approached the assessment of QoL from the experiences of siblings, concluding that siblings may define their QoL differently from their parents. Based on the data analysis, only 5.47% of the reviewed studies adopted a systemic or subsystemic approach. These approaches were characterized by a detailed profiling of each participant’s position within the family system and an assessment of their respective perceptions in relation to those of other family members. Rather than assessing their knowledge, these studies focused on their roles as fathers or mothers, sons or daughters, brothers or sisters, grandfathers or grandmothers, or other family members. Participants’ gender identity and their dynamic interactions with other members of the family unit were considered key elements. Vanderkerken et al. [27] pointed out the primary strength of the systemic approach by stating, “Discussing and examining differences of opinion can be a valuable approach to generate a nuanced picture of life in a family” [27] (p. 750).


### 3.2. Are There Differences in the Profiles of Participants according to the Research Objective?

To address the second research question, the 72 studies were categorized into four groups based on their research objectives (see Appendix A Table A1): (1) 7 studies aimed at developing instruments for assessing FQoL, including two international scales—the FQoL Scale [46]) and the FQoL Survey [25]—for all age groups, as well as five specific instruments designed to assess the QoL of families with children with disabilities aged 0–6 years; (2) 10 studies aimed at the validation of the instruments; (3) 32 studies either compared or described FQoL; and (4) 23 studies examined the predictors of FQoL.

Figure 2 illustrates a graph linking the participant profile data (Table 1) with the four types of studies based on their research objectives.

The studies in groups 1 and 2 are characterized by the traditional approach and have minimally taken into account the perspectives of various family members. A significant difference was observed in the “unspecified” variable, where four studies that focused on the development of instruments for measuring FQoL did not identify the personal and family characteristics of the participants. For instance, the FQoL Survey was administered to the main caregiver of the person with a disability to report on the family’s QoL [25]. Other

studies, such as those conducted by García-Grau [79], Giné [80], and Leadbitter et al. [82], omitted references to participant profiles for selection purposes.



**Figure 2.** Participant profile data by types of studies.

Among the 32 studies in the third group, which had a comparative or descriptive nature of the FQoL, six studies stood out for utilizing a subsystemic approach with a focus on siblings of children with disabilities [95] or the parental dyad [22,91–93].

Finally, in the group of predictive studies on FQoL, only the study by Vanderkerken et al. [27] followed a systemic approach. Most studies in this group had a higher percentage of participating mothers (between 70% and 99%).

### 3.3. If Any Biases or Limitations Are Identified, What Perspectives Do Researchers Provide in Response?

To answer this question, the limitations identified by the authors in their respective studies were analyzed. Regarding coherence between the conceptualization of the construct and the methodological design, Boehm and Carter [53] explicitly stated that they initially relied on only one parent's perceptions of FQoL. The definition of FQoL involved "a dynamic sense of well-being of the family collectively and subjectively defined and informed by its members, in which individual and family-level needs interact" [16] (p. 262). "Therefore, one parent's perception of FQoL may not reflect the collective view of all members of the family" [53] (p. 111).

However, the mentioned limitation was not observed in the 11 studies that incorporated the definition of Zuna et al. [16] into their theoretical frameworks [30,31,38,42,45,50,55,57,58,60,69,76]. This indicated a significant gap between the stated intentions of the researchers to study the family unit and the methods adopted to conduct the research [30,33].

While the authors of the selected studies did not expressly identify any reporting bias, the study by Wang et al. [26] revealed that fathers did not differ significantly from mothers in assessing their overall FQoL. However, this study relied on other authors [39,67,72] to justify their preference for the opinion of a single family member.

Nonetheless, 25 out of the 72 selected studies acknowledged a limitation in their research due to the involvement of only mothers or one participant per household, which can be implicitly understood as an information bias. There are several studies in which metaphors based on photography are used, where the image was expected to correspond to the photographed object, that is, be truthful. However, articles highlighting the limitations of the FQoL instruments that relied solely on mothers' involvement without participation from the rest of the family reported that the truthfulness of the image would be compromised [42], the image would be unfocused [64], it would capture only half the picture [3], or in any case, it would be a 'snapshot' unable to reflect the dynamic nature of family life [27,33,60,86].

Another metaphor used by the authors was that of a choir to emphasize the necessity of acknowledging the diversity of familial voices, as a choir is composed of multiple voices. This concept was specifically highlighted in three studies that adopted a systemic or subsystemic approach [27,93,95]. Tait and Hussain [88] identified “the integrity, uniqueness, and complexity of individual experiences and perceptions of FQoL in their mixed methods study” [88] (p. 12).

To summarize the recognition of implicit reporting biases, six quotes were identified from studies that analyzed the family as the unit of analysis [26,30,33] and studies positing that the opinions and perceptions of other family members cannot be taken for granted [60,65,90,96]. The definition of FQoL entails a methodology that reflects collective information [27], and therefore, family members who did not participate cannot be represented by the informant. If the number of participants and family units were the same, the research would be compromised by information bias. The use of metaphors, such as the image or the chorus of voices, also highlights the need for a systemic approach that considers both the number of informants and their position or role in the family for examining a collective construct such as the family.

#### 4. Discussion

In the following sections, the results are discussed in line with a holistic view that contextualizes the problems explored in relation to different theories, as well as the historical and cultural context in which research on FQoL has been conducted.

A relevant difference between the systemic approaches and traditional models is that traditional models often struggle to achieve a balance between assigning importance to a qualified profile, typically the mother while downplaying the role and gender of the sole participant by leaving it unspecified.

##### 4.1. Scope of the Definition of FQoL Considering All Voices in the Family

The selection bias among participants becomes evident when examined in relation to the theoretical framework, the definition of FQoL, and the need to avoid assuming the perceptions and views of family members who were not involved in the research. A significant milestone in the conceptualization of FQoL was the definition of the construct by Zuna and colleagues [16], which identifies two essential characteristics of the FQoL construct: (1) the dynamicity of family relationships and (2) that it is collectively and subjectively defined.

Regarding the first characteristic, none of the selected articles explicitly addressed the relationship between the dynamicity of the FQoL construct and the bias resulting from a single informant’s participation, which compromises the conceptualization of FQoL. However, this relationship may be implicitly conveyed through the image metaphor used by the aforementioned authors to refer to the FQoL construct.

Regarding the second characteristic of the definition of FQoL, only Boehm and Carter [53] examined the relationship between the limitation of the participation of one family member and the need for the FQoL construct to be defined subjectively and collectively.

However, none of the scales or questionnaires developed to measure FQoL have been designed following the epistemological requirement of representing the diverse subsystems that integrate the family unit. It is generally considered sufficient to obtain information from those who know the child best, whether with or without a disability (i.e., their primary caregivers, usually their mothers). However, this issue is not unique to FQoL research and is present in other scientific fields. Shah et al. [97] found that individual bias in the design and use of instruments to measure the QoL of both the family unit and its individual members is a widespread limitation, even when referring to the inclusion of the family as a whole.

To obtain significant information from a systemic standpoint, it is necessary to encourage the participation of representatives from each subsystem of the family, which is not evident in existing instruments, especially those where the role of informants is not

specified. The only exception is the 2019 revision of the CdVF-ER user manual, which invited various family members to participate in the research. It was noted that “the scale should be answered by fathers, mothers, siblings, or legal guardians of persons with intellectual or developmental disabilities (IDD). In any case, it should always reflect family opinion” [97] (p. 6). Therefore, the CdVF-ER for children below 18 years of age was designed using a systemic approach by considering the role of children within the family unit.

While studies examining the quality of family life attempt to conceptualize this systemic construct, the use of “traditional” instruments that rely on information from a single participant can limit the representation of the entire family unit or other family members.

Aldersey et al. [98] described how interviews were conducted at doorsteps, which facilitated the participation of other family members and neighbors who joined in the conversation. The authors explained that these contributions “enriched the data I collected from my primary respondents and provided me with a greater understanding of family and household dynamics” [98] (p. 4) and argued that “participants in this study identified FQoL as a dynamic and subjective concept” [98] (p. 6). Qualitative studies, such as the one conducted by Boelsma et al. [19], show how the participation of the whole family in a longitudinal study makes it possible to identify different types of family dynamics that are very difficult to appreciate through the traditional functional approach. Hu et al. [99] pointed out that this traditional approach contradicts “the original target of measuring FQoL of the whole family unit. Consequently, researchers should take sufficient caution when analysing and generalising results to the family unit when only one or two family members have completed the instrument” [99] (p. 8).

The selected studies demonstrate an increasing tendency to consider the opinions of various family members beyond just the parents. Rillotta et al. [56] and Schlebusch et al. [34] suggested that future research should consider assessing FQoL from multiple perspectives, such as those of parents, siblings, grandparents, and individuals with disabilities. Vanderkerken et al. [27] also highlighted that “future research can explore strategies to also include the views of children under 12 (with or without disability) on FQoL, for example, by simplifying the instruments, adding pictures, etc.” [27] (p. 801). Their study is pioneering in this respect. Chinn and Balotta [100] encouraged the use of “creative” methodologies, such as photovoice, because they allow the artistic expression of the participants while involving the critical analysis of the researchers.

#### 4.2. Epistemological Scope of New Approaches in Research

An epistemological perspective allows for a better understanding of the systemic dynamics of the family [27], emphasizing the transformation of reality wherein disadvantaged people are placed at the center. Rodríguez-Cley et al. [101] aimed to “demonstrate how other epistemologies, coming from the experience of disability, can nurture participatory methodologies and design research” [101] (p. 26). This is in line with the ongoing “narrative turn” observed in various areas of research, which aims to empower people to exercise greater control over aspects of their own lives [102].

Zuna and colleagues [16] indicated that FQoL is not only collectively but also “subjectively” defined. While this plurality of “nuances” is positive, the subjective nature of its definition can pose challenges for researchers. In the field of QoL research, Brown and Schippers [103] cautioned against the traditional approach in that “the results of qualitative research often carry less weight because of the strong influence of a traditionally positivist approach that considers qualitative data as subjective” [103] (p. 8). In addition, the authors highlighted the importance of “the scientifically recorded experiences and views of people with life problems and their families” [103] (p. 8) and insisted that data itself is never subjective, but rather “it is the interpretation that risks being subjective” [103] (p. 7).

Furthermore, the development of the ten principles of citizen science may contribute to a shift toward involving people as “contributors, collaborators, or as leaders in research projects” [14].

For example, Del Toro and Sanchez [104] counted “with the collaboration of 110 families from 20 early intervention centers in different autonomous communities in Spain” with the objective of “determining if there are significant differences between two groups formed by families that are working within the family-centered model and, on the other hand, other families that are not within this model” [104] (p. 15). The authors mentioned that they did not expect the result: “it is the families that do not work within the Family-Centered Model that present a higher quality of life in all the subscales analyzed with respect to the families that do work within this model” [104] (p. 18). Del Toro and Sanchez [104] concluded that:

“Culturally, families have been mere observers of the work done with their children with functional diversity. It is essential to break this idea of passive work so that the family becomes an active part of the process. Only from this perspective will the family feel able to develop the model.” [104] (p. 19)

A cultural approach is also seen in studies comparing the QoL of Latino and non-Latino families in the United States [72,73] as well as in the adaptations of the scales in a multitude of countries.

Another significant aspect of citizen science is the democratization of scientific research and knowledge. In the context of FQoL research, it is important for family members to establish a deep and existential connection with the research topic, which may encourage them to participate responsibly.

#### 4.3. Ethical Scope of New Approaches in Research

The limitations observed in the conceptualization of FQoL not only manifest in the epistemological and methodological aspects but also indicate the existence of ethical considerations. First, the ethical dimension emphasizes the importance of inclusive research that amplifies the voices of the most vulnerable people within the family unit, such as minors and people with disabilities [105,106].

Second, the ethical need to represent vulnerable individuals may lead researchers to explore suitable methods to enable them to be active participants in the research. For instance, the photovoice methodology has been examined as a means of providing visibility to vulnerable members of society while respecting their privacy [107–109]. In photovoice research, participants are informed of the ethical aspects of the use of images [110], and the informed consent of the individuals appearing in the photographs is requested. In FQoL research, it may also be ethically advisable to obtain informed consent or assent from family—so that participants can speak on their behalf.

In addition, recognizing individuals as active subjects in their own lives and striving to capture the authentic voices of families may encourage researchers to involve as many family members as possible in the research process, ensuring that the different family subsystems are adequately represented.

Regarding future research directions, researchers in the field of FQoL should embrace its conceptualization as a family unit with unique methodological and temporal needs, as opposed to understanding QoL solely from the perspective of individual family members. Egaña and Barría [111] highlighted the need to “be rigorous with the idea that the family as a unit of analysis is different from the individuals who, as family members, compose it” (p. 15). Each researcher should, therefore, establish a theoretical framework relevant to the specific objects of their study, whether it be the entire family, individual family members, or subsystems, to ensure consistency in the methodological design. Studies using mixed methodologies are also noteworthy [49,53,73,85]. Longitudinal studies have also been recommended for FQoL research [41,89]. In particular, Gardiner and Iarocci [17] pointed out the need for longitudinal research when examining the dynamic interactions between individual and family needs. This approach may also apply to research on family routines, considering their dynamic nature in the context of FQoL [31].

In addition, FQoL research may benefit from the epistemological and ethical approaches that are being applied in the field of social sciences, such as the inclusion of persons with disabilities, citizen participation, and respect for the privacy of those being studied.

The most significant limitation of our analysis and discussion has been based on the content of the articles, knowing that researchers often do not explain in detail important aspects of the methodological process.

## 5. Conclusions

Based on the systematic review of FQoL research, it can be concluded that, with the exception of the study by Boehm and Carter [53], the remaining 71 articles reviewed did not consider the epistemological need inherent in the FQoL construct for the participation of all family members. This inference is drawn from the observation that the epistemological limitation was not taken into account either because of the lack of a theoretical framework, the definition of FQoL, or inconsistency with the requirements of the integrated definition in their respective theoretical frameworks. In addition, the relationship between this limitation and the dynamic nature of the construct has not been examined.

The findings of the current research suggest that only a few of the reviewed studies have adopted a systemic or subsystemic approach (8.2%) compared to the traditional approach, where only one member per family unit participates, which was employed by the majority (91.8%) of the reviewed studies. Approximately one-third of the selected studies identified the potential for possible reporting biases due to the participation of only one family member.

On evaluating the “limitations” section of some of the selected studies, it was noted that potential participants’ bias may affect the validity of the results by assuming that the opinions and knowledge of the different members of the family are accurately represented by one family member. Recognizing and addressing these considerations is crucial for upholding the ethics of scientific research.

In summary, this research holds significant implications in the field of FQoL in social, health, and education research. The findings highlight the importance of ensuring the participation of the family as a collective unit and recognizing the unique perspectives and contributions of each individual member.

**Author Contributions:** Conceptualization, C.T.F.M., A.I.-G. and A.B.-B.; methodology, C.T.F.M., A.I.-G. and A.B.-B.; formal analysis, C.T.F.M., A.I.-G. and A.B.-B.; investigation, C.T.F.M., A.I.-G. and A.B.-B.; writing—original draft preparation, C.T.F.M.; writing—review and editing, A.I.-G., A.B.-B. and C.T.F.M.; visualization, A.I.-G. and C.T.F.M. All authors have read and agreed to the published version of the manuscript.

**Funding:** This research received no external funding.

**Informed Consent Statement:** Not applicable.

**Data Availability Statement:** Data sharing is not applicable.

**Conflicts of Interest:** The authors declare no conflict of interest.

## Appendix A

**Table A1.** Differences in the Profiles of Participants According to the Research Objective.

Study Objective	Authors
Creation of instruments	Barnard et al. [48]; Brown et al. [22]; García Grau et al. [79]; Giné et al. [80]; Hoffman et al. [46]; Huang et al. [30]; Leadbitter et al. [82]
Validation of instruments	Chiu et al., [38]; Chiu et al., [45]; Garcia Grau et al. [78]; Lei et al. [83]; Perry e Isaacs [87]; Rivard et al. [28]; Samuel et al. [64]; Samuel et al. [54]; Verdugo et al. [37]; Waschl et al. [39]
Comparative/ Descriptive	Algood and Davis [47]; Balcells-Balcells et al. [49]; Bello-Escamilla et al. [75]; Brown et al. [76]; Clark et al. [68]; Córdoba et al. [36]; Demchick et al. [94]; Escorcía Mora et al. [40]; García Grau et al. [77]; Giné et al. [41]; Holloway et al. [70]; Jackson et al., [59]; Lee et al. [85]; Mas et al., [31]; McStay et al. [71]; McStay et al. [91]; Mello et al. [92]; Moyson et Roeyers [95]; Neikrug et al. [86]; Rillotta et al. [56]; Rodrigues et al. [73]; Schertz et al. [55]; Schlebusch et al. [34]; Steel et al. [64]; Tait and Husain [88]; Tejada-Ortigosa et al. [89]; Valverde y Jurdi [74]; Vanderkerken et al. [93]; Verger et al. [3]; Wang et al. [26]
Predictive	Balcells-Balcells et al. [42]; Balcells-Balcells et al., [43]; Bhojti et al. [44]; Boehm y Carter [53]; Cohen et al. [69]; Davis y Gavidia Payne [66]; Epley et al. [65]; Eskow et al. [50]; Feng et al. [29]; Hielkema et al. [81]; Hsiao et al. [51]; Hsiao et al. [52]; Kyzar et al. [57]; Kyzar et al. [58]; Levinger et al. [32]; Liu et al. [84]; Meral et al. [72]; Samuel et al. [61]; Schlebusch et al. [33]; Summers et al. [67]; Susanto et al. [62]; Svavarsdottir and Tryggvadottir [35]; Taub y Werner [60]; Vanderkerken et al. [27]; Wang et al. [90]

Source: Own elaboration.

## References

- Bronfenbrenner, U. *La Ecología del Desarrollo Humano. Experimentos en Entornos Naturales y Diseñados*; Paidós: Barcelona, Spain, 1987.
- Leal, L. *A Family-Center Approach to People with Mental Retardation*; American Association on Mental Retardation: Washington, DA, USA, 1999.
- Mandak, K.; O'Neill, T.; Light, J.; Fosco, G. Bridging the gap from values to actions: A family systems framework for family-centered AAC services. *Augment. Altern. Commun.* **2017**, *33*, 32–41. [\[CrossRef\]](#)
- Verger, S.; Riquelme, I.; Bagur, S.; Paz-Lourido, B. Satisfaction and Quality of Life of Families Participating in Two Different Early Intervention Models in the Same Context: A Mixed Methods Study. *Front. Psychol.* **2021**, *12*. [\[CrossRef\]](#) [\[PubMed\]](#)
- Nind, M. Participatory Data Analysis: A Step Too Far? *Qual. Res.* **2011**, *11*, 349–363. [\[CrossRef\]](#)
- Passmore, S.; Kisicki, A.; Gilmore-Bykovskyi, A.; Green-Harris, A.; Edwards, D. “There’s not much we can do...” researcher-level barriers to the inclusion of underrepresented participants in translational research. *J. Clin. Transl. Sci.* **2021**, *6*, e4. [\[CrossRef\]](#)
- Denzin, N. Foreword: Narrative’s moment. In *Lines of Narrative*; Andrew, M., Sclater, S., Squire, C., Treacher, A., Eds.; Routledge: London, UK, 2003.
- Esteban-Guitart, M. Bruner’s Narrative Turn: The Impact of Cultural Psychology in Catalonia. In *Jerome S. Bruner beyond 100. Cultivating Possibilities*; Marsico, G., Ed.; Springer: Cham, Switzerland, 2015; pp. 112–117. [\[CrossRef\]](#)
- González Monteagudo, J. Jerome Bruner and the challenges of the narrative turn. *Narrat. Inq.* **2011**, *21*, 295–302. [\[CrossRef\]](#)
- González-Monteagudo, J.; Ochoa Palomo, C. El giro narrativo en España. Investigación y formación con enfoques autobiográficos. *Rev. Mex. De Investig. Educ.* **2014**, *19*, 809–829. Available online: <https://core.ac.uk/reader/157763950> (accessed on 26 July 2023).
- Scabini, E.; Iafrate, R. *Psicologia dei Legami Familiari*; Il Mulino: Bologna, Italy, 2019.
- Llorente, C.; Revuelta, G.; Carrió, M. Characteristics of Spanish citizen participation practices in science. *J. Sci. Commun.* **2020**, *20*, A05. [\[CrossRef\]](#)
- Quiroga, V.; Parra, B.; Durán, P.; Magaña-González, C.R. [Re]pensemos la participación de las familias: Diagnóstico y propuestas de intervención en los servicios de atención básica a las personas en la ciudad de Barcelona. *Pedagog. Treb. Social. Rev. Ciències Soc. Apl.* **2021**, *10*, 3–20.
- European Citizen Science Association (ECSA). *Ten Principles of Citizen Science*; ECSA: Berlin, Germany, 2015. [\[CrossRef\]](#)
- Turnbull, A.P.; Summers, J.A.; Lee, S.-H.; Kyzar, K. Conceptualization and measurement of family outcomes associated with families of individuals with intellectual disabilities. *Ment. Retard. Dev. Disabil. Res. Rev.* **2007**, *13*, 346–356. [\[CrossRef\]](#) [\[PubMed\]](#)
- Zuna, N.; Summers, J.A.; Turnbull, A.P.; Hu, X.; Xu, S. Theorizing about family quality of life. In *Enhancing the Quality of Life of People with Intellectual Disabilities: From Theory to Practice*; Kober, R., Ed.; Springer: Dordrecht, The Netherlands, 2010; Volume 41, pp. 241–278. [\[CrossRef\]](#)
- Gardiner, E.; Iarocci, G. Family Quality of Life and ASD: The role of child adaptive functioning and behavior problems. *Autism Res.* **2015**, *8*, 199–213. [\[CrossRef\]](#)
- Fernández González, A.; Montero Centeno, D.; Martínez Rueda, N.; Orcasitas García, J.R.; Villaescusa Peral, M. Calidad de Vida Familiar: Marco de referencia, evaluación e intervención. *Siglo Cero* **2015**, *46*, 254. [\[CrossRef\]](#)
- Boelsma, F.; Caubo-Damen, I.; Schippers, A.; Dane, M.; Abma, T.A. Rethinking FQoL: The dynamic interplay between individual and Family Quality of Life. *J. Policy Pract. Intellect. Disabil.* **2017**, *14*, 31–38. [\[CrossRef\]](#)

20. Francisco Mora, C.; Ibáñez, A.; Balcells-Balcells, A. State of the Art of Family Quality of Life in Early Care and Disability: A Systematic Review. *Int. J. Environ. Res. Public Health* **2020**, *17*, 7220. [CrossRef] [PubMed]
21. Poston, D.; Turnbull, A.; Park, J.; Mannan, H.; Marquis, J.; Wang, M. Family Quality of Life: A Qualitative Inquiry. *Ment. Retard.* **2003**, *41*, 313–328. [CrossRef]
22. Roth, D.; Brown, I. Social and Cultural Considerations in Family Quality of Life: Jewish and Arab Israeli Families' Child-Raising Experiences. *J. Policy Pract. Intellect. Disabil.* **2017**, *14*, 68–77. [CrossRef]
23. World Health Organization. *International Classification of Functioning, Disability and Health: ICF*; World Health Organization: Geneva, Switzerland, 2001; Available online: <https://apps.who.int/iris/handle/10665/42407> (accessed on 26 July 2023).
24. Moher, E.; Liberati, A. Revisiones Sistemáticas y Metaanálisis: La responsabilidad de Los Autores, Revisores, Editores y Patrocinadores. *Med. Clín.* **2010**, *135*, 505–506. [CrossRef]
25. Brown, I.; Brown, R.I.; Baum, N.T.; Isaacs, B.J.; Myerscough, T.; Neikrug, S.; Wang, M. *Family Quality Life Survey: Main Caregivers of People with Intellectual or Development Disabilities*; Surrey Place Centre: Toronto, ON, Canada, 2006; Available online: <http://www.surreyplace.ca/documents/FQLS%20Files/FQOLS-2006%20General%20Version%20Aug%202009.pdf> (accessed on 26 July 2023).
26. Wang, M.; Summers, J.A.; Little, T.; Turnbull, A.; Poston, D.; Mannan, H. Perspectives of fathers and mothers of children in early intervention programs in assessing family quality of life. *J. Intellect. Disabil. Res.* **2006**, *50*, 977–988. [CrossRef]
27. Vanderkerken, L.; Heyvaert, M.; Onghena, P.; Maes, B. Quality of Life in Flemish Families with a Child with an Intellectual Disability: A Multilevel Study on Opinions of Family Members and the Impact of Family Member and Family Characteristics. *Appl. Res. Qual. Life* **2018**, *13*, 779–802. [CrossRef]
28. Rivard, M.; Mercier, C.; Mestari, Z.; Terroux, A.; Mello, C.; Bégin, J. Psychometric properties of the Beach Center Family Quality of Life in French-speaking families with a preschool-aged child diagnosed with autism spectrum disorder. *Am. J. Intellect. Dev. Disabil.* **2017**, *122*, 439–452. [CrossRef]
29. Feng, Y.; Zhou, X.; Qin, X.; Cai, G.; Lin, Y.; Pang, Y.; Zhang, L. Parental self-efficacy and family quality of life in parents of children with autism spectrum disorder in China: The possible mediating role of social support. *J. Pediatr. Nurs.* **2021**, *63*, 159–167. [CrossRef]
30. Huang, R.; Shen, R.; Su, S. The factor structure and psychometric properties of the Family Quality of Life for Children with Disabilities in China. *Front. Psychol.* **2020**, *11*, 1585. [CrossRef]
31. Mas, J.M.; Baqués, N.; Balcells-Balcells, A.; Dalmau, M.; Giné, C.; Gràcia, M.; Vilaseca, R. Family Quality of Life for Families in Early Intervention in Spain. *J. Early Interv.* **2016**, *38*, 59–74. [CrossRef]
32. Levinger, M.; Alhuzail, N.A. Bedouin hearing parents of children with hearing loss: Stress, coping, and Quality of Life. *Am. Ann. Deaf* **2018**, *163*, 328–355. [CrossRef]
33. Schlebusch, L.; Samuels, A.E.; Dada, S. South african families raising children with Autism Spectrum Disorders: Relationship between family routines, cognitive appraisal and Family Quality of Life. *J. Intellect. Disabil. Res.* **2016**, *60*, 412–423. [CrossRef]
34. Schlebusch, L.; Dada, S.; Samuels, A.E. Family Quality of Life of south african families raising children with autism spectrum disorder. *J. Autism Dev. Disord.* **2017**, *47*, 1966–1977. [CrossRef]
35. Svavarsdottir, E.K.; Tryggvadottir, G.B. Predictors of Quality of Life for families of children and adolescents with severe physical illnesses who are receiving hospital-based care. *Scand. J. Caring Sci.* **2019**, *33*, 698–705. [CrossRef]
36. Córdoba-Andrade, L.; Gómez-Benito, J.; Verdugo-Alonso, M.A. Family Quality of Life of people with disability: A comparative analyses. *Univ. Psychol.* **2008**, *7*, 369–383.
37. Verdugo, M.A.; Córdoba, L.; Gomez, J. Spanish Adaptation and Validation of the Family Quality of Life Survey. *J. Intellect. Disabil. Res.* **2005**, *49*, 794–798. [CrossRef]
38. Chiu, C.Y.; Seo, H.; Turnbull, A.P.; Summers, J.A. Confirmatory Factor Analysis of a family quality of life scale for taiwanese families of children with intellectual disability/developmental delay. *Intellect. Dev. Disabil.* **2017**, *55*, 57–71. [CrossRef]
39. Waschl, N.; Xie, H.; Chen, M.; Poon, K.K. Construct, Convergent, and Discriminant Validity of the Beach Center Family Quality of Life Scale for Singapore. *Infants Young Child.* **2019**, *32*, 201–214. [CrossRef]
40. Escorcía Mora, C.T.; García-Sánchez, F.A.; Sánchez-López, M.C.; Orcjada, N.; Hernández-Pérez, E. Prácticas de intervención en la primera infancia en el sureste de España: Perspectiva de profesionales y familias. *An. Psicol. Ann. Psychol.* **2018**, *34*, 500–509. [CrossRef]
41. Giné, C.; Gràcia, M.; Vilaseca, R.; Salvador Beltran, F.; Balcells-Balcells, A.; Dalmau Montala, M.; Luisa Adam-Alcocer, A.; Teresa Pro, M.; Simó-Pinatella, D.; Maria Mas Mestre, J. Family Quality of Life for people with intellectual disabilities in Catalonia. *J. Policy Pract. Intellect. Disabil.* **2015**, *12*, 244–254. [CrossRef]
42. Balcells-Balcells, A.; Giné, C.; Guàrdia-Olmos, J.; Summers, J.A. Family Quality of Life: Adaptation to spanish population of several family support questionnaires. *J. Intellect. Disabil. Res.* **2011**, *55*, 1151–1163. [CrossRef] [PubMed]
43. Balcells-Balcells, A.; Gine, C.; Guardia-Olmos, J.; Summers, J.A.; Mas, J.M. Impact of supports and partnership on Family Quality of Life. *Res. Dev. Disabil.* **2019**, *85*, 50–60. [CrossRef] [PubMed]
44. Bhohti, A.; Brown, T.; Lentin, P. Family Quality of Life: A Key Outcome in Early Childhood Intervention ServicesA Scoping Review. *J. Early Interv.* **2016**, *38*, 191–211. [CrossRef]

45. Chiu, S.-J.; Chen, P.-T.; Chou, Y.-T.; Chien, L.-Y. The mandarin chinese version of the Beach Centre Family Quality of Life Scale: Development and psychometric properties in taiwanese families of children with developmental delay. *J. Intellect. Disabil. Res.* **2017**, *61*, 373–384. [[CrossRef](#)]
46. Hoffman, L.; Marquis, J.; Poston, D.; Summers, J.A.; Turnbull, A. Assessing Family Outcomes: Psychometric Evaluation of the Beach Center Family Quality of Life Scale. *J. Marriage Fam.* **2006**, *68*, 1069–1083. [[CrossRef](#)]
47. Algood, C.; Davis, A.M. Inequities in family quality of life for african-american families raising children with disabilities. *Soc. Work Public Health* **2019**, *34*, 102–112. [[CrossRef](#)]
48. Barnard, D.; Woloski, M.; Feeny, D.; McCusker, P.; Wu, J.; David, M.; Bussel, J.; Lusher, J.; Wakefield, C.; Henriques, S.; et al. Development of disease-specific health-related quality-of-life instruments for children with immune thrombocytopenic purpura and their parents. *J. Pediatr. Hematol. Oncol.* **2003**, *25*, 56–62. [[CrossRef](#)]
49. Balcells-Balcells, A.; Mas, J.M.; Baqués, N.; Simón, C.; García-Ventura, S. The spanish family quality of life scales under and over 18 years old: Psychometric properties and families' perceptions. *Int. J. Environ. Res. Public Health* **2020**, *17*, 50–60. [[CrossRef](#)]
50. Eskow, K.; Pineles, L.; Summers, J.A. Exploring the effect of autism waiver services on family outcomes. *J. Policy Pract. Intellect. Disabil.* **2011**, *8*, 28–35. [[CrossRef](#)]
51. Hsiao, Y.-J.; Higgins, K.; Pierce, T.; Whitby, P.J.S.; Tandy, R.D. Parental stress, family quality of life, and family-teacher partnerships: Families of children with autism spectrum disorder. *Res. Dev. Disabil.* **2017**, *70*, 152–162. [[CrossRef](#)] [[PubMed](#)]
52. Hsiao, Y.-J. Autism Spectrum Disorders: Family demographics, parental stress, and Family Quality of Life. *J. Policy Pract. Intellect. Disabil.* **2018**, *15*, 70–79. [[CrossRef](#)]
53. Boehm, T.L.; Carter, E.W. Family Quality of Life and its correlates among parents of children and adults with intellectual disability. *Am. J. Intellect. Dev. Disabil.* **2019**, *124*, 99–115. [[CrossRef](#)]
54. Samuel, P.S.; Tarraf, W.; Marsack, C. Family Quality of Life Survey (FQOLS-2006): Evaluation of internal consistency, construct, and criterion validity for socioeconomically disadvantaged families. *Phys. Occup. Ther. Pediatr.* **2018**, *38*, 46–63. [[CrossRef](#)] [[PubMed](#)]
55. Schertz, M.; Karni-Visel, Y.; Tamir, A.; Genizi, J.; Roth, D. Family Quality of Life among families with a child who has a severe neurodevelopmental disability: Impact of family and child socio-demographic factors. *Res. Dev. Disabil.* **2016**, *53*–54, 95–106. [[CrossRef](#)]
56. Rillotta, F.; Kirby, N.; Shearer, J.; Nettelbeck, T. Family Quality of Life of Australian Families with a Member with an Intellectual/Developmental Disability. *J. Intellect. Disabil. Res.* **2012**, *56*, 71–86. [[CrossRef](#)]
57. Kyzar, K.B.; Brady, S.E.; Summers, J.A.; Haines, S.J.; Turnbull, A.P. Services and supports, partnership, and Family Quality of Life: Focus on deaf-blindness. *Except. Child.* **2016**, *83*, 77–91. [[CrossRef](#)]
58. Kyzar, K.; Brady, S.; Summers, J.A.; Turnbull, A. Family Quality of Life and partnership for families of students with deaf-blindness. *Remedial Spec. Educ.* **2018**, *41*, 50–62. [[CrossRef](#)]
59. Jackson, C.W.; Wegner, J.R.; Turnbull, A.P. Family Quality of Life following early identification of deafness. *Lang. Speech Hear. Serv. Sch.* **2010**, *41*, 194–205. [[CrossRef](#)]
60. Taub, T.; Werner, S. What support resources contribute to family quality of life among religious and secular jewish families of children with developmental disability? *J. Intellect. Dev. Disabil.* **2016**, *41*, 348–359. [[CrossRef](#)]
61. Samuel, P.S.; Hobden, K.L.; LeRoy, B.W. Families of children with autism and developmental disabilities: A description of their community interaction. *Res. Soc. Sci. Disabil.* **2011**, *6*, 49–83. [[CrossRef](#)]
62. Susanto, T.; Rasni, H.; Susumaningrum, L.A. Prevalence of malnutrition and stunting among under-five children: A cross-sectional study family of quality of life in agricultural areas of Indonesia. *Mediterr. J. Nutr. Metab.* **2021**, *14*, 147–161. [[CrossRef](#)]
63. Samuel, P.S.; Pociask, F.D.; Dizazzo-Miller, R.; Carrellas, A.; LeRoy, B.W. Concurrent validity of the International Family Quality of Life Survey. *Occup. Ther. Health Care* **2016**, *30*, 187–201. [[CrossRef](#)]
64. Steel, R.; Poppe, L.; Vandeveld, S.; Van Hove, G.; Claes, C. Family Quality of Life in 25 belgian families: Quantitative and qualitative exploration of social and professional support domains. *J. Intellect. Disabil. Res.* **2011**, *55*, 1123–1135. [[CrossRef](#)]
65. Epley, P.H.; Summers, J.A.; Turnbull, A.P. Family Outcomes of early intervention: Families' perceptions of need, services, and outcomes. *J. Early Interv.* **2011**, *33*, 201–219. [[CrossRef](#)]
66. Davis, K.; Gavidia-Payne, S. The impact of child, family, and professional support characteristics on the Quality of Life in families of young children with disabilities. *J. Intellect. Dev. Disabil.* **2009**, *34*, 153–162. [[CrossRef](#)]
67. Summers, J.A.; Marquis, J.; Mannan, H.; Turnbull, A.P.; Fleming, K.; Poston, D.J.; Wang, M.; Kupzyk, K. Relationship of perceived adequacy of services, family-professional partnerships, and Family Quality of Life in early childhood service programmes. *Int. J. Disabil. Dev. Educ.* **2007**, *54*, 319–338. [[CrossRef](#)]
68. Clark, M.; Brown, R.; Karrapaya, R. An Initial look at the quality of life of malaysian families that include children with disabilities. *J. Intellect. Disabil. Res.* **2012**, *56*, 45–60. [[CrossRef](#)]
69. Cohen, S.R.; Holloway, S.D.; Domínguez-Pareto, I.; Kuppermann, M. Receiving or believing in family Support? Contributors to the life quality of latino and non-latino families of children with intellectual disability. *J. Intellect. Disabil. Res.* **2014**, *58*, 333–345. [[CrossRef](#)]
70. Holloway, S.D.; Dominguez-Pareto, I.; Cohen, S.R.; Kuppermann, M. Whose job is it? Everyday routines and quality of life in latino and non-latino families of children with intellectual disabilities. *J. Ment. Health Res. Intellect. Disabil.* **2014**, *7*, 104–125. [[CrossRef](#)]

71. McStay, R.L.; Trembath, D.; Dissanayake, C. Maternal stress and Family Quality of Life in response to raising a child with autism: From preschool to adolescence. *Res. Dev. Disabil.* **2014**, *35*, 3119–3130. [\[CrossRef\]](#) [\[PubMed\]](#)
72. Meral, B.F.; Cavkaytar, A.; Turnbull, A.P.; Wang, M. Family Quality of Life of turkish families who have children with intellectual disabilities and autism. *Res. Pract. Pers. Sev. Disabil.* **2013**, *38*, 233–246. [\[CrossRef\]](#)
73. Rodrigues, S.A.; Fontanella, B.J.B.; de Avó, L.R.S.; Germano, C.M.R.; Melo, D.G. A Qualitative study about quality of life in brazilian families with children who have severe or profound intellectual disability. *J. Appl. Res. Intellect. Disabil.* **2019**, *32*, 413–426. [\[CrossRef\]](#) [\[PubMed\]](#)
74. Valverde, B.B.R.; Jurdi, A.P.S. Analysis of the relationship between early intervention and family quality of life. *Rev. Bras. De Educ. Espec.* **2020**, *26*, 171–186. [\[CrossRef\]](#)
75. Bello-Escamilla, N.; Rivadeneira, J.; Concha-Toro, M.; Soto-Caro, A.; Diaz-Martinez, X. Family Quality of Life Scale (FQLS): Validation and analysis in a chilean population. *Univ. Psychol.* **2017**, *16*, 20–29. [\[CrossRef\]](#)
76. Brown, R.I.; MacAdam-Crisp, J.; Wang, M.; Iaroci, G. Family Quality of Life when there is a child with a developmental disability. *J. Policy Pract. Intellect. Disabil.* **2006**, *3*, 238–245. [\[CrossRef\]](#)
77. García-Grau, P.; McWilliam, R.A.; Martínez-Rico, G.; Grau-Sevilla, M.D. Factor structure and internal consistency of a spanish version of the family quality of life (FaQoL). *Appl. Res. Qual. Life* **2017**, *13*, 385–398. [\[CrossRef\]](#)
78. Garcia-Grau, P.; McWilliam, R.A.; Martinez-Rico, G.; Morales-Murillo, C.P.; García-Grau, P.; McWilliam, R.A.; Morales-Murillo, C.P. Child, Family, and Early Intervention Characteristics Related to Family Quality of Life in Spain. *J. Early Interv.* **2019**, *41*, 44–61. [\[CrossRef\]](#)
79. García-Grau, P.; McWilliam, R.A.; Martínez-Rico, G.; Morales-Murillo, C.P. Rasch Analysis of the Families in Early Intervention Quality of Life (FEIQoL) Scale. *Appl. Res. Qual. Life* **2021**, *16*, 383–399. [\[CrossRef\]](#)
80. Giné, C.; Vilaseca, R.; Gràcia, M.; Mora, J.; Orcasitas, J.R.; Simón, C.; Torrecillas, A.M.; Beltran, F.S.; Dalmau, M.; Pro, M.T.; et al. Spanish Family Quality of Life Scales: Under and over 18 Years Old. *J. Intellect. Dev. Disabil.* **2013**, *38*, 141–148. [\[CrossRef\]](#) [\[PubMed\]](#)
81. Hielkema, T.; Boxum, A.G.; Hamer, E.G.; La Bastide-Van Gemert, S.; Dirks, T.; Reinders-Messelink, H.A.; Maathuis, C.G.B.; Verheijden, J.; Geertzen, J.H.B.; Hadders-Algra, M. LEARN2MOVE 0–2 years, a randomized early intervention trial for infants at very high risk of cerebral palsy: Family outcome and infant’s functional outcome. *Disabil. Rehabil.* **2019**, *41*, 3762–3770. [\[CrossRef\]](#) [\[PubMed\]](#)
82. Leadbiter, K.; Aldred, C.; McConachie, H.; Le Couteur, A.; Kapadia, D.; Charman, T.; McDonald, W.; Salomone, E.; Emsley, R.; Green, J. The Autism Family Experience Questionnaire (AFEQ): An ecologically-valid, parent-nominated measure of family experience, quality of life and prioritised outcomes for early intervention. *J. Autism Dev. Disord.* **2018**, *48*, 1042–1062. [\[CrossRef\]](#)
83. Lei, X.; Kantor, J. Social support and family quality of life in Chinese families of children with autism spectrum disorder: The mediating role of family cohesion and adaptability. *Int. J. Dev. Disabil.* **2020**, *68*, 454–461. [\[CrossRef\]](#) [\[PubMed\]](#)
84. Liu, H.; Song, Q.; Zhu, L.; Chen, D.; Xie, J.; Hu, S.; Tan, L. Family Management Style Improves Family Quality of Life in Children With Epilepsy: A Randomized Controlled Trial. *J. Neurosci. Nurs.* **2020**, *52*, 84–90. [\[CrossRef\]](#) [\[PubMed\]](#)
85. Lee, J.S.; Cinanni, N.; Di Cristofaro, N.; Lee, N.; Dillenburg, R.; Adamo, K.B.; Mondal, T.T.; Barrowman, T.; Shanmugam, G.; Timmons, B.W.; et al. Parents of Very Young Children with Congenital Heart Defects Report Good Quality of Life for Their Children and Families Regardless of Defect Severity. *Pediatr. Cardiol.* **2020**, *41*, 46–53. [\[CrossRef\]](#)
86. Neikrug, S.; Roth, D.; Judes, J. Lives of Quality in the face of challenge in Israel. *J. Intellect. Disabil. Res.* **2011**, *55*, 1176–1184. [\[CrossRef\]](#)
87. Perry, A.; Isaacs, B. Validity of the Family Quality of Life Survey-2006. *J. Appl. Res. Intellect. Disabil.* **2015**, *28*, 584–588. [\[CrossRef\]](#)
88. Tait, K.; Fung, F.; Hu, A.; Sweller, N.; Wang, W. Understanding Hong Kong chinese families’ experiences of an autism/ASD diagnosis. *J. Autism Dev. Disord.* **2016**, *46*, 1164–1183. [\[CrossRef\]](#)
89. Tejada-Ortigosa, E.M.; Flores-Rojas, K.; Moreno-Quintana, L.; Muñoz-Villanueva, M.C.; Pérez-Navero, J.L.; Gil-Campos, M. Health and socio-educational needs of the families and children with rare metabolic diseases: Qualitative study in a tertiary hospital. *An. Pediatr.* **2019**, *90*, 42–50. [\[CrossRef\]](#)
90. Wang, M.; Mannan, H.; Poston, D.; Turnbull, A.P.; Summers, J.A. Parents’ perceptions of advocacy activities and their impact on family quality of life. *Res. Pract. Pers. Sev. Disabil.* **2004**, *29*, 144–155. [\[CrossRef\]](#)
91. McStay, R.L.; Trembath, D.; Dissanayake, C. Stress and Family Quality of Life in Parents of Children with Autism Spectrum Disorder: Parent Gender and the Double ABCX Model. *J. Autism Dev. Disord.* **2014**, *44*, 3101–3118. [\[CrossRef\]](#) [\[PubMed\]](#)
92. Mello, C.; Rivard, M.; Terroux, A.; Mercier, C. Quality of Life in Families of Young Children With Autism Spectrum Disorder. *Am. J. Intellect. Disabil.* **2019**, *124*, 535–548. [\[CrossRef\]](#)
93. Vanderkerken, L.; Heyvaert, M.; Onghena, P.; Maes, B. The Relation Between Family Quality of Life and the Family-Centered Approach in Families With Children With an Intellectual Disability. *J. Policy Pract. Intellect. Disabil.* **2019**, *16*, 296–311. [\[CrossRef\]](#)
94. Demchick, B.B.; Ehler, J.; Marramar, S.; Mills, A.; Nuneviller, A. Family quality of life when raising a child with pediatric autoimmune neuropsychiatric disorder associated with streptococcal infection (PANDAS). *J. Occup. Ther. Sch. Early Interv.* **2019**, *12*, 182–199. [\[CrossRef\]](#)
95. Moyson, T.; Roeyers, H. The overall quality of my life as a sibling is all right, but of course, it could always be better’. Quality of Life of siblings of children with intellectual disability: The siblings’ perspectives. *J. Intellect. Disabil. Res.* **2012**, *56*, 87–101. [\[CrossRef\]](#)

96. Giné, C.; Mas, J.; Balcells-Balcells, A.; Baqués, N.; Simón, C. *Escala de Calidad de Vida Familiar con hijos/as con hijos menores de 18 años con discapacidad intelectual y/o en el desarrollo, Versión Revisada 2019, CdVF-ER (<18); Plena Inclusión: Madrid, Spain, 2019*; Available online: [https://www.plenainclusion.org/sites/default/files/manual\\_-18\\_2019.pdf](https://www.plenainclusion.org/sites/default/files/manual_-18_2019.pdf) (accessed on 26 July 2023).
97. Shah, R.; Ali, F.M.; Finlay, A.Y.; Salek, M.S. Family reported outcomes, an unmet need in the management of a patient's disease: Appraisal of the literature. *Health Qual. Life Outcomes* **2021**, *19*, 194. [\[CrossRef\]](#)
98. Aldersey, H.M.; Francis, G.L.; Haines, S.J.; Chiu, C.Y. Family Quality of Life in the Democratic Republic of the Congo. *J. Policy Pract. Intellect. Disabil.* **2016**, *14*, 78–86. [\[CrossRef\]](#)
99. Hu, X.; Summers, J.A.; Turnbull, A.; Zuna, N. The quantitative measurement of family quality of life: A review of available instruments. *J. Intellect. Disabil. Res.* **2011**, *55*, 1098–1114. [\[CrossRef\]](#)
100. Chinn, D.; Balota, B. A systematic review of photovoice research methods with people with intellectual disabilities. *Int. J. Behav. Nutr. Phys. Act.* **2023**, *20*, 725–736. [\[CrossRef\]](#)
101. Rodríguez-Cely, D.; Espina-Salazar, A. Epistemologías otras en la investigación en diseño: Transformaciones para el diseño inclusivo. *Bitácora Urbano Territ.* **2020**, *30*, 25–34. [\[CrossRef\]](#)
102. Bruner, J. Life as narrative. In *Search of Pedagogy. The Selected Works of Jerome Bruner*; Routledge: New York, NY, USA, 2006; Volume 2, pp. 129–140. [\[CrossRef\]](#)
103. Brown, R.; Schippers, A. The background and development of Quality of Life and Family Quality of Life: Applying research, policy, and practice to individual and family living. *Int. J. Child Youth Fam. Stud.* **2018**, *9*, 1–11. [\[CrossRef\]](#)
104. Del Toro, V.; Sánchez Moreno, E. Introducción del modelo centrado en familia en España desde una perspectiva de la calidad de vida familiar. *Rev. Nac. Int. Educ. Inclusiva* **2020**, *13*, 2.
105. Van Heumen, L.; Schippers, A. Quality of life for young adults with intellectual disability following individualised support: Individual and family responses. *J. Intellect. Dev. Disabil.* **2016**, *41*, 299–310. [\[CrossRef\]](#)
106. Correia, R.A.; Seabra-Santos, M.J.; Campos Pinto, P.; Brown, I. Giving Voice to Persons With Intellectual Disabilities About Family Quality of Life. *J. Policy Pract. Intellect. Disabil.* **2017**, *14*, 59–67. [\[CrossRef\]](#)
107. Jhul, P. Preverbal children as co-researchers: Exploring subjectivity in everyday living. *Theory Psychol.* **2018**, *29*, 46–65. [\[CrossRef\]](#)
108. Arestedt, L.; Benzein, B.; Persson, C.; Rångard, M. A shared respite—The meaning of place for family well-being in families living with chronic illness. *Int. J. Qual. Stud. Health Well-Being* **2016**, *11*, 30308. [\[CrossRef\]](#)
109. Noyek, S.; Davies, T.; Batorowicz, B.; Delarosa, E.; Fayed, N. The “Recreated Experiences” Approach: Exploring the Experiences of Persons Previously Excluded in Res. *Int. J. Qual. Methods* **2022**, *21*, 1–17. [\[CrossRef\]](#)
110. Creighton, G.; Oliffe, J.L.; Ferlatte, O.; Bottorff, J.; Broom, A.; Jenkins, E.K. Photovoice ethics: Critical reflections from men's mental health research. *Qual. Health Res.* **2018**, *28*, 446–455. [\[CrossRef\]](#)
111. Egaña, D.; Barría, S. La familia como categoría difusa en la atención primaria del sistema de salud chileno, *Rev. Cuba. De Med. Gen. Integral* **2015**, *11*, 1–15.

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.