

Correction

Correction: Ittipong et al. Soil Moisture and Growth Rates During Peak Yield Accumulation of Cassava Genotypes for Drought and Full Irrigation Conditions. *Environments* 2025, 12, 420

Passamon Ittipong ¹, Supranee Santanoo ², Nimitr Vorasoot ¹, Sanun Jogloy ^{1,3}, Kochaphan Vongcharoen ⁴, Piyada Theerakulpisut ², Tracy Lawson ⁵ and Poramate Banterng ^{1,3,*}

¹ Department of Agronomy, Faculty of Agriculture, Khon Kaen University, Khon Kaen 40002, Thailand; passamon.i@kkumail.com (P.I.); nimivo@kku.ac.th (N.V.); sanun@kku.ac.th or sjogloy@gmail.com (S.J.)

² Department of Biology, Faculty of Science, Khon Kaen University, Khon Kaen 40002, Thailand; suprsa@kku.ac.th (S.S.); piythe@kku.ac.th (P.T.)

³ Plant Breeding Research Center for Sustainable Agriculture, Faculty of Agriculture, Khon Kaen University, Khon Kaen 40002, Thailand

⁴ Faculty of Science and Health Technology, Kalasin University, Kalasin 46000, Thailand; kocha_9@hotmail.com

⁵ Department of Plant Biology, Institute for Genomic Biology, University of Illinois at Urbana-Champaign, Urbana, IL 61801, USA; tlawson3@illinois.edu

* Correspondence: bporam@kku.ac.th; Tel.: +66-43-009-700 (ext. 45305)

1. Error in Table

In the original publication [1], an error occurred in Table 5. The corrected version of Table 5 is provided below.



Received: 14 January 2026

Accepted: 27 January 2026

Published: 5 February 2026

Copyright: © 2026 by the authors.

Licensee MDPI, Basel, Switzerland.

This article is an open access article

distributed under the terms and

conditions of the [Creative Commons](#)

[Attribution \(CC BY\)](#) license.

Table 5. Total dry weight, storage root dry weight, starch yield, and harvest index at 360 days after planting (DAP) of six cassava genotypes under two water regimes in the 2022/2023 and 2023/2024 growing seasons.

Genotype (G)	Total Dry Weight (t ha ^{−1})						Storage Root Dry Weight (t ha ^{−1})						Starch Yield (t ha ^{−1})						Harvest Index				
	Irrigation		Drought		Reduction (%)		Irrigation		Drought		Reduction (%)		Irrigation		Drought		Reduction (%)		Irrigation		Drought		
2022/2023																							
Kasetsart 50	29.0	B	35.1	A	−21.6	B	16.1	BC	26.7	A	−66.9	D	18.17	B	19.97	B	−10.2	B	0.56	B	0.76	A	
Rayong 9	31.6	A	37.4	A	−18.3	B	17.5	B	22.8	B	−30.9	C	17.00	B	18.51	B	−9.5	B	0.55	B	0.62	B	
Rayong 72	23.3	C	30.0	B	−29.4	B	15.2	BC	22.1	B	−46.1	C	24.19	A	24.69	A	−2.3	B	0.65	A	0.74	A	
CMR38–125–77	30.9	AB	24.5	C	20.2	A	21.5	A	16.4	C	22.7	B	11.71	C	11.00	D	5.9	B	0.69	A	0.67	AB	
CMR35–91–63	30.9	AB	25.6	BC	17.2	A	14.9	C	4.2	D	71.6	A	16.94	B	3.93	E	76.8	A	0.48	C	0.16	C	
CM523–7	19.1	D	26.2	BC	−38.9	B	11.7	D	15.1	C	−29.9	C	7.98	D	13.92	C	−74.6	C	0.58	B	0.58	B	
<i>F</i> -test (G)	**		**		**		**		**		**		**		**		**		**		**		
Water regime (W)	27.5	b	29.8	a	−11.8		16.2	b	17.9	a	−13.2		16.00		15.34		−2.3		0.59		0.59		
<i>F</i> -test (W)	**						**						ns						ns				
2023/2024																							
Kasetsart 50	34.9	B	25.1	E	27.9	AB	19.2	C	11.7	C	39.3	A	13.65	A	11.40	BC	15.0	A	0.55	BC	0.36	E	
Rayong 9	47.1	A	40.8	A	13.5	B	30.1	A	24.9	A	16.9	AB	15.10	A	13.97	A	7.4	A	0.64	A	0.58	B	
Rayong 72	34.8	B	29.8	CD	14.3	B	6.5	E	19.2	B	−95.9	C	7.19	C	13.72	AB	−91.4	C	0.60	AB	0.53	C	
CMR38–125–77	32.4	B	35.6	B	−10.9	C	21.2	C	25.6	A	−22.9	AB	10.70	B	13.13	AB	−24.8	B	0.66	A	0.66	A	
CMR35–91–63	24.3	C	27.4	DE	−14.2	C	11.2	D	16.7	B	−49.2	B	7.60	C	10.12	C	−35.0	B	0.50	C	0.48	D	
CM523–7	49.7	A	30.8	C	38.0	A	25.8	B	16.7	B	35.3	A	5.10	D	4.75	D	6.9	A	0.52	BC	0.54	BC	
<i>F</i> -test (G)	**		**		**		**		**		**		**		**		**		**		**		
Water regime (W)	37.2	a	31.6	b	11.4		19.1		19.0		−12.8		9.89	B	11.18	A	−20.3		0.58	a	0.53	b	
<i>F</i> -test (W)	**						ns						ns						*				

Note. Reduction (%) = (dry weight for irrigation − dry weight for drought) × 100/dry weight for irrigation; different letters in the same column (uppercase) and the same row (lowercase) represent significant differences (least significant difference test at $p \leq 0.05$). ns, *, ** = non-significant, significant at $p \leq 0.05$, and significant at $p \leq 0.01$, respectively.

2. Error in Figure

In the original publication, an error occurred in Figures 4 and 5. The corrected versions of Figures 4 and 5 are provided below.




Figure 4. A correlation matrix of growth rates (RGR = relative growth rate, LGR = leaf growth rate, SRGR = storage root growth rate, CGR = crop growth rate, and SGR = stem growth rate) and final yield (total dry weight, storage root dry weight, starch yield, and harvest index) at 360 days after planting (DAP) of six cassava genotypes grown under irrigation treatment across the 2022/2023 and 2023/2024 growing seasons ($n = 48$).




Figure 5. A correlation matrix of growth rates (SRGR = storage root growth rate, LGR = leaf growth rate, SGR = stem growth rate, CGR = crop growth rate, and RGR = relative growth rate) and final yield (total dry weight, storage root dry weight, starch yield, and harvest index) at 360 days after planting (DAP) of six cassava genotypes grown under drought treatment across the 2022/2023 and 2023/2024 growing seasons ($n = 48$).

3. Text Correction

There were some errors in the original publication.

1. In the Abstract, the phrase “and starch yield” should be deleted and please replace the phrase “with SRGR and starch yield reduced by 26.4% and 9.5%, respectively” with “with SRGR and starch yield reduced by 16.9% and 7.4%.”
2. In the Materials and Methods (Section 2.2., Equation (6)), please replace the word “storage root dry weight” with “storage root fresh weight”.
3. In the Results (Section 3.4., paragraph 1), please replace the word “four metrics” with “three metrics”, replace the phrase “four crop characteristics” with “three crop characteristics”. The phrase “, and starch yield (5.28 t ha⁻¹; $p \leq 0.01$)”, “, and starch yield (6.00 t ha⁻¹; $p \leq 0.01$)”, “, and starch yield ($p \leq 0.05$)”, “, and starch yield (3.87 t ha⁻¹)” should be deleted.
4. In the Results (Section 3.4., paragraph 2) and Conclusions, please replace the value “6.66 t ha⁻¹” with “13.13 t ha⁻¹”.

5. In the Results (Section 3.5., paragraph 1), please replace the phrase “a negative correlation was observed between starch yield and LGR during 270–360 DAP ($r = -0.50$, $p \leq 0.01$).” with “a negative correlation was observed between starch yield and LGR during 270–360 DAP ($r = -0.66$, $p \leq 0.01$)”.
6. In the Discussion (paragraph 1), the phrase “, and starch yield” should be deleted.
7. In the Discussion (paragraph 3), the phrase “and starch yield” should be deleted.
8. In the Discussion (paragraph 4), please replace the phrase “Despite yield reductions of –47.2% (storage root dry weight) and –25.9% (starch yield) in 2022/2023, and –73.6% for both traits in 2023/2024” with “Despite yield reductions of –46.1% (storage root dry weight) and –2.3% (starch yield) in 2022/2023, and reductions of –95.9% and –91.4% for storage root dry weight and starch yield, respectively, in 2023/2024”. The phrase “or starch yield,” should be deleted.
9. In the Conclusions, the phrase “, and 6.00 t ha^{–1} for starch yield”, “and starch yield” should be deleted and please replace the phrase “starch yield (6.85 and 5.95 t ha^{–1}, respectively)” with “starch yield (15.10 and 13.97 t ha^{–1}, respectively)”.

Reference

1. Ittipong, P.; Santanoo, S.; Vorasoot, N.; Jogloy, S.; Vongcharoen, K.; Theerakulpisut, P.; Lawson, T.; Banterng, P. Soil Moisture and Growth Rates During Peak Yield Accumulation of Cassava Genotypes for Drought and Full Irrigation Conditions. *Environments* **2025**, *12*, 420. [[CrossRef](#)]

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.