

Synthesis of Novel Potent Biological Active *N*-Benzylisatin-Aryl Hydrazones in Comparison with Lung Cancer Drug ‘Gefitinib’

Huda S. Al-Salem^{*,1}, Hatem A. Abuelizz¹, Iman S. Issa¹, Amany Z. Mahmoud², Ali Alhoshani³, Md Arifuzzaman⁴, A. F. M. Motiur Rahman^{*,1}

¹Department of Pharmaceutical Chemistry, College of Pharmacy, King Saud University, Riyadh, KSA

²Departments of Pharmaceutics, College of Pharmacy, King Saud University, Riyadh, KSA


³Departments of Pharmacology and Toxicology, College of Pharmacy, King Saud University, Riyadh, KSA

⁴College of Pharmacy, Yeungnam University, Gyeongsan 38541, South Korea


*Correspondence authors, Tel: +966112952740; Fax: +966112952740; Email: hhalsalem@ksu.edu.sa; hudass10@gmail.com (H. S. Al-Salem); Tel: +966114670237; Fax: +966114676220; Email: afmrahman@ksu.edu.sa (A. F. M. M. Rahman).

Entry	Content	Page no.
1	¹³ CNMR spectrum of 6a	3
2	¹³ CNMR spectrum of 6b	4
3	¹³ CNMR spectrum of 6c	5
4	¹³ CNMR spectrum of 6d	6
5	¹³ CNMR spectrum of 6e	7
6	¹³ CNMR spectrum of 6f	8
7	¹³ CNMR spectrum of 6g	9
8	¹³ CNMR spectrum of 6h	10
9	¹³ CNMR spectrum of 6i	11
10	¹³ CNMR spectrum of 6j	12


¹³CNMR Spectrum of 6a




^{13}C NMR Spectrum of **6b**




¹³CNMR Spectrum of 6c




¹³CNMR Spectrum of 6d




^{13}C NMR Spectrum of **6e**




¹³CNMR Spectrum of 6f




¹³CNMR Spectrum of 6g



^{13}C NMR Spectrum of 6h



^{13}C NMR Spectrum of **6i**



¹³CNMR Spectrum of **6j**

