## Supplementary materials for

## Zinc Oxide Nanorod Surface-Enhanced Raman Scattering Substrates Without and With Gold Nanoparticles Fabricated Through Pulsed-Laser-Induced Photolysis

Chia-Man Chou<sup>1, 2</sup>, Le Tran Thanh Thi<sup>3, 4</sup>, Nguyen Thi Quynh Nhu<sup>3, 4</sup>, Su-Yu Liao<sup>5</sup>, Yu-Chih Fu<sup>3</sup>, Le Vu Tuan Hung<sup>4,\*</sup>, Vincent K. S. Hsiao<sup>3,\*</sup>

- <sup>1</sup> Division of Pediatric Surgery, Department of Surgery, Taichung Veterans General Hospital, Taichung 40705, Taiwan. cmchou@mail.vghtc.gov.tw;
- <sup>2</sup> Department of Medicine, National Yang-Ming University, Taipei 112, Taiwan.
- <sup>3</sup> Department of Applied Materials and Optoelectronic Engineering, National Chi Nan University, Nantou

54561, Taiwan. s108328503@mail1.ncnu.edu.tw (L.T.T.T); s108328502@mail1.ncnu.edu.tw (N.T.Q.N.); s106328030@mail1.ncnu.edu.tw (Y.-C.F); kshsiao@ncnu.edu.tw (V.K.S.H)

- <sup>4</sup> Department of Applied Physics, Faculty of Physics and Engineering Physics, University of Science, Ho Chiç
- Minh City, Vietnam. lvthung@hcmus.edu.vn;
- <sup>5</sup> Department of Electrical Engineering, National Chi Nan University, Nantou 54561, Taiwan. suyu@ncnu.edu.tw

Correspondence: Le Vu Tuan Hung lvthung@hcmus.edu.vn; Vincent K. S. Hsiao kshsiao@ncnu.edu.tw



Figure S1. Raman signal of R6G of (a)  $10^{-4}$  M and (b)  $10^{-4}$  M using ZnO NR-coated glass as the SERS substrate, in which ZnO NRs were fabricated using seed layers annealed at different temperatures.



Figure S2. Raman signal of R6G at different concentrations using Au-decorated ZnO NRs as the SERS substrate where the ZnO NRs was fabricated by the annealed seed layer.