

Facile Preparation of Biocompatible and Transparent Silica Aerogels as Ionogels Using Choline Dihydrogen Phosphate Ionic Liquid

Seeni Meera Kamal Mohamed ^{1,2}, Rajavelu Murali Sankar ¹, Manikantan Syamala Kiran ³, Sellamuthu N Jaisankar ¹, Barbara Milow ^{2,*} and Asit Baran Mandal ^{1,4,5*}

¹ Polymer Science & Technology Division, Council of Scientific & Industrial Research (CSIR) - Central Leather Research Institute (CLRI), Adyar, Chennai 600020, Tamil Nadu, India; seenimeera.kamalmohamed@dlr.de (S.M.K.M.); muralicri@gmail.com (R.M.S.); snjai@hotmail.com (S.N.J.).

² Department of Aerogels and Aerogel Composites, Institute of Materials Research, German Aerospace Center (DLR), Linder Hoehe, 51147 Cologne, Germany.

³ Biological Materials Laboratory, Council of Scientific & Industrial Research (CSIR) - Central Leather Research Institute (CLRI), Adyar, Chennai 600020, Tamil Nadu, India; kiran@clri.res.in (M.S.K.)

⁴ Inorganic & Physical Chemistry Laboratory, Council of Scientific & Industrial Research (CSIR) - Central Leather Research Institute (CLRI), Adyar, Chennai 600020, Tamil Nadu, India.

⁵ Council of Scientific & Industrial Research (CSIR) - Central Glass and Ceramic Research Institute (CGCRI), 196 Raja S.C. Mullick Road, Jadavpur, Kolkata 700032, India.

* Correspondence: barbara.milow@dlr.de (B.M.); abmandal@hotmail.com; abmandal@cgcri.res.in (A.B.M.);
Tel.: +49-2203-601-3537 (B.M.); +91-33-2322-3402 or +91-33-2473-5829 or +91-33-2483-9241 (A.B.M.);
Fax: +91-33-2473-0957 or +91-33-2483-9241 (A.B.M.)




Figure S1. FT-IR spectra for silica ionogels: (a) wet gels, and (b) freeze dried gels.




Figure S2. TGA traces of wet silica gels under N₂ atmosphere.




Figure S3. ²⁹Si solid state NMR spectra of the prepared silica ionogels.




Figure S4. Particle size distribution plot for the prepared gels.




Figure S5. XRD patterns of dried silica ionogels prepared using IL.




Figure S6. SAXS patterns of prepared silica ionogels with various ionic liquid concentrations.




Figure S7. SAXS patterns of prepared silica ionogels with various ionic liquid concentrations.