

Supplementary Materials

Synthesis and preliminary screening of the biological activity of Sulindac sulfoximines derivatives.

Cosimo Cardelluccio¹, Valentino Laquintana², Rosa Maria Iacobazzi², Nunzio Denora², Antonio Scilimati², Maria Grazia Perrone², and Maria Annunziata M. Capozzi ^{3*}

Table of Contents.

| | |
|---|---|
| -H ¹ - NMR Spectrum of compound 1b..... | 2 |
| -C ¹³ -NMR Spectrum of compound 1b..... | 3 |
| -HRMS (ESI-TOF) spectrum 1b..... | 4 |
| -H ¹ - NMR Spectrum of compound 2b | 5 |
| -C ¹³ -NMR Spectrum of compound 2b..... | 6 |
| -HRMS (ESI-TOF) spectrum 2b..... | 7 |




Figure S1. ¹H-NMR (500 MHz, CDCl₃) spectrum of Methyl-(Z)-2-(5-fluoro-2-methyl-1-(4-(Smethylsulfonimidoyl)benzylidene)-1H-inden-3-yl)acetate (1b).




Figure S2. ¹³C-NMR (125 MHz, CDCl₃) spectrum of **Methyl-(Z)-2-(5-fluoro-2-methyl-1-(4-(Smethylsulfonimidoyl)benzylidene)-1H-inden-3-yl)acetate (1b)**.




Figure S3. HRMS (ESI-TOF) spectrum of **Methyl-(Z)-2-(5-fluoro-2-methyl-1-(4-(S-methylsulfonylmidoyl)benzylidene)-1Hinden-3-yl)acetate(1b).**




Figure S4. ^1H -NMR (500 MHz, Acetone- d^6) spectrum of (*Z*)-2-(5-fluoro-2-methyl-1-(4-(S-methylsulfonimidoyl)benzylidene)1*H*-inden-3-yl)acetic acid (**2b**).




Figure S5. ¹³C-NMR (125 MHz, DMSO-d⁶) spectrum of (**2**)-2-(5-fluoro-2-methyl-1-(4-(S-methylsulfonimidoyl)benzylidene)1H-inden-3-yl)acetic acid (**2b**).




Figure S6. HRMS (ESI-TOF) spectrum of (*Z*)-2-(5-fluoro-2-methyl-1-(4-(S-methylsulfonimidoyl)benzylidene)-1*H*-inden-3yl)acetic acid (**2b**).