
Supplementary Materials

Circulating Cell-Free Mitochondrial DNA and Inflammation in Older Adults with Pancreatic Cancer: Results from an Exploratory Study

Giulia Girolimetti ¹, Flora Guerra ^{2,*}, Leonardo Henry Umberto Eusebi ^{3,4}, Claudio Ricci ^{3,5}, Emanuele Marzetti ^{6,7}, Anna Picca ^{7,8,†} and Cecilia Bucci ^{1,*,†}

¹. Department of Experimental Medicine (DiMeS), University of Salento, Via Provinciale Lecce-Monteroni 165, 73100 Lecce, Italy

². Department of Biological and Environmental Sciences and Technologies (DiSTeBA), University of Salento, Via Provinciale Lecce-Monteroni 165, 73100 Lecce, Italy

³. Department of Medical and Surgical Sciences (DIMEC), University of Bologna, Via Massarenti 9, 40138 Bologna, Italy

⁴. Gastroenterology Unit, IRCCS Azienda Ospedaliero-Universitaria Di Bologna, Via Massarenti 9, 40138 Bologna, Italy

⁵. Pancreatic Surgery Unit, IRCCS Azienda Ospedaliero-Universitaria Di Bologna, Via Massarenti 9, 40138 Bologna, Italy


⁶. Department of Geriatrics, Orthopedics and Rheumatology, Università Cattolica del Sacro Cuore, Largo F. Vito 1, 00168 Rome, Italy

⁷. Fondazione Policlinico Universitario “A. Gemelli” IRCCS, L.go A. Gemelli 8, 00168 Rome, Italy


⁸. Department of Medicine and Surgery, LUM University, Str. Statale 100 Km 18, 70010 Casamassima, Italy

* Correspondence: flora.guerra@unisalento.it (F.G.); cecilia.bucci@unisalento.it (C.B.)

† These authors contributed equally to this work.



Supplementary Figure S1. Inflammatory markers with no significant differences between individuals with cell-free mitochondrial DNA (ccf-mtDNA) levels below or above the median value in the cohort of patients with pancreatic cancer. Abbreviations: FGF-b, fibroblast growth factor basic; G-CSF, granulocyte colony-stimulating factor; IFN, interferon; IL, interleukin; IP, interferon-induced protein; MIP, macrophage inflammatory protein; RANTES, regulated upon activation, normal T cell expressed and secreted; TNF, tumor necrosis factor.



Supplementary Figure S2. Scatter plots of Spearman's correlation analysis between circulating levels of mitochondrial DNA and inflammatory markers.

Abbreviations: FGF, fibroblast growth factor; G-CSF, granulocyte colony-stimulating factor; IFN- γ , interferon γ ; IL, interleukin; IL-1ra, interleukin 1 receptor antagonist; IP-10, interferon-induced protein 10; MCP-1, monocyte chemoattractant protein 1; MIP, macrophage inflammatory protein; mtDNA, mitochondrial DNA; RANTES, regulated upon activation, normal T cell expressed and secreted; TNF- α , tumor necrosis factor- α .