

1 Letter

2 Enhanced Photocatalytic Efficiency of TiO₂

3 Membrane Decorated with Ag and Au Nanoparticles


4 Yining Gao ¹, Wenqin Zhang ^{1,*}, Fazhou Wang ¹ and Peng Liu ²

5 1 State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan
 6 430070, China; gyn@whut.edu.cn

7 2 School of Chemistry, Chemical Engineering and Life Science, Wuhan University of Technology, Wuhan
 8 430070, China; chemliup@whut.edu.cn

9 3 State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan
 10 430070, China; fzhwang@whut.edu.cn


11 * Correspondence: wqzhang@whut.edu.cn



12
 13 **Figure S1.** UV-Vis diffuse reflectance spectroscopy of S₀, S_{Ag-UV}, S_{Ag-HY}, S_{Au-}
 14 S_{Au-HY} and P25 TiO₂.

15 **Table S2.** Degradation rate constant of Rhodamine B .


Name.	k	R-squared	Standard error
P25 TiO ₂	0.00113	0.95994	5.73723×10^{-5}
S ₀	0.00661	0.99421	1.18416×10^{-4}
S _{Au-HY}	0.01505	0.95888	7.1819×10^{-4}
S _{Au-UV}	0.02025	0.92085	0.00135
S _{Ag- HY}	0.06191	0.99249	0.00205
S _{Ag-UV}	0.07842	0.9929	0.00279



16

17


Figure S3. Recycling test of the S_{Ag-UV} during the degradation of RhB under visible light irradiation.



18

19

Figure S4. *E. coli* inactivation with S_{Ag} treatment.



20

21 **Figure S5.** The evolution of Au or Ag NPs' particle size after the photocatalytic process. The particle
22 size of Ag and Au NPs increased from
23 $2.3 \pm 0.1 \text{ nm}$ – $13 \pm 0.3 \text{ nm}$ and from $2.4 \pm 0.1 \text{ nm}$ – $17 \pm 0.4 \text{ nm}$, respectively.

24 © 2018 by the authors. Submitted for possible open access publication under the
terms and conditions of the Creative Commons Attribution (CC BY) license
(<http://creativecommons.org/licenses/by/4.0/>).

