

Article

Parametrical Non-Complex Tests to Evaluate Partial Decentralized Linear-Output Feedback Control Stabilization Conditions from Their Centralized Stabilization Counterparts

Manuel De la Sen ^{1,*} and Asier Ibeas ²

- ¹ Institute of Research and Development of Processes IIDP, University of the Basque Country, Campus of Leioa, Leioa (Bizkaia) 48940, Spain; manuel.delasen@ehu.eus
- ² Department of Telecommunications and Systems Engineering, Universitat Autònoma de Barcelona UAB, 08193-Barcelona, Spain; Asier.Ibeas@uab.cat
- * Correspondence: manuel.delasen@ehu.eus

Received: 18 March 2019; Accepted: 22 April 2019; Published: 26 April 2019

Abstract. This paper formulates sufficiency-type linear-output feedback decentralized closed-loop stabilization conditions if the continuous-time linear dynamic system can be stabilized under linear output-feedback centralized stabilization. The provided tests are simple to evaluate, while they are based on the quantification of the sufficiently smallness of the parametrical error norms between the control, output, interconnection and open-loop system dynamics matrices and the corresponding control gains in the decentralized case related to the centralized counterpart. The tolerance amounts of the various parametrical matrix errors are described by the maximum allowed tolerance upper-bound of a small positive real parameter that upper-bounds the various parametrical error norms. Such a tolerance is quantified by considering the first or second powers of such a small parameter. The results are seen to be directly extendable to quantify the allowed parametrical errors that guarantee the closed-loop linear output-feedback stabilization of a current system related to its nominal counterpart. Furthermore, several simulated examples are also discussed.

Keywords: Output-feedback; centralized control; decentralized control; closed-loop stabilization

1. Introduction

Control systems are very important in real world applications and, therefore, they have been investigated exhaustively concerning their properties of stability, stabilization, controllability control strategies etc.. See, for instance, [1–4] and references therein. Some extra constraints inherent to some systems, like solution positivity in the case of biological systems or human migrations or the needed behavior robustness against parametrical changes of disturbance actions add additional complexity to the related investigations and need the use of additional mathematical or engineering tools for the research development, [5–7]. A large variety of modeling and design tools have to be invoked and developed in the analysis depending on the concrete systems under study and their potential applications as, for instance, the presence of internal and external delays, discretization, dynamics modeling based on fractional calculus, the existence of complex systems with interconnected subsystems, [8–13], hybrid coupled continuous/digital tandems, nonlinear systems and optimization and estimation techniques [14–19] as well as robotic and fuzzy-logic based systems, [20,21]. In particular, decentralized control is a useful tool for controlling dynamic systems by cutting some links between the dynamics coupling a set of subsystems integrated in the whole system at hand. It is claimed to keep the main properties related to the use of centralized control such as stability,

controllability, observability, etc. In summary, a centralized controller keeps all the information on the system and coupling links as available to the control designer while decentralized control ignores some of such information or even cuts on occasions some of coupling signals between the various subsystems integrated in the whole system at hand. It can be pointed out that the stability studies are often performed trough Lyapunov theory which requires to find a Lyapunov function (see [20,21] and some references therein). It turns out that, if the neglected couplings are strong and are not taken into account by the controller, the stabilization and other properties such as the controllability can become lost. The use of decentralized stabilization and control tools is of interest when the whole system has physically separated subsystems that require the implementation of local control actuators but the control has to be global for the whole system. An ad-hoc example provided in [2,3,4,19] where decentralized control is of a great design interest is the case of several coupled cascade hydroelectric power plants allocated in the same river but separated far away from each other. It has to be pointed out that the term "decentralized control" versus "centralized control" refers to the eventual cut of links of the shared information between tandems of integrated subsystems, or coupling signals between them, to be controlled rather than to the physical disposal of the controller. In other words, if the whole controller keeps and uses all the information on measurable outputs and control components design to implement the control law, such a control is considered to have a centralized nature even if its various sub-control stations are not jointly allocated. It is a common designer's basic idea in mind for complex control designs to try to minimize the modeling designs and computational loads without significantly losing the system's performance and its essential properties. For instance, in [8], the dynamic characteristic of a discrete-time system is given as an extended state space description in which state variables and output tracking error are integrated while they are regulated independently. The proposed robust model predictive control is much simpler than the traditional versions since the information of the upper and lower bounds of the timevarying delay are used for design purposes. On the other hand, in [9], a control law might be synthesized for a hydropower plant with six generation units working in an alternation scheme. To assess the behavior of the controlled system, a model of such a nonlinear plant is controlled by a fractional proportional/integral/derivative control device through a linearization of its set points, the fractional part being relevant in the approach on the controller derivative actions. In addition, a set of applied complex control problems are studied, for instance, in [10–16] with the aim of giving different ad hoc simplification tools to deal with the appropriate control methodologies. In particular, a decentralized control approach is proposed in [16].

In this paper, the decentralized control design versus its decentralized control counterpart, under eventual output linear feedback, are studied from the point of view of the amount of information that can be lost or omitted in terms of the total or partial knowledge of the coupled dynamics between subsystems necessary in the decentralized case to keep the closed-loop stability. The study is made by using the information on the worst-case deviation, in terms of norms, between the respective matrices of open-loop dynamics and the respective controller gains under which the closed-loop stability is kept. This paper is organized as follows. The problem statement is given in Section 2 while the main stabilization results of the paper are provided in Section 3. The proofs of some of the results of Section 3, which are technically involved, but conceptually simple, are distributed in various technical auxiliary that are given in Appendixes A and B. It is claimed to give a non-complex method to test the feasibility of the implementation of decentralized control and conditions for its design, which be a fast and simpler stability test compared to Lyapunov stability theory [20,21], for instance, under a partial removal of information or physical cuts of links of coupling dynamics between the various subsystems or state, control and output components. Section 4 discusses several examples and, finally, the concluding remarks end the paper.

1.1. Notation

$$\overline{n} = \{1, 2, \cdots, n\},\$$

$$R_{+} = \{z \in R : z > 0\}; R_{0+} = \{z \in R : z \ge 0\},\$$

sp(A) and det(A) are the spectrum and determinant of $A \in \mathbb{R}^{n \times n}$, respectively. For $A \in \mathbb{R}^{q \times \ell}$, being in general rectangular, ||A|| denotes any unspecified norm of A, $||A||_2$ denotes the ℓ_2 or spectral norm of a matrix A, $\rho(A)$ denotes its spectral radius, and $||\cdot||_{\infty}$ denotes the H_{∞} -norm of a stable real rational transfer matrix or function, I_q denotes the q th identity matrix, and $\mathbf{i} = \sqrt{-1}$ is the complex imaginary unit.

Let $A \in \mathbb{R}^{n \times n}$ be symmetric. Then, $\lambda_{max}(A)$ and $\lambda_{min}(A)$ are, respectively, the maximum and minimum eigenvalues of A.

 $M_E^{n \times n}$ is the set of Metzler matrices (any off-diagonal entry is non-negative) of *n* th order.

 $Z^{n \times n}$ is the set of Z -matrices (any off-diagonal entry is non-positive) of n th order.

 $M^{P < n}$ is the set of M-matrices (Z-matrices which are stable or critically stable) of n th order. Assume that $A = (A_{ij}), B = (B_{ij}) \in \mathbb{R}^{n \times n}$. Then, the notations $A \succeq B$, $A \succ B$ and $A \succ \succ B$, are, respectively, equivalent to $B \preceq A$, $B \prec A$ and $B \prec \prec A$, meaning that $A_{ij} \ge B_{ij}$, $A_{ij} \ge B_{ij}$ (and $B \neq A$) and $A_{ij} > B_{ij}$; $\forall i, j \in \overline{n}$, respectively. In particular, $A \succeq 0$, $A \succ 0$ and $A \rightarrowtail \succ 0$ are reworded as A is non-negative, positive and strictly positive, respectively, and $A \preceq 0$, $A \prec 0$ and $A \prec < 0$ are reworded as A is non-positive, negative and strictly negative, respectively.

2. Problem Statement

Consider the following linear and time-invariant system under linear output-feedback centralized control:

$$\dot{x}_{c}(t) = A_{c}x_{c}(t) + B_{c}u_{c}(t); \quad x_{c}(0) = x_{c0}$$
⁽¹⁾

$$y_c(t) = C_c x_c(t) + D_c u_c(t)$$
⁽²⁾

$$u_c(t) = K_c y_c(t) \tag{3}$$

where $x_c(t) \in \mathbb{R}^n$ is the state vector; $u_c(t) \in \mathbb{R}^m$ is the centralized control vector; $y_c(t) \in \mathbb{R}^p$ is the output; A_c , B_c , C_c and D_c are the system, control, output and input–output interconnection matrices, respectively, of orders being compatible with the dimensions of the above vectors; and $K_c \in \mathbb{R}^{m \times p}$ is the control matrix. If the system runs in a decentralized control context, we have:

$$\dot{x}_d(t) = A_d x_d(t) + B_d u_d(t) \; ; \; x_d(0) = x_{d0} \tag{4}$$

$$y_d(t) = C_d x_d(t) + D_d u_d(t)$$
⁽⁵⁾

$$u_d(t) = K_d y_d(t) \tag{6}$$

where $x_d(t) \in \mathbf{R}^n$ is the state vector; $u_d(t) \in \mathbf{R}^m$ is the centralized control vector; $y_d(t) \in \mathbf{R}^p$ is the output; A_d , B_d , C_d and D_d are the system, control, output and input–output interconnection matrices, respectively, of orders being compatible with the dimensions of the above vectors; and

 $K_d \in \mathbf{R}^{m \times p}$ is the control matrix.

Basically, the differences between centralized and decentralized controls are as follows:

- 1) In the centralized control, all control components, or more generally, all subsystems if subsystems are considered in the model, have a complete information on the output available for feedback. This means that all control components or block-control inputs are available for controlling each state component (or each individual substate including several state components in the case of a more generic decomposition structure). Basically, the matrix K_c has a complete non-diagonal or block non-diagonal structure. In the decentralized control, the various input components or block-control inputs are not available for controlling each state component. Thus, K_d does not have a complete free design structure of its non-diagonal part and in some cases (completely decentralized disposal) its diagonal or block diagonal.
- 2) In a more general context, some control or output links can be cut in the decentralized case for the sake of computational simplicity or a more economic control design. In our case, the decentralized input, output and interconnection matrices B_d , C_d and D_d can be distinct from the centralized ones and, roughly speaking, to a have a "more diagonal" or "sparser" structure than their centralized counterparts B_c , C_c and D_c . If the parameterization of the system (or dynamics) matrix is available to the designer, then some off-diagonal block matrices of A_c could be zeroed or simply re-disposed in a more sparse structure to construct A_d .
- 3) The only strictly necessary condition for the system to be subject to partially (or, respectively, fully) decentralized control is that some (or, respectively, all) of the off-diagonal entries of K_d are forced to be zero even if the system, control, output and interconnection matrices remain identical in Equations (4) and (5) with respect to Equations (1) and (2).

Assumption 1. The system in Equations (1) and (2) is linear output-feedback stabilizable via some centralized control law (Equation (3)).

Note that Assumption 1 does not hold if the open-loop system in Equations (1) and (2) has unstable or critically stable fixed modes that cannot be removed via linear feedback.

Proposition 1. If Assumption 1 holds, then there exists a centralized stabilizing controller gain $K_c \in \mathbf{R}^{m \times p}$ such that the matrices $(I_m - K_c D_c)$ and $(I_p - D_c K_c)$ are non-singular, thus the closed-loop centralized control system is solvable and given by:

$$\dot{x}_{c}(t) = \left(A_{c} + B_{c}\left(I_{m} - K_{c}D_{c}\right)^{-1}K_{c}C_{c}\right)x_{c}(t); \quad x_{c}(0) = x_{c0}$$
(7)

$$y_{c}(t) = (I_{p} - D_{c}K_{c})^{-1}C_{c}x_{c}(t)$$
(8)

and asymptotically stable for any given $x_{c0} \in \mathbf{R}^n$ under the generated control law:

$$u_{c}(t) = (I_{m} - K_{c}D_{c})^{-1}K_{c}C_{c}x_{c}(t)$$
(9)

that is, the polynomial $p(s) = det(sI_n - A_c - B_c(I_m - K_cD_c)^{-1}K_cC_c)$ is Hurwitz.

Proof: The replacement of Equation (3) into Equations (1) and (2) yields Equation (7)–(9). Since the (1) and (2) is linear output stabilizable, a stabilizing controller gain $K_c \in \mathbf{R}^{m \times p}$ has to exist such that (7)–(9) are solvable and the closed-loop dynamics is stable.

Assumption 2. The system in Equations (4) and (5) is linear output-feedback stabilizable via some decentralized control law (Equation (6)).

In the same way as Proposition 1, we get the following result:

Proposition 2. If Assumption 2 holds, then there exists a decentralized stabilizing controller gain $K_d \in \mathbf{R}^{m \times p}$ such that the matrices $(I_m - K_d D_d)$ and $(I_p - D_d K_d)$ are non-singular, thus the closed-loop decentralized control system is solvable and given by:

$$\dot{x}_d(t) = \left(A_d + B_d \left(I_m - K_d D_d\right)^{-1} K_d C_d\right) x_d(t); \ x_d(0) = x_{d0}$$
(10)

$$y_d(t) = (I_p - D_d K_d)^{-1} C_d x_d(t)$$
(11)

and asymptotically stable for any given $x_{d0} \in \mathbf{R}^n$ under the control law:

$$u_d(t) = (I_m - K_d D_d)^{-1} K_d C_d x_d(t)$$
(12)

that is, the polynomial $p(s) = det \left(sI_n - A_d - B_d \left(I_m - K_d D_d \right)^{-1} K_d C_d \right)$ is Hurwitz. \Box

Proposition 3. Assume that $A_d = A_c$, $B_d = B_c$, $C_d = C_c$ and $D_d = D_c$, and that the system in Equations (1) and (2) is not linear output-feedback stabilizable via some centralized control law (Equation (3)). Then, it is not stabilizable under any linear output-feedback decentralized control (Equation (6)) either.

Proof: Obviously, if there is no completely free-design matrix K_c that stabilizes Equations (1) and (2), then there is no K_d with at least a forced zero off-diagonal entry that stabilizes it since K_d has extra design constraints related to K_c .

It can be pointed out that decentralized control has also been proved to be useful in applications. For instance, an integral-based event-triggered asymptotic stabilization of a continuous-time linear system is studied in [17] by considering actuator saturation and observer-based output feedback are considered. In the proposed scheme, the sensors and actuators are implemented in a decentralized manner and a type of Zeno-free decentralized integral-based event condition is designed to guarantee the asymptotic stability of the closed-loop systems. On the other hand, two decentralized fuzzy logic-based control schemes with a high-penetration non-storage wind-diesel system are studied in [18] for small power system with high-penetration wind farms. In addition, several examples concerning decentralized control are described in [4] to illustrate the theoretical design analysis. A typical described case is that of tandems of electrical power system with a tandem disposal on the same river which are not physically nearly allocated. The next section discusses some simple sufficiency-type conditions which ensure that, provided that the system is stabilizable under linear output-feedback centralized control, it is also stabilizable under decentralized control in two cases: (a) the system matrix remains identical but the other parameterization matrices can eventually vary; and (b) the system matrix can vary as well in the decentralized case with respect to the centralized one. A result elated to the maintenance of the stability of a matrix under an additive matrix perturbation is summarized through a set of sufficiency-type conditions simple to test in Theorem A1. Theorem A2 proves sufficiency-type for the stability of the matrix function $A(t) = A_0 + \tilde{A}(t)$ with A_0 stable and $\tilde{A}(t)$ being time-varying. Appendix B includes calculations and auxiliary results to quantify the tolerance to cut some dynamics links between subsystems, state components or control centers or components while keeping the closed-loop stability of the whole coupled system. The results of Appendices A and B are used in the proofs of the main results in the next section.

3. Main Results

The first set of technical results which follow are concerned with centralized and decentralized control stabilizability.

Assertion 1. A necessary and sufficient condition for the system to be linear state-stabilizable via some centralized control law is that $rank[sI_n - A_c B_c] = n$ for all $Res \ge 0$.

Proof: Assume that $rank[sI_n - A_c B_c] = n_1 < n$ for some $Res \ge 0$. Then, there is some Laplace transform $[\hat{x}^T(s), \hat{u}^T(s)]^T = Lap[x^T(t), u^T(t)]^T \ne 0$ such that $[sI_n - A_c B_c][\hat{x}^T(s), \hat{u}^T(s)]^T = 0$ for some $Res \ge 0$ and $[sI_n - A_c B_c]\begin{bmatrix}I_n\\K_c\end{bmatrix}\hat{x}(s) = 0$ for any $K_c \in \mathbb{R}^{n \times n}$ and some $\hat{x}(s) \ne 0$ with $Res \ge 0$

since
$$\operatorname{rank}\left(\left[sI_n - A_c \ B_c\right] \begin{bmatrix} I_n \\ K_c \end{bmatrix}\right) \le \min\left(\operatorname{rank}\left[sI_n - A_c \ B_c\right], \operatorname{rank}\left[\begin{bmatrix} I_n \\ K_c \end{bmatrix}\right] \right) \le \min\left(n_1, n\right) \le n_1 < n \quad \text{for some}$$

Re $s \ge 0$. Therefore, the closed-loop system has some unstable or critically stable solution for any given (centralized) control gain. This proves the necessary part. Sufficiency follows since, if $rank[sI_n - A_c B_c] = n$, then $\hat{x}(s) = 0$ for all $Re \ s \ge 0$ and some $K_c \in \mathbb{R}^{n \times n}$ which can be found so that $min\left(rank[sI_n - A_c B_c], rank\begin{bmatrix}I_n\\ W\end{bmatrix}\right) = min(n, n) = n$.

that
$$\min\left(\operatorname{rank}\left[sI_n - A_c \ B_c\right], \operatorname{rank}\left[\frac{T_n}{K_c}\right]\right) = \min(n, n) = n$$
.
Assertion 1 is a particular adapted ad-hoc test for stabilizability of the celebrated Popov–Belevitch–

Hautus rank controllability test [6]. Note that, if there exist unstable or critically stable fixed modes (i.e., those present in the open-loop system that cannot be removed via feedback control), then neither centralized nor decentralized stabilizing control laws can be synthesized. Note that the stabilizability rank test of Assumption 1 can only be evaluated for the critically and unstable eigenvalues of A_c instead for all the open right-hand complex plane. In all the remaining points of such a plane, the test always gives a full rank of the tested matrix. The parallel controllability test should always be applied in the same matrix to any eigenvalues of A_c .

Assertion 2. A necessary condition for the system to be linear state-stabilizable via some partially or totally decentralized control is that it be stabilizable via centralized control (i.e., Assertion 1 holds). *Proof*: It is obvious from Assertion 1 since any gain K_d used for centralized or decentralized is sparser than a centralized gain counterpart so that the proof follows from Assertion 1.

Assertion 3. A necessary condition for the system to be linear output-stabilizable via some partially or totally decentralized control is that it be stabilizable via centralized control (i.e., that Assertion 1 holds).

Proof: it is obvious from Assertions 1 and 2 that, when replacing $K_c \rightarrow (I_m - K_c D_c)^{-1} K_c C_c$ and $K_d \rightarrow (I_m - K_d D_d)^{-1} K_d C_d$ (see Equations (9) and (12)), the second replacement happens under sparser parameterizations.

Now, consider the closed-loop system matrices from Equations (7) and (10) for the case $A = A_c = A_d$.

$$A_{cc} = A + B_c (I_m - K_c D_c)^{-1} K_c C_c ; A_{dc} = A + B_d (I_m - K_d D_d)^{-1} K_d C_d$$

with its parametrical error being:

$$\widetilde{A}_{dc} = A_{cc} - A_{dc} = B_c \left(I_m - K_c D_c \right)^{-1} K_c C_c - B_d \left(I_m - K_d D_d \right)^{-1} K_d C_d$$

A first main technical result follows:

Theorem 1. If Assumption 1 holds, assume also that $K_c \in \mathbb{R}^{m \times p}$ is a centralized linear output-feedback stabilizing controller gain such that the resulting closed-loop system matrix $A_{cc} \in \mathbb{R}^{n \times n}$ has a stability abscissa $(-\rho_{cc}) < 0$. Then, the following properties hold:

(i) $A_{dc} \in \mathbf{R}^{n \times n}$ is a closed-loop stability matrix under a linear output-feedback stabilizing controller

gain $K_d \in \mathbf{R}^{m \times p}$ if any of the subsequent sufficiency-type conditions holds:

1) The H_{∞} -norm of $(sI_n - A_{cc})^{-1} \widetilde{A}_{dc}$ satisfies $\|(sI_n - A_{cc})^{-1} \widetilde{A}_{dc}\|_{\infty} < 1$,

2)
$$\left\|\widetilde{A}_{dc}\right\|_{2} < 1/\sup_{\omega \in \mathbf{R}_{0+}} \left\| (i\omega I_{n} - A_{cc})^{-1} \right\|_{2}$$
.

Other alternative sufficiency-type conditions to Conditions 1 and 2 for the stability of A_{dc} are:

- 3) $\rho\left(A_{cc}^{-1}\widetilde{A}_{dc}\right) < 1$,
- 4) $\left\|A_{cc}^{-1}\widetilde{A}_{dc}\right\|_{2} < 1$,
- 5) $\left\|\widetilde{A}_{dc}\right\|_{2} < 1/\left\|A_{cc}^{-1}\right\|_{2}$, that is, $\lambda_{max}\left(\widetilde{A}_{dc}^{T}\widetilde{A}_{dc}\right) < \lambda_{min}\left(A_{cc}^{T}A_{cc}\right)$,

in the following particular cases:

a)
$$A_{cc} \prec 0$$
 and $A_{dc} \succ A_{cc}$; and
b) $A_{cc} = \left(A_{cc_{ij}}\right) \in M_E^{n \times n}$ and $\widetilde{A}_{dc} = \left(\widetilde{A}_{dc_{ij}}\right)$ fulfills $\widetilde{A}_{dc_{ij}} \leq A_{cc_{ij}}$; $\forall i, j \neq i \in \overline{n}$

(ii) Assume that Property (i) holds and that the number of inputs and outputs are identical, i.e. p = m, and decompose both the controller gain matrices as sums of their diagonal and off-diagonal parts leading to $K_c = K_{cd} + K_{cod}$ and $K_d = K_{dd} + K_{dod}$, thus $\tilde{K} = K_c - K_d = (K_{cd} - K_{dd}) + (K_{cod} - K_{dod})$.

Then, the system is stabilizable under partially decentralized control linear output-feedback control in the sense that Equations (4) and (5), is asymptotically stable under a control law (Equation (6)), if

 $K_d \in \mathbf{R}^{m \times p}$ is such that, if there is at least one non-diagonal zero entry in at least one of its rows in

the off-diagonal controller error matrix $\tilde{K}_{od} = K_{cod} - K_{dod}$. If $\tilde{K}_{od} = 0$, then the system is

stabilizable under decentralized control.

Proof: Property (i) is a direct translation of the results of Theorem A1 in Appendix A to the closed-loop system matrices. Property (ii) holds if Property (i) holds with an off-diagonal controller error matrix between the centralized a decentralized controller gain that has at least one non-diagonal zero at some row (or its identically zero) so that a feedback from some crossed output to some of the inputs is not provided to the control law for closed-loop stabilization the stabilization.

The following result follows for the time-varying case from Theorem 1 and Theorem A2:

Corollary 1. Assume that $A_{dc}(t)$ and then $\tilde{A}_{dc}(t)$ are everywhere piecewise-continuous timevarying. Then, Theorem 1 still holds if Condition 1 is replaced with $\frac{k_{cc}}{\rho_{cc}} \sup_{0 \le \tau < t} \left\| \tilde{A}_{dc}(\tau) \right\| < 1; \quad \forall t \in \mathbf{R}_{0+}$

with $k_{cc} \ge 1$ and $\rho_{cc} > 0$ being real constants such that $e^{-A_{cc}t} \le k_{cc}e^{-\rho_{cc}t}$; $\forall t \in \mathbf{R}_{0+}$. **Remark 1**. Theorem 1 (ii) has been stated for the case m = p. Note that the case m > p (i.e., there are more inputs than outputs) is irrelevant for the stabilization from the strict algebraic point of view since the (m - p) extra inputs would be redundant. In the case that $m \le p$, Theorem 1 (ii) might be directly generalized to a subsystem's decomposition philosophy if a number $q \le m$ of subsystems of inputs and outputs $(u_1^T, u_2^T, \dots, u_q^T)^T$ and $(y_1^T, y_2^T, \dots, y_q^T)^T$ with $u_i \in \mathbf{R}^{m_i}$, $y_i \in \mathbf{R}^{p_i}$; $\forall i \in \overline{n}$ with $p = \sum_{i=1}^{q} p_i$ and $m = \sum_{i=1}^{q} m_i$.

Remark 2. Theorem 1 can be easily generalized to cases when some dynamics transmission links between state, input or output components (or subsystems, in general) can be suppressed by manipulation. In more general cases, it is possible to extend Theorem 1 to combinations of the subsequent situations with the matrix decompositions having the same sense (in the various modified contexts) as that of Theorem 1 (ii):

• **Case 1**. Suppression of some transmission links between the coupled open-loop dynamics by examining the decompositions: $A_c = A_{cd} + A_{cod}$, $A_d = A_{dd} + A_{dod}$, and $\tilde{A} = A_c - A_d = (A_{cd} - A_{dd}) + (A_{cod} - A_{dod})$.

(*a*) If there is at least one non-diagonal zero entry in at least one of its rows in the off-diagonal controller error matrix $\tilde{A}_{od} = A_{cod} - A_{dod}$ which is not a corresponding zero in A_{cod} ; and (*b*) if there is at least one non-diagonal zero entry in at least one of its rows in the off-diagonal controller error matrix $\tilde{K}_{od} = K_{cod} - K_{dod}$, then the closed-loop system is stabilizable under a partial decentralized control even if some links of the dynamics between crossed components are cut if Theorem 1 (ii) holds. If only Condition a is addressed, then the system is stabilizable by centralized control when cutting certain transmission links between coupled dynamics in the open-loop system. This idea can be extended to total decentralized control for a purely diagonal open-loop system's dynamics under full zeroing of the off-diagonal corresponding error dynamics. It can be also generalized to the "ad hoc" decompositions between subsystems. Other cases with similar interpretations in the new contexts are:

- **Case 2**. Suppression of some crossed entries in the open-loop control matrix by examining the decompositions: $B_c = B_{cd} + B_{cod}$, $B_d = B_{dd} + B_{dod}$, and $\widetilde{B} = B_c B_d = (B_{cd} B_{dd}) + (B_{cod} B_{dod})$.
- **Case 3**. Suppression of some crossed entries in the open-loop output matrix by examining the decompositions: $C_c = C_{cd} + C_{cod}$, $C_d = C_{dd} + C_{dod}$, and $\widetilde{C} = C_c C_d = (C_{cd} C_{dd}) + (C_{cod} D_{dod})$.
- **Case 4**. Suppression of some crossed entries in the open-loop interconnection matrix by examining the decompositions: $D_c = D_{cd} + D_{cod}$, $D_d = D_{dd} + D_{dod}$, and $\widetilde{D} = D_c D_d = (D_{cd} D_{dd}) + (D_{cod} D_{dod})$.
- **Case 5**. Any combinations of Cases 1–4.

Problem 1: Find a stabilizing decentralized family of control gains by assuming that $A_d = A_c$, such that $\tilde{A} = A_c - A_d = 0$ and Assumption 1 holds with K_c being a stabilizing centralized controller gain.

The following more general result for the eventual case $\tilde{A} \neq 0$ (that is $A_c \neq A_d$ eventually), follows from Theorem 1, Theorem A1 and Theorem A2 and Lemmas B1, B2 and B3:

Theorem 2. Define the following error matrices between the centralized and decentralized system parameterizations:

$$\widetilde{A} = A_c - A_d \quad ; \quad \widetilde{B} = B_c - B_d \; ; \quad \widetilde{C} = C_c - C_d \; ; \quad \widetilde{D} = D_c - D_d \; ; \quad \widetilde{K} = K_c - K_d \tag{13}$$

such that $\|\widetilde{A}\| \leq \widetilde{\sigma}_A \varepsilon$, $\|\widetilde{B}\| \leq \widetilde{\sigma}_B \varepsilon$, $\|\widetilde{C}\| \leq \widetilde{\sigma}_c \varepsilon$, $\|\widetilde{D}\| \leq \widetilde{\sigma}_D \varepsilon$ and $\|\widetilde{K}\| \leq \widetilde{\sigma}_K \varepsilon$ for some $\varepsilon \in \mathbf{R}_{0+}$ and

given $\tilde{\sigma}_A$, $\tilde{\sigma}_B$, $\tilde{\sigma}_C$, $\tilde{\sigma}_D \in \mathbf{R}_+$. Assume that:

- 1) Assumption 1 holds;
- 2) $K_c \in \mathbb{R}^{m \times p}$ is a centralized linear output-feedback stabilizing controller gain such that the resulting closed-loop system matrix $A_{cc} \in \mathbb{R}^{n \times n}$ has a stability abscissa $(-\rho_{cc}) < 0$ and such that $||K_c D_c||_2 < 1$ (so that $(I_m K_c D_c)$ is non-singular);
- 3) $A_c = A_d = A$; and
- 4) Define $\overline{\varepsilon}^* = min(1, \overline{\varepsilon}, \overline{\varepsilon}_1, \overline{\varepsilon}_2)$, where:

$$\begin{split} \overline{\varepsilon} &= \frac{\sqrt{\left(\widetilde{\sigma}_D \left\|K_c\right\| + \widetilde{\sigma}_K \left\|D_c\right\|\right)^2 + 4\widetilde{\sigma}_D \widetilde{\sigma}_K \left/\left\|\left(I_m - K_c D_c\right)^{-1}\right\|} - \left(\widetilde{\sigma}_D \left\|K_c\right\| + \widetilde{\sigma}_K \left\|D_c\right\|\right)}{2\widetilde{\sigma}_D \widetilde{\sigma}_K}, \\ \overline{\varepsilon}_1 &= \frac{\left\|\left(I_m - K_c D_c\right)^{-1}\right\|}{2\left[\left\|K_c\right\| \widetilde{\sigma}_D + \varepsilon \widetilde{\sigma}_D \widetilde{\sigma}_K + \left\|D_c\right\| \widetilde{\sigma}_K\right]}; \ \overline{\varepsilon}_2 &= 1 / \left(\widetilde{a}_{dc} \sup_{\omega \in \mathbf{R}_{0+}} \left\|\left(i\omega I_n - A_{cc}\right)^{-1}\right\|_2\right), \end{split}$$

where

$$\widetilde{a}_{dc} = \left(1 - \left\|K_c D_c\right\|\right)^{-1} \times \left[\widetilde{\sigma}_B \left\|K_c C_c\right\| + \left(\left\|B_c\right\| + \left\|K_c C_c\right\|\right) \left(\left\|K_c\right\| \widetilde{\sigma}_C + \left\|C_c\right\| \widetilde{\sigma}_K + C\left[\left\|K_c\right\| \widetilde{\sigma}_D + \left\|D_c\right\| \widetilde{\sigma}_K\right]\right)\right],$$

where the non-negative real constant *C* is given in Equation (B11). Then, the following properties hold:

(i) If
$$\tilde{\sigma}_{A} = 0$$
 (that is, $A_{c} = A_{d}$), then A_{dc} is stable and $\varepsilon \in [0, \overline{\varepsilon}^{*}]$.
(ii) If $\|\tilde{A}\|_{2} \leq \tilde{\sigma}_{A}\varepsilon$, then A_{dc} is stable and $\varepsilon \in [0, \overline{\varepsilon'}^{*}]$ where $\overline{\varepsilon'}^{*} = min(1, \overline{\varepsilon}, \overline{\varepsilon}_{1}, \overline{\varepsilon'}_{2})$ and $\overline{\varepsilon'}_{2} = 1/((\tilde{a}_{dc} + \tilde{\sigma}_{A}) \sup_{\omega \in \mathbf{R}_{0+}} \|(i\omega I_{n} - A_{cc})^{-1}\|_{2})$.

(iii) If $\widetilde{A}(t)$ is piecewise continuous and bounded, then Property (ii) holds by replacing $\|\widetilde{A}\|_2 \leq \widetilde{\sigma}_A \varepsilon$ by $\sup_{0 \leq t < \infty} \|\widetilde{A}(t)\|_2 \leq \widetilde{\sigma}_A \varepsilon$.

Remark 3. Some quantified results are given in Lemmas B.2 and B.3 to modify $\overline{\epsilon}_2$ (and hence $\overline{\epsilon}_2$) in Theorem 2 by considering the second power of ϵ in the calculations of the disturbed parameterization guaranteeing the closed-loop stability in the decentralized case.

Remark 4. If the corresponding parametrical error matrices of Equation (13) have some zero offdiagonal entries (or off-diagonal block matrices in the more general case that the system is described by coupled subsystems), then we have at least a partial closed-loop stabilization under decentralized control or, eventually, cut coupled dynamic links to the light of the various Cases 1–5 described after Remark 2 such that closed-loop stability is preserved.

Remark 5. Theorem 2 also applies to the case of state-feedback control by replacing the output matrices C_c , $C_d \rightarrow I_n$ and fixing $\tilde{\sigma}_C = 0$.

Remark 6. Theorem 2 also applies directly to the cases where Equations (1)–(3) are a given nominal asymptotically stable closed-loop system configuration and Equations (4)–(6) are a perturbed one whose closed-loop asymptotic stability maintenance related to its nominal counterpart is a suited objective and which is not necessarily of partial of compete decentralized type.

4. Simulation Examples

This Section contains some numerical simulation examples to illustrate the theoretical results introduced in Section 3.

Example 1. Consider the interconnected linear system with less inputs than outputs given by, [19]:

$$\dot{x}_{1}(t) = A_{11}x_{1}(t) + A_{12}x_{2}(t) + B_{1}u_{1}(t)$$
$$\dot{x}_{2}(t) = A_{21}x_{1}(t) + A_{22}x_{2}(t) + B_{2}u_{2}(t)$$
$$y_{1}(t) = C_{1}x_{1}(t)$$
$$y_{2}(t) = C_{2}x_{2}(t)$$

with $x_1(t)^T = [x_{11}(t) \ x_{12}(t)], \ x_2(t)^T = [x_{21}(t) \ x_{22}(t)]$ and matrices defined by:

$$A_{11} = \begin{bmatrix} 1 & 0 \\ 0 & 2 \end{bmatrix}, A_{12} = A_{21} = \begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}, A_{22} = \begin{bmatrix} -1 & 0 \\ 0 & -2 \end{bmatrix}, B_1 = \begin{bmatrix} 1 \\ 2 \end{bmatrix}, B_2 = \begin{bmatrix} 2 \\ 1 \end{bmatrix}$$
$$C_1 = C_2 = I_2$$

This system can be cast into the form of Equations (1) and (2) by composing the matrices:

$$A_{c} = \begin{bmatrix} 1 & 0 & -1 & 0 \\ 0 & 2 & 0 & -1 \\ -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -2 \end{bmatrix}, \quad B_{c} = \begin{bmatrix} 1 & 0 \\ 2 & 0 \\ 0 & 2 \\ 0 & 1 \end{bmatrix}, \quad C_{c} = I_{4}, \quad D_{c} = 0$$

Note that matrix A_c is unstable with eigenvalues given by $\{2.36, .1.41, -1.41, -2.23\}$. A static feedback output controller of the form of Equation (3) can be designed for this system, which leads

to the following gain:

$$K_c = \begin{bmatrix} -9.3 & 8.2 & -0.015 & 0.02 \\ 0.01 & -0.01 & 0.375 & 0.25 \end{bmatrix}$$

that places the closed-loop poles at $\{-0.84, -1.1, -2.8, -3.3\}$ and thus stabilizes the closed-loop system. The static feedback gain K_c corresponds to a centralized controller as it can be readily observed. The question that arises now is whether a decentralized controller defined by:

$$K_d = \begin{bmatrix} -9.3 & 8.2 & 0 & 0 \\ 0 & 0 & 0.375 & 0.25 \end{bmatrix}$$

is enough to stabilize the system or not. Note that K_d is a block-diagonal matrix with zero off-blockdiagonal entries. Theorem 1 enables us to guarantee the asymptotic stability of the above system when the decentralized controller K_d is used. Therefore, $A_d = A_c$, $B_d = B_c$ and $C_d = C_c$ while

the feedback gain K_d is restricted to the proposed particular structure. In this way, consider now

 $A_{cc} = A_c + B_c K_c C_c$, $A_{dc} = A_c + B_c K_d C_c$ and $\widetilde{A}_{dc} = B_c (K_c - K_d) C_c$. Condition 2 of Theorem 1 (i)

yields:

$$0.055 = \left\| \widetilde{A}_{dc} \right\|_{2} < \frac{1}{\sup_{\omega \in R_{0+}} \left\| (i\omega I_{4} - A_{cc})^{-1} \right\|_{2}} = 0.07$$

Consequently, we can conclude from Theorem 1 that the closed-loop system controlled by the decentralized static output gain K_d is asymptotically stable. Thus, we have been able to easily analyze the stability of the decentralized case from the stability property of the centralized one. Figure 1 shows the trajectories of the closed-loop system when the gain K_d is deployed with initial conditions given by $x_1(t)^T = \begin{bmatrix} -3 & -4 \end{bmatrix}$, $x_2(t)^T = \begin{bmatrix} 5 & 6 \end{bmatrix}$. It can be observed in Figure 1 that all the states converge to zero as predicted by Theorem 1.



Figure 1. States evolution when the decentralized controller K_d is employed.

Example 2. Consider the linear system with the same number of inputs and outputs composed of two identical pendulums THAT are coupled by a spring and subject to two distinct inputs, as displayed in Figure 2, [19].



Figure 2. Two inverted pendulums coupled by a spring.

The mathematical model of such interconnected system is given by:

$$\dot{x}_{1}(t) = A_{11}x_{1}(t) + A_{12}x_{2}(t) + B_{1}u_{1}(t)$$

$$\dot{x}_{2}(t) = A_{21}x_{1}(t) + A_{22}x_{2}(t) + B_{2}u_{2}(t)$$

$$y_{1}(t) = C_{1}x_{1}(t)$$

$$y_{2}(t) = C_{2}x_{2}(t)$$

with $x_1(t)^T = \begin{bmatrix} \theta_1 & \dot{\theta}_1 \end{bmatrix}$, $x_2(t)^T = \begin{bmatrix} \theta_2 & \dot{\theta}_2 \end{bmatrix}$ and matrices defined by:

$$A_{11} = A_{22} = \begin{bmatrix} 0 & 1 \\ \frac{g}{l} - \frac{ka^2}{ml^2} & -\mu \end{bmatrix}, A_{12} = A_{21} = \begin{bmatrix} 0 & 0 \\ \frac{ka^2}{ml^2} & 0 \end{bmatrix}, B_1 = B_2 = \begin{bmatrix} 0 \\ \frac{1}{ml^2} \end{bmatrix}$$
$$C_1 = C_2 = \begin{bmatrix} 1 & 0 \end{bmatrix}$$

where *g* represents the gravity, μ accounts for the friction, $m = m_1 = m_2$ are the masses of both pendulums, *k* is the spring constant and the meanings of the geometrical parameters are shown in Figure 2. This linear model corresponds to the linearization of the pendulum nonlinear equations around the up-right position equilibrium point. The following values were used in simulation, [19]:

$$\frac{g}{l} = 1, \frac{1}{ml^2} = 1, \mu = 1, \frac{k}{m} = 2, \frac{a}{l} = 0.5$$

This system can be cast into the form of Equations (1) and (2) as:

$$A_{c} = \begin{bmatrix} 0 & 1 & 0 & 0 \\ 0.5 & -1 & 0.5 & 0 \\ 0 & 0 & 0 & 1 \\ 0.5 & 0 & 0.5 & -1 \end{bmatrix}, B_{c} = \begin{bmatrix} 0 & 0 \\ 1 & 0 \\ 0 & 0 \\ 0 & 1 \end{bmatrix}, C_{c} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix}, D_{c} = 0$$

A static output feedback controller can be designed for this system to achieve its asymptotic stability. In this way, the feedback gain

$$K_c = \begin{bmatrix} 2.92 & 0.65 \\ 0.64 & 2.80 \end{bmatrix}$$

places the closed-loop poles at $\{-0.5 \pm 1.5i, -0.5 \pm 1.4i\}$ with negative real parts. Now, we implement

a decentralized controller with feedback gain given by:

$$K_d = \begin{bmatrix} 2.92 & 0\\ 0 & 2.80 \end{bmatrix}$$

Theorem 2 is now used to analyze the stability of the closed-loop system when this controller is employed. This case is of practical importance and corresponds to the situation when the local controller has only available for control purposes the information regarding the local output, and not the output of the complete system. Thus, the centralized and decentralized systems are the same and only the static feedback gain changes. Theorem 2 conditions are applied with $\tilde{\sigma}_A = \tilde{\sigma}_B = \tilde{\sigma}_C = \tilde{\sigma}_D = 0$, $\tilde{\sigma}_K = ||K_c - K_d||_2 = 0.65$ while the stability condition for this special case (see Appendix B) reads:

$$0.65 = 0.65 \times 1 \times 1 = \|K_c - K_d\|_2 \|B_c\|_2 \|C_c\|_2 < 1$$

Accordingly, the closed-loop system attained with the decentralized controller is asymptotically stable and all the outputs will converge to zero asymptotically. Figure 3 displays the evolution of both angles from initial conditions $x_1(t)^T = \begin{bmatrix} 0.5 & -0.5 \end{bmatrix}$, $x_2(t)^T = \begin{bmatrix} 0.15 & 0.5 \end{bmatrix}$, where it can be observed that both pendulums are stabilized in the up-right position with the decentralized controller.



Figure 3. Evolution of the angles of both pendulums.

Example 3. Consider the linear interconnected system given by:

$$\dot{x}_c(t) = A_c x_c(t) + B_c u_c(t)$$
$$y_c(t) = C_c x_c(t) + D_c u_c(t)$$

with matrices defined by:

$$A_{c} = \begin{bmatrix} -1 & 0.4 & 0.3 \\ 0.2 & -2 & 0.1 \\ -0.1 & 0.2 & -3 \end{bmatrix}, B_{c} = \begin{bmatrix} 1 & 0.1 & 0 \\ 0 & 2 & 0 \\ 0 & 0 & 2 \end{bmatrix}, C_{c} = \begin{bmatrix} 1 & 0.1 & 0 \\ 0 & 1 & 0.1 \\ 0 & 0 & 1 \end{bmatrix}, D_{c} = 0.1I_{3}$$

This system is controlled by the static output feedback gain given by:

$$K_c = \begin{bmatrix} 0.19 & 0.05 & 0.04 \\ 0.05 & -0.01 & 0.03 \\ -0.02 & 0.02 & -0.46 \end{bmatrix}$$

which places the closed-loop poles at $\{-1.17, -2, -2.1\}$. The decentralized system is now given by:

$$A_d = A_c, B_d = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 2 & 0 \\ 0 & 0 & 2 \end{bmatrix}, C_d = I_3, D_d = 0$$

The decentralized system corresponds to the case when some transmission links have been suppressed from the original open-loop coupled dynamics, as considered in Remark 2. The following decentralized gain iz employed to stabilize the decentralized system in Equations (4)–(6) parameterized by the above matrices:

$$K_d = \begin{bmatrix} 0.19 & 0 & 0\\ 0 & -0.01 & 0\\ 0 & 0 & -0.46 \end{bmatrix}$$

Theorem 2 is used to analyze the stability of the decentralized closed-loop system. To this end, we calculate:

$$\begin{aligned} \left\|A_{c} - A_{d}\right\|_{2} &= \widetilde{\sigma}_{A} = 0 \end{aligned}$$
$$0.1 = \left\|B_{c} - B_{d}\right\|_{2} \leq \widetilde{\sigma}_{B}\varepsilon = 2.7 \times 0.07 = 0.19$$
$$0.1 = \left\|C_{c} - C_{d}\right\|_{2} \leq \widetilde{\sigma}_{C}\varepsilon = 2.7 \times 0.07 = 0.19$$

$$0.1 = \|D_c - D_d\|_2 \le \widetilde{\sigma}_D \varepsilon = 2.7 \times 0.07 = 0.19$$
$$0.07 = \|K_c - K_d\|_2 \le \widetilde{\sigma}_K \varepsilon = 2.7 \times 0.07 = 0.19$$

With these values, we can compute $\overline{\varepsilon} = 0.31, \overline{\varepsilon}_1 = 0.24, \overline{\varepsilon}_2 = 0.071$ so that $0.07 = \varepsilon < \overline{\varepsilon}^* = min(1, \overline{\varepsilon}, \overline{\varepsilon}_1, \overline{\varepsilon}_2) = 0.071$. Since $||K_c D_c||_2 = 0.05 < 1$, we are in conditions of applying Theorem 2 (*i*) and we can conclude that the decentralized closed-loop system is asymptotically stable. In this way, the presented results allow establishing the stability of the decentralized system by a simple method based on the stability and design of the centralized system. Figure 4 shows the state variables evolution from the initial state $x(t)^T = [5 - 5 1]$. As shown in Figure 4, the state variables converge to zero asymptotically, as concluded from Theorem 2.



Figure 4. Evolution of the state space variables when the decentralized controller K_d is used.

5. Concluding Remarks

This paper is devoted to formulating sufficiency-type linear-output feedback decentralized closed-loop stabilization conditions if the continuous-time linear dynamic system can be stabilized under linear output-feedback centralized stabilization. The developed stability tests are conceptually simple to evaluate and they rely on the quantification in terms of worst-case norms of interconnection and open-loop system dynamics matrices and the corresponding control gains in the decentralized case compared to the centralized counterpart. The tolerances of the various parametrical matrix errors have been quantified by considering the first or second powers of a small parameter. Such a parameter is a design factor to characterize in the worst-case for the allowed tolerances to the perturbed parameterization norms. Simulated examples are discussed to illustrate the obtained results. The decentralized control design versus its decentralized control counterpart, under eventual output linear feedback, has been studied from the point of view of the amount of information that can be lost or omitted in terms of the total or partial knowledge of the coupled dynamics between subsystems necessary in the decentralized case to keep the closed-loop stability. A foreseen related future work relies on the application of the method to some applied control problems such as consensus protocols under decentralized control and continuous-discrete hybrid controller designs.

Author Contributions: Author M.S. contributed to the manuscript in the aspects of conceptualization; methodology; formal analysis; investigation; writing original draft preparation; writing review and editing; supervision and fund acquisition. Author A.I. contributed to the manuscript in the various aspects of preparation of the numerical experiments; software implementation; visualization and original draft preparation.

Funding: This research was co-funded by the Spanish Government and the European Fund of Regional Development FEDER, grant numbers DPI2015-64766-R and DPI2016-77271-R (MINECO/FEDER, UE) and the University of the Basque Country UPV /EHU, grant PGC 17/33.

Acknowledgments The authors are grateful to the Spanish Government for grants DPI2015-64766-R and DPI2016-77271-R (MINECO/FEDER, UE), and to UPV /EHU for grant PGC 17/33. They also thank the referees for their useful comments.

Conflicts of Interest: The authors declare no conflict of interest.

Appendix A. Auxiliary stability results on perturbed matrices under constant and time-varying perturbations

of stability matrices

Theorem A1. Assume that $A_0 \in \mathbb{R}^{n \times n}$ is a stability matrix with stability $abscissa(-\rho_c) < 0$. Then, $A = A_0 + \widetilde{A}$ is a stability matrix if any of the subsequent sufficiency-type conditions holds:

1) The
$$H_{\infty}$$
-norm of $(sI_n - A_0)^{-1}\widetilde{A}$ satisfies $\|(sI_n - A_0)^{-1}\widetilde{A}\|_{\infty} < 1$,

2)
$$\left\|\widetilde{A}\right\|_{2} < 1/\sup_{\omega \in \mathbf{R}_{0+}} \left\| (i\omega I_{n} - A_{0})^{-1} \right\|_{2}$$

Other alternative sufficiency-type conditions to Conditions 1 and 2 for the stability of *A* are: $\rho(A_0^{-1}\widetilde{A}) < 1$

$$\begin{aligned} \|\widetilde{A}_{0}^{-1}\widetilde{A}\|_{2} < 1, \\ \|\widetilde{A}\|_{2} < 1/\|A_{0}^{-1}\|_{2}, \text{ that is , } \lambda_{max}(\widetilde{A}^{T}\widetilde{A}) < \lambda_{min}(A_{0}^{T}A_{0}), \end{aligned}$$

in the following particular cases:

a) $A_0 \prec 0$ and $A \prec -A_0$; and

b)
$$A_0 = \left(A_{0_{ij}}\right) \in M_E^{n \times n}$$
 and $\widetilde{A} = \left(\widetilde{A}_{ij}\right)$ fulfils $\widetilde{A}_{ij} \ge -A_{0_{ij}}$; $\forall i, j \neq i \in \overline{n}$.

Proof: Note that

$$\det(sI_n - A) = \det(sI_n - A_0 - \tilde{A}) = \det((sI_n - A_0)(I_n - (sI_n - A_0)^{-1}\tilde{A}))$$

=
$$\det(sI_n - A_0)\det(I_n - (sI_n - A_0)^{-1}\tilde{A}); \forall s \in \mathbb{C}$$
 (A1)

and then

 $det(sI_n - A) = det(sI_n - A_0) det(I_n - (sI_n - A_0)^{-1}\widetilde{A}) \neq 0$ Then, for all $s \notin sp(A)$, and also for all $s \in sp(A_0)$ if the H_{∞} -norm of $(sI_n - A_0)^{-1}\widetilde{A}$, which exists since A_0 is a stability matrix, satisfies $\left\| (sI_n - A_0)^{-1}\widetilde{A} \right\|_{\infty} < 1$, which is guaranteed if $\left\| \widetilde{A} \right\|_2 < 1/\sup_{\omega \in \mathbf{R}_{0+}} \left\| (i\omega I_n - A_0)^{-1} \right\|_2$. Then, A is a stability matrix if Conditions 1 or 2 holds. On the other hand, if A_0 and A are negative (implying that $A \prec -A_0$), or if they are both Metzler-stable (implying for all off-diagonal entries that $\widetilde{A}_{ij} \ge -A_{0ij}$;

 $\forall i, j(\neq i) \in \overline{n}$), then their dominant abscissa (perhaps multiple) eigenvalue is real and negative since A_0 being a stability matrix is claimed to guarantee that A is stable. Since A_0 is a stability matrix, it is non-singular with eigenvalues with negative real parts. Then, by the continuity of the eigenvalues with respect to the matrix entries, $A = A_0 (I_n + A_0^{-1} \widetilde{A})$ is a stability matrix if $\rho(A_0^{-1} \widetilde{A}) \leq ||A_0^{-1} \widetilde{A}||_2 \leq ||A_0^{-1}||_2 ||\widetilde{A}||_2 < 1$ leading to the sufficiency of Conditions 3–5 for the stability of A if is A_0 stable. The last, sufficient condition comes directly by upper-bounding Condition 4 by norm product and it is equivalent to $||\widetilde{A}||_2 = \lambda_{max}^{1/2} (\widetilde{A}^T \widetilde{A}) < 1/||A_0^{-1}||_2 = 1/\lambda_{max}^{1/2} (A_0^{-1}A_0^{-T}) = \lambda_{min}^{1/2} (A_0^T A_0)$.

 $\widetilde{A} : \mathbf{R}_{0+} \to \mathbf{R}^{n \times n} \text{ is piecewise-continuous and bounded. Then, } A : \mathbf{R}_{0+} \to \mathbf{R}^{n \times n} \text{ is stable if } \frac{k_0}{\rho_0} \sup_{0 \le \tau \le t} \left\| \widetilde{A}(\tau) \right\| < 1; \quad \forall t \in \mathbf{R}_{0+}, \text{ where } (-\rho_0) < 0 \text{ is the stability abscissa of } A_0 \text{ and } k_0 = k_0 (\|A_0\|) \ge 1 \text{ is } a \text{ real constant satisfying } \|e^{A_0 t}\| \le k_0 e^{-\rho_0 t}; \forall t \in \mathbf{R}_{0+}.$

Proof: Consider the linear time-varying system:

$$\dot{x}(t) = (A_0 + \tilde{A}(t))x(t), \quad x(0) = x_0 \quad ; \quad \forall t \in \mathbf{R}_{0+}$$
 (A2)

where $\tilde{A} : \mathbf{R}_{0+} \to \mathbf{R}^{n \times n}$ is piecewise-continuous and bounded [1]. Such a system is globally asymptotically stable if and only if $A : \mathbf{R}_{0+} \to \mathbf{R}^{n \times n}$ is a stability matrix. The state-trajectory solution of Equation (A2) satisfies:

$$\begin{aligned} \|x(t)\| &\leq \left\| e^{A_0 t} \right\| \|x_0\| + \int_0^t \left\| e^{A_0(t-\tau)} \right\| \|\widetilde{A}(\tau)\| \|x(\tau)\| d\tau \\ &\leq k_0 e^{-\rho_0 t} \|x_0\| + \frac{k_0}{\rho_0} \sup_{0 \leq \tau \leq t} \|x(\tau)\| = K_0 e^{-\rho_0 t} \|x_0\| + \frac{k_0}{\rho_0} \sup_{0 \leq \tau \leq t} \left(\|\widetilde{A}(\tau)\| \right) \|x(t')\|; \ \forall t \in \mathbf{R}_{0+} \end{aligned}$$

$$\text{Let } t' = t'(t) \text{ be defined for each } t \in \mathbf{R}_{0+} \text{ as } t' = \left\{ z = \max_{0 \leq \tau \leq t} \tau : \|x(z)\| \geq \|x(t)\| \right\}. \text{ Then,}$$

$$\|x(t)\| \leq \sup_{0 \leq \tau \leq t} \|x(\tau)\| = \sup_{0 \leq \tau \leq t'} \|x(\tau)\| = \|x(t')\| \leq k_0^{-\rho_0 t'} \|x_0\| + \frac{k_0}{\rho_0} \sup_{0 \leq \tau \leq t} \|\widetilde{A}(\tau)\| \|x(t')\|;$$

$$\forall t \in \mathbf{R}_{0+} \end{aligned}$$

$$\tag{A3}$$

Since $1 > \frac{k_0}{\rho_0} \sup_{0 \le \tau \le t} \|\widetilde{A}(\tau)\|$; $\forall t \in \mathbf{R}_{0+}$, one gets:

$$\|x(t)\| \le \|x(t')\| = \sup_{0 \le \tau \le t'} \|x(\tau)\| \le \left(1 - \frac{k_0}{\rho_0} \sup_{0 \le \tau < \infty} \|\widetilde{A}(\tau)\|\right)^{-1} k_0 e^{-\rho_0 t'} \|x_0\|$$
(A5)

$$\leq M = k_0 \left(1 - \frac{k_0}{\rho_0} \sup_{0 \leq \tau < \infty} \left\| \widetilde{A}(\tau) \right\| \right)^{-1} \left\| x_0 \right\|; \quad \forall t \in \mathbf{R}_{0+1}$$

Therefore, x(t) is bounded for any $t \in \mathbf{R}_{0+}$ if x_0 is finite. Now, assume the following cases.

Case a: For any $T_s \in \mathbf{R}_+$, the sequence $\left\{\sup_{nT_s \le t < (n+m_n)T_s} \|x(t)\|\right\}_{n=k}^{\infty}$ is strictly decreasing for some finite

positive integer $k = k(T_s)$ and some positive sequence $\{m_n\}$ of bounded integer numbers which

satisfies $m_{n+1} > m_n - 1$ for $n \ge 0$. As a result, $\left\{ \sup_{nT_s \le t < (n+m_n)T_s} \|x(t)\| \right\}_{n=k}^{\infty} \to 0$ as $n \to \infty$ for any given

 $T_s > 0$. Then, one gets from Equation (A3) that $||x(t)|| \to 0$, as $t \to \infty$ since $||x(nT_s + t)||$

 $\leq k_0 \left(1 + \frac{1}{\rho_0} \sup_{nT_s \leq \tau < t} \| x(\tau) \| \right); \quad \forall t \in (nT_s, (n+1)T_s). \text{ The result is proved for this case.}$

Case b: For some
$$T_s \in \mathbf{R}_+$$
, a sequence $\left\{\sup_{nT_s \le t < (n+m_n)T_s} \|x(t)\|\right\}_{n=0}^{\infty}$ can be built, with $\{m_n\}_{n=0}^{\infty} \to \infty$ as

 $m \rightarrow \infty$ satisfying

$$\sup_{(n+m_n)T_s \leq t < (n+m_n)T_s} \|x(t)\| = \sup_{nT_s \leq t < (n+m_n+m_n+m_n)T_s} \|x(t)\| \ge \sup_{nT_s \leq t < (n+m_n)T_s} \|x(t)\| \quad ; \quad n \ge 0$$

(note that the above inequality cannot be strict as $n \to \infty$ since it has already been proven that $\|x(t)\| < +\infty$; $\forall t \in \mathbf{R}_{0+}$). However, then one gets from Equation (A3) for some $t_{n+1} \in [n+m_n, n+m_n+m_n+m_n]$ since $1 > \frac{k_0}{\rho_0} \sup_{0 \le t \le t} \|\widetilde{A}(t)\|$; $\forall t \in \mathbf{R}_{0+}$: $\sup_{nT_s \le t < (n+m_n)T_s} \|x(t)\| \le \sup_{nT_s \le t < (n+m_n+m_{n+m_n})T_s} \|x(t)\|$ $\le K_0 e^{-\rho_0(t_{n+1}-nT_s)} \|x(nT_s)\| + \frac{K_0}{\rho_0} \sup_{nT_s \le t < (n+m_n+m_{n+m_n})T_s} (\|\widetilde{A}(t)\|)_{nT_s \le t < (n+m_n+m_{n+m_n})T} \|x(t)\|$ (A6) $< K_0 e^{-\rho_0(t_{n+1}-nT_s)} \|x(nT_s)\| + \sup_{nT_s \le t < (n+m_n+m_{n+m_n})T_s} \|x(nT_s)\| + \sup_{nT_s \le t < (n+m_n+m_{n+m_n})T_s} \|x(t)\|$

If $n \to \infty$, $m_n \to \infty$, then $(t_{n+1} - m_{n+m_n}) \to \infty$, thus the following contradiction arises:

$$0 = \limsup_{n \to \infty} \left(\sup_{nT_s \le t < (n+m_n+m_n+m_n)} \|x(t)\| - \sup_{nT_s \le t < (n+m_n+m_n+m_n)} \|x(t)\| \right) < 0.$$

Thus, Case b is not possible and the whole result follows from Case a.

Note that the stability abscissa of A_0 , that is, $(-\rho_0) < 0$ is not smaller than the dominant eigenvalue abscissa.

Appendix B. Calculations for solving Problem 1

Assume that the matrix $(I_m - K_c D_c)$ is non-singular with $||K_c D_c||_2 < 1$ and $A = A_c = A_d$. Then, one gets from Equations (10) and (13) that:

$$A_{d} + B_{d} (I_{m} - K_{d} D_{d})^{-1} K_{d} C_{d}$$

$$= A + (B_{c} - \tilde{B}) (I_{m} - K_{c} D_{c} - \tilde{\Delta}_{0})^{-1} (K_{c} C_{c} - \tilde{\Delta}_{1})$$

$$= A + (B_{c} - \tilde{B}) [(I_{m} - (I_{m} - K_{c} D_{c})^{-1} \tilde{\Delta}_{0})]^{-1} (K_{c} C_{c} - \tilde{\Delta}_{1})$$

$$= A + (B_{c} - \tilde{B}) (I_{m} - (I_{m} - K_{c} D_{c})^{-1} \tilde{\Delta}_{0})^{-1} (I_{m} - K_{c} D_{c})^{-1} (K_{c} C_{c} - \tilde{\Delta}_{1})$$

$$= A + (B_{c} - \tilde{B}) (I_{m} + \tilde{\Delta}_{2}) (I_{m} - K_{c} D_{c})^{-1} (K_{c} C_{c} - \tilde{\Delta}_{1})$$
(B1)

provided that \widetilde{D} and \widetilde{K} are such that $(I_m - K_d D_d)^{-1} = (I_m - K_c D_c - \widetilde{\Delta}_0)^{-1}$ exists (note that this always holds if $\widetilde{D} = 0_{p \times m}$ and $\widetilde{K} = 0_{m \times p}$ from Assumption 1), where:

$$\widetilde{\Delta}_{0} = K_{d}D_{d} - K_{c}D_{c} = \widetilde{K}(\widetilde{D} - D_{c}) - K_{c}\widetilde{D} = (\widetilde{K} - K_{c})\widetilde{D} - \widetilde{K}D_{c}$$
(B2)

$$\widetilde{\Delta}_{l} = \widetilde{K} \left(C_{c} - \widetilde{C} \right) + K_{c} \widetilde{C} = \left(K_{c} - \widetilde{K} \right) \widetilde{C} + \widetilde{K} C_{c}$$
(B3)

$$\widetilde{\Delta}_2 = \left[I_m - (I_m - K_c D_c)^{-1} \widetilde{\Delta}_0 \right]^{-1} - I_m$$
(B4)

and note that

$$\left\| \widetilde{\Delta}_{0} \right\| \leq \varepsilon \left[\left\| K_{c} \right\| \widetilde{\sigma}_{D} + \varepsilon \widetilde{\sigma}_{D} \widetilde{\sigma}_{K} + \left\| D_{c} \right\| \widetilde{\sigma}_{K} \right]$$
(B5)

$$\left\|\widetilde{\Delta}_{1}\right\| \leq \varepsilon \left[\left\|K_{c}\right\| \widetilde{\sigma}_{C} + \varepsilon \widetilde{\sigma}_{C} \widetilde{\sigma}_{K} + \left\|C_{c}\right\| \widetilde{\sigma}_{K} \right]$$
(B6)

and one gets from Banach's Perturbation Lemma [7] that

$$\left\|\widetilde{\Delta}_{2}\right\| \leq 1 + \frac{1}{1 - \left\|\left(I_{m} - K_{c}D_{c}\right)^{-1}\widetilde{\Delta}_{0}\right\|} \leq 1 + \frac{1}{1 - \left\|\left(I_{m} - K_{c}D_{c}\right)^{-1}\right\|} \left\|\widetilde{\Delta}_{0}\right\|$$
(B7)

provided that $\|\widetilde{A}_0\| < \widetilde{\delta}_0 = 1/\|(I_m - K_c D_c)^{-1}\|$. Equivalently, if

$$q(\varepsilon) = \widetilde{\sigma}_D \widetilde{\sigma}_k \varepsilon^2 + \left(\widetilde{\sigma}_D \|K_c\| + \widetilde{\sigma}_K \|D_c\|\right) \varepsilon - 1 / \left\| (I_m - K_c D_c)^{-1} \right\| < 0$$
(B8)

since $q(\varepsilon)$ is a convex parabola with zeros $\varepsilon_1 < 0$ and $\overline{\varepsilon} = \varepsilon_2 > 0$, Equation (B8) holds, guaranteeing that $\|\widetilde{A}_0\| < \widetilde{\delta}_0$, if $\varepsilon \in [0, \overline{\varepsilon})$, where:

$$\overline{\varepsilon} = \frac{\sqrt{\left(\widetilde{\sigma}_{D} \|K_{c}\| + \widetilde{\sigma}_{K} \|D_{c}\|\right)^{2} + 4\widetilde{\sigma}_{D}\widetilde{\sigma}_{K} / \left\|\left(I_{m} - K_{c}D_{c}\right)^{-1}\right\|} - \left(\widetilde{\sigma}_{D} \|K_{c}\| + \widetilde{\sigma}_{K} \|D_{c}\|\right)}{2\widetilde{\sigma}_{D}\widetilde{\sigma}_{K}}$$
(149)

Before continuing with the calculations, we give the following auxiliary result:

Lemma B1. If $(I_m - K_c D_c)$ is non-singular with $||K_c D_c||_2 < 1$ and $||\widetilde{\Delta}_0|| < \widetilde{\delta}_0 = 1/||(I_m - K_c D_c)^{-1}||$, equivalently if $\varepsilon \in [0, \overline{\varepsilon}]$, with $\overline{\varepsilon}$ defined in Equation (B9), then $||\widetilde{\Delta}_2|| \le C ||\widetilde{\Delta}_0|| < 1$ with a norm-dependent real constant $C \ge \frac{1}{2\delta_0}$ if $\varepsilon \in [0, \overline{\varepsilon}_1)$ with

$$\overline{\varepsilon}_{1} = \frac{\left\| \left(I_{m} - K_{c} D_{c} \right)^{-1} \right\|}{2 \left[\| K_{c} \| \widetilde{\sigma}_{D} + \varepsilon \widetilde{\sigma}_{D} \widetilde{\sigma}_{K} + \| D_{c} \| \widetilde{\sigma}_{K} \right]}$$
(B10)

Proof: One gets from Equation (B4) and Banach's Perturbation Lemma [7] that, if $\|\widetilde{A}_2\| \le C \|\widetilde{A}_0\|$ for some $C \in \mathbf{R}_+$, then:

$$\frac{1}{1-C\left\|\widetilde{\Delta}_{0}\right\|} \geq \left\|\left(\widetilde{\Delta}_{2}+I_{m}\right)^{-1}\right\| = \left\|I_{m}-\left(I_{m}-K_{c}D_{c}\right)^{-1}\widetilde{\Delta}_{0}\right\| \geq 1-\left\|\left(I_{m}-K_{c}D_{c}\right)^{-1}\right\|\left\|\widetilde{\Delta}_{0}\right\| \qquad \text{provided} \qquad \text{that}$$

 $C < 1/\|\widetilde{A}_0\|$. One gets that the above inequality holds if

$$1/\|\widetilde{A}_0\| > C \ge \frac{1}{2\delta_0} \ge \frac{\|(I_m - K_c D_c)^{-1}\|}{1 + \|\widetilde{A}_0\|\|(I_m - K_c D_c)^{-1}\|} \text{ and, one gets from Equation (B5) that}$$
$$\|\widetilde{A}_2\| \le \varepsilon C [\|K_c\|\widetilde{\sigma}_D + \varepsilon \widetilde{\sigma}_D \widetilde{\sigma}_K + \|D_c\|\widetilde{\sigma}_K] < 1$$
(B11)

If
$$\overline{\varepsilon} < \overline{\varepsilon}_1$$
.

Now, rewrite the system matrices of closed-loop dynamics of Equations (7) and (10), equivalently Equation (B1), with $A = A_c = A_d$ and its incremental value as follows:

$$A_{cc} = A + B_c (I_m - K_c D_c)^{-1} K_c C_c$$
(B12)

$$A_{dc} = A + B_d \left(I_m - K_d D_d \right)^{-1} K_d C_d$$
(B13)

$$\begin{aligned} \widetilde{A}_{dc} &= A_{cc} - A_{dc} = B_c \left(I_m - K_c D_c \right)^{-1} K_c C_c - B_d \left(I_m - K_d D_d \right)^{-1} K_d C_d \\ &= B_c \left(I_m - K_c D_c \right)^{-1} K_c C_c - \left(B_c - \widetilde{B} \right) \left(I_m + \widetilde{A}_2 \right) \left(I_m - K_c D_c \right)^{-1} \left(K_c C_c - \widetilde{A}_1 \right) \end{aligned}$$

$$\begin{aligned} &= B_c \left(I_m - K_c D_c \right)^{-1} K_c C_c - B_c \left(I_m + \widetilde{A}_2 \right) \left(I_m - K_c D_c \right)^{-1} \left(K_c C_c - \widetilde{A}_1 \right) \end{aligned}$$
(B14)

$$+\widetilde{B}(I_{m}+\widetilde{A}_{2})(I_{m}-K_{c}D_{c})^{-1}(K_{c}C_{c}-\widetilde{A}_{1}) = B_{c}(I_{m}-K_{c}D_{c})^{-1}$$
$$-B_{c}\widetilde{A}_{2}(I_{m}-K_{c}D_{c})^{-1}K_{c}C_{c} + B_{c}\widetilde{A}_{2}(I_{m}-K_{c}D_{c})^{-1}\widetilde{A}_{1}$$
$$+\widetilde{B}(I_{m}-K_{c}D_{c})^{-1}K_{c}C_{c}-\widetilde{B}(I_{m}-K_{c}D_{c})^{-1}\widetilde{A}_{1}$$
$$+\widetilde{B}\widetilde{A}_{2}(I_{m}-K_{c}D_{c})^{-1}K_{c}C_{c}-\widetilde{B}\widetilde{A}_{2}(I_{m}-K_{c}D_{c})^{-1}\widetilde{A}_{1}$$

Now, the following technical result follows directly from Equations (B14), (B5), (B6) and (B11), the norm upper-bounding values of the control, output interconnection and controller matrix errors and Lemma B1:

 $\widetilde{\Delta}_{\mathbf{I}}$

Lemma B2. The following properties hold for any $\varepsilon \in [0, \hat{\varepsilon})$ with $\hat{\varepsilon} = \min(\overline{\varepsilon}, \overline{\varepsilon}_1)$ calculated from Equations (B9) and (B10):

(i)
$$\left\|\widetilde{A}_{dc}\right\| \leq \left\|B_{c}\right\|\left(1 - \left\|K_{c}D_{c}\right\|\right)^{-1}\left\|\left\|\widetilde{\Delta}_{1}\right\|\left(1 + \left\|\widetilde{\Delta}_{2}\right\|\right) + \left\|K_{c}C_{c}\right\|\left\|\widetilde{\Delta}_{2}\right\|\right\right]$$

$$+ \varepsilon \left(1 - \|K_{c}D_{c}\|\right)^{-1} \widetilde{\sigma}_{B} \left(1 + \|\widetilde{A}_{2}\|\right) \left(\|K_{c}C_{c}\| + \|\widetilde{A}_{1}\|\right) \leq \varepsilon \|B_{c}\| \left(1 - \|K_{c}D_{c}\|\right)^{-1}$$

$$\times \left[\left(\|K_{c}\|\widetilde{\sigma}_{C} + \varepsilon\widetilde{\sigma}_{C}\widetilde{\sigma}_{K} + \|C_{c}\|\widetilde{\sigma}_{K}\right) \left(1 + \|K_{c}C_{c}\| + \varepsilon C \left[\|K_{c}\|\widetilde{\sigma}_{D} + \varepsilon\widetilde{\sigma}_{D}\widetilde{\sigma}_{K} + \|D_{c}\|\widetilde{\sigma}_{K}\right] C \left[\|K_{c}\|\widetilde{\sigma}_{D} + \|D_{c}\|\widetilde{\sigma}_{K} + \varepsilon\widetilde{\sigma}_{D}\widetilde{\sigma}_{K}\right] \right]$$

$$+ \varepsilon \left(1 - \|K_{c}D_{c}\|\right)^{-1} \widetilde{\sigma}_{B} \left(1 + \varepsilon C \left[\|K_{c}\|\widetilde{\sigma}_{D} + \varepsilon\widetilde{\sigma}_{D}\widetilde{\sigma}_{K} + \|D_{c}\|\widetilde{\sigma}_{K}\right] \left(\|K_{c}C_{c}\| + \varepsilon \left[\|K_{c}\|\widetilde{\sigma}_{C} + \varepsilon\widetilde{\sigma}_{C}\widetilde{\sigma}_{K} + \|C_{c}\|\widetilde{\sigma}_{K}\right] \right)$$

$$(B15)$$

(ii) If, furthermore, $\varepsilon \le 1$, then $\varepsilon^r \le \varepsilon$ for any real $r \ge 1$ so that one gets from Equation (B15) by taking the upper-bound ε^2 for ε^3 that

$$\begin{split} \|\widetilde{A}_{dc}\| &\leq \varepsilon \|B_{c}\| (1 - \|K_{c}D_{c}\|)^{-1} (\|\widetilde{A}_{10}\| + \|K_{c}C_{c}\| \|\widetilde{A}_{20}\|) + \varepsilon^{2} \|\widetilde{A}_{20}\| \|B_{c}\| (1 - \|K_{c}D_{c}\|)^{-1} \\ &+ \varepsilon \left(1 - \|K_{c}D_{c}\| \right)^{-1} \widetilde{\sigma}_{B} \|K_{c}C_{c}\| + \varepsilon^{2} \left(1 - \|K_{c}D_{c}\| \right)^{-1} \widetilde{\sigma}_{B} (\|\widetilde{A}_{10}\| + \|K_{c}C_{c}\| \|\widetilde{A}_{20}\|) \\ &+ \varepsilon^{3} \left(1 - \|K_{c}D_{c}\| \right)^{-1} \widetilde{\sigma}_{B} \|\widetilde{A}_{20}\| \|\widetilde{A}_{10}\| \leq u\varepsilon + v\varepsilon^{2} \leq (u+v)\varepsilon \end{split}$$
(B16)

where $\widetilde{\Delta}_i = \varepsilon \widetilde{\Delta}_{i0}$ for i = 1,2 and it has been used that $\varepsilon^3 \le \varepsilon^2$, with

$$u = \|B_{c}\|(1-\|K_{c}D_{c}\|)^{-1}(\|\widetilde{A}_{10}\| + \|K_{c}C_{c}\|\|\widetilde{A}_{20}\|) + (1-\|K_{c}D_{c}\|)^{-1}\widetilde{\sigma}_{B}\|K_{c}C_{c}\| \quad \nu = (1-\|K_{c}D_{c}\|)^{-1}\widetilde{\sigma}_{B}\|\widetilde{A}_{20}\|\|\widetilde{A}_{10}\| + \|\widetilde{A}_{20}\|\|\widetilde{A}_{10}\| + \|K_{c}D_{c}\|)^{-1}\widetilde{\sigma}_{B}(\|\widetilde{A}_{10}\| + \|K_{c}C_{c}\|\|\widetilde{A}_{20}\|)$$

$$(B17)$$

(iii) If the upper-bound ε is used for ε^2 and ε^3 , one gets that

$$\begin{aligned} \left\|\widetilde{A}_{dc}\right\| &\leq \varepsilon \|B_{c}\| \left(1 - \|K_{c}D_{c}\|\right)^{-1} \\ \times \left[\left(\|K_{c}\|\widetilde{\sigma}_{C} + \widetilde{\sigma}_{C}\widetilde{\sigma}_{K} + \|C_{c}\|\widetilde{\sigma}_{K}\right) \left(1 + C\left[\|K_{c}\|\widetilde{\sigma}_{D} + \widetilde{\sigma}_{D}\widetilde{\sigma}_{K} + \|D_{c}\|\widetilde{\sigma}_{K}\right] \right) + \|K_{c}C_{c}\|C\left[\|K_{c}\|\widetilde{\sigma}_{D} + \widetilde{\sigma}_{D}\widetilde{\sigma}_{K} + \|D_{c}\|\widetilde{\sigma}_{K}\right] \\ + \varepsilon \left(1 - \|K_{c}D_{c}\|\right)^{-1}\widetilde{\sigma}_{B} \left(1 + C\left[\|K_{c}\|\widetilde{\sigma}_{D} + \widetilde{\sigma}_{D}\widetilde{\sigma}_{K} + \|D_{c}\|\widetilde{\sigma}_{K}\right] \right) \left(\|K_{c}C_{c}\| + \left[\|K_{c}\|\widetilde{\sigma}_{C} + \widetilde{\sigma}_{C}\widetilde{\sigma}_{K} + \|C_{c}\|\widetilde{\sigma}_{K}\right] \right) \end{aligned}$$
(B18)

which also yields that $\|\widetilde{A}_{dc}\| \leq \varepsilon \widetilde{a}_{dc} + o(\varepsilon)$ in the case that $\varepsilon < 1$ after grouping all the additive contributions of terms in ε^i for $i \geq 2$ into an additive bounded term , which converges to zero as $\varepsilon \to 0$, where

$$\widetilde{a}_{dc} = (1 - \|K_c D_c\|)^{-1}$$

$$\times \left[\widetilde{\sigma}_B \|K_c C_c\| + (\|B_c\| + \|K_c C_c\|)(\|K_c\|\widetilde{\sigma}_C + \|C_c\|\widetilde{\sigma}_K + C[\|K_c\|\widetilde{\sigma}_D + \|D_c\|\widetilde{\sigma}_K])\right]$$
(B19)

Now, the following technical result follows directly from Lemma B2 and Theorem A1 (i):

Lemma B3. Define $\overline{\varepsilon}_2 = 1/\left(\widetilde{a}_{dc}\sup_{\omega\in \mathbf{R}_{0+}} \left\| (i\omega I_n - A_{cc})^{-1} \right\|_2 \right)$ from Equation (B19) and assume that $\|K_c D_c\|_2 < 1$ and that $\overline{\varepsilon}_2 < \min(\overline{\varepsilon}, \overline{\varepsilon}_1, 1)$. Then, A_{dc} is stable if A_{cc} is stable and $\varepsilon \in [0, \overline{\varepsilon}_2]$. By using Equations (B.16) and (B.17), a better bound of the maximum allowable $\|A_{dc}\|_2$ is found as $\varepsilon \in [0, \overline{\varepsilon}_3]$ with $\overline{\varepsilon}_3 < \min(\overline{\varepsilon}, \overline{\varepsilon}_{20}, 1)$ and $\overline{\varepsilon}_{20} = \frac{\sqrt{u^2 + 4v\omega} - u}{2v}$.

Proof. Note from Theorem A1 (i) that the H_{∞} -norm of $(sI_n - A_{cc})^{-1} \widetilde{A}_{dc}$ satisfies $\left\| (sI_n - A_{cc})^{-1} \widetilde{A}_{dc} \right\|_{\infty} < 1$, which is guaranteed if $\varepsilon < \overline{\varepsilon}_2$, then A_{dc} is stable since A_{cc} is stable. The result follows by taking also into account, in addition, the constraints in Equations (B9) and (B10) of Lemma B.1 by using $\varepsilon^3 \le \varepsilon^2 \le \varepsilon$. If the second power of ε is considered and the third one is upper-bounded as $\varepsilon^3 \le \varepsilon^2$, we examine the stability constraint $u\varepsilon + v\varepsilon^2 < \omega = 1/\sup_{\omega \in \mathbb{R}_{0+}} \left\| (i\omega I_n - A_{cc})^{-1} \right\|_2$ by building the convex parabola $\theta(\varepsilon) = v\varepsilon^2 + u\varepsilon - \omega < 0$ whose negative and positive zeros are $\varepsilon_{1,2} = \frac{-u \pm \sqrt{u^2 + 4v\omega}}{2v}$. Hence, the second part of the result.

References

- 1. Ibeas, A.; de la Sen, M. Robustly stable adaptive control of a tandem of master-slave robotic manipulators with force reflection by using a multiestimation scheme. *IEEE Trans. Cybern. Part B Cybern.* **2006**, *36*, 1162–1164.
- 2. Barambones, O.; Garrido, A.J.; Garrido, I. Robust speed estimation and control of an induction motor drive based on artificial neural networks. *Int. J. Adapt. Control Signal Process.* **2008**, *22*, 440–444.
- Bakule, L.; de la Sen, M. Decentralized stabilization of networked complex composite systems with nonlinear perturbations. In Proceedings of the 2009 International Conference on Control and Automation, Christchurch, New Zealand, 9–11 December 2009; Volumes 1–3, pp. 2272–2277.
- 4. Singh, M.G. *Decentralised Control*; North-Holland Systems and Control Series; North Holland Publishing Company: New York, NY, USA, 1981; Volume 1
- 5. Berman, A.; Plemmons, R.J. *Nonnegative Matrices in the Mathematical Sciences;* Academic Press: New York, NY, USA, 1979.
- 6. Kailath, T. Linear Systems; Prentice-Hall Inc.: Englewood Cliffs, NJ, USA, 1980.
- 7. Ortega, J.M. Numerical Analysis; Academic Press: New York, NY, USA, 1972.
- 8. Shi, H.; Li, P.; Wang, L.; Su, C.; Yu, J.; Cao, J. Delay-range-dependent robust constrained model predictive control for industrial processes with uncertainties and unknown disturbances. *Complexity* **2019**, 2019, 2152014.

- Rosas-Jaimes, O.A.; Munoz-Hernandez, G.A.; Mino-Aguilar, G.; Castaneda-Camacho, J.; Gracios-Marin, C.A. Evaluating fractional PID control in a nonlinear MIMO model of a hydroelectric power station. *Complexity* 2019, 2019, 9367291.
- 10. Xu, L.; Lou, S.; Xu, P.; Zhang, G. Feedback control and parameter invasion for a discrete competitive Lotka-Volterra system. *Discret. Dyn. Nat. Soc.* **2018**, *2018*, 7473208.
- 11. Rana, S.M.S. Chaotic dynamics and control of discrete ratio-dependent predator-prey system. *Discret. Dyn. Nat. Soc.* **2017**, 2017, 4537450.
- 12. Hassan, A.; Dvorkin, Y.; Deka, D.; Chertkov, M. Chance-constrained ADMM approach for decentralized control of distributed energy resources. In Proceedings of the 2018 Power Systems Computation Conference (PSCC), Dublin, Ireland, 11–15 June 2018; pp. 1–7.
- 13. Shao, S.; Yang, H.; Jiang, B.; Cheng, S. Decentralized fault tolerant control for a class of interconnected nonlinear systems. *IEEE Trans. Cybern.* **2018**, *48*, 178–186.
- 14. Nayyar, N.; Kalathil, D.; Jain, R. Optimal decentralized control with asymmetric one-step delayed information sharing. *IEEE Trans. Control Netw. Syst.* **2018**, *5*, 653–654.
- 15. Wei, C.; Luo, J.; Yin, Z.; Wei, X.; Yuan, J. Robust estimation-free decentralized prescribed performance control of nonaffine nonlinear large-scale systems. *Int. J. Robust Nonlinear Control* **2018**, *28*, 174–196.
- 16. Wang, Y.; Lopez, J.A.; Sznaier, M. Convex optimization approaches to information structured decentralized control. *IEEE Trans. Autom. Control* **2018**, *63*, 3393–3403.
- 17. Zhang, H.G.; Yu, H.; Hao, F. Decentralized integral-based event-triggered stabilization for linear plant with actuator saturation and output feedback. *Appl. Sci.* **2017**, *7*, 11.
- Lotfy, M.E.; Senjyu, T.; Farahat, M.A.F.; Abdel-Gawad, A.F.; Lei, L.; Datta, M. Hybrid genetic algorithm fuzzy-based control schemes for small power system with high penetration wind farms. *Appl. Sci.* 2018, *8*, 373.
- 19. Fu, Q.; Gu, P.; Wu, J.-R. Decentralized Iterative Learning Control for Large-scale Interconnected Linear Systems with Fixed Initial Shifts. *Int. J. Control. Syst.* **2017**, *15*, 1991–1994.
- 20. He, W.; Dong, Y. Adaptive fuzzy neural network control for a constrained robot using impedance learning. *IEEE Trans. Neural Netw. Learn. Syst.* **2018**, *29*, 1174–1186.
- 21. He, W.; Dong, Y. Design and adaptive control for an upper limb robotic exoskeleton in presence of input saturation. *IEEE Trans. Neural Netw. Learn. Syst.* **2019**, *30*, 97–108.



© 2019 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).