

Oxidative stress signaling in blast TBI-induced tau

Phosphorylation

**Chunyu Wang 1,2, Changjuan Shao 2, Li Zhang 2, 3, Sandra L. Siedlak 2, James S. Meabon 4,5, Elaine R. Peskind 4,5,
Yubing Lu 2, Wenzhang Wang 2, George Perry 6, David G. Cook 4,5,7 and Xiongwei Zhu 2,***

.

1 Department of Neurology, the second Xiangya Hospital, Central South University, Changsha, Hunan,
People's Republic of China; wangchunyu@csu.edu.cn

2 Department of Pathology, Case Western Reserve University, Cleveland, OH, USA; cxs708@case.edu,
yubing.lu@case.edu; sls7@case.edu, wenzhang.wang@case.edu, xiongwei.zhu@case.edu

3 Department of Endocrinology and Metabolism, Huashan Hospital, Fudan University, Shanghai, People's
Republic of China; lenzhangli@hotmail.com,


4 VA Puget Sound Health Care System, Seattle, WA, USA; James64@uw.edu, peskind@uw.edu,
dgcook@uw.edu


5 Department of Psychiatry and Behavioral Sciences, University of Washington, WA, USA


6 Department of Biology, College of Science, University of Texas at San Antonio, San Antonio, Texas, USA;
george.perry@utsa.edu


7 Departments of Medicine and Pharmacology, University of Washington, WAQ, USA


* Correspondence: xiongwei.zhu@case.edu; Tel.: +1-216-368-5903












Tau5



AT8

