

## Supporting Information for

### 7-O-tyrosyl silybin derivatives as a novel set of anti-prostate cancer compounds.

Valeria Romanucci<sup>a†</sup>, Rita Pagano<sup>a†</sup>, Kushal Kandhari<sup>b</sup>, Armando Zarrelli<sup>a</sup>, Maria Petrone<sup>a</sup>, Chapla Agarwal<sup>b</sup>, Rajesh Agarwal<sup>b</sup> and Giovanni Di Fabio<sup>a\*</sup>

<sup>a</sup> Department of Chemical Sciences, University of Naples "Federico II", Complesso Monte Sant'Angelo, Via Cintia 4, I-80126 Napoli (NA), Italy.

<sup>b</sup> University of Colorado, Skaggs School of Pharmacy and Pharmaceutical Sciences, Aurora, CO 80045, USA.

† These authors contributed equally to this work.

\* corresponding author: Prof. Giovanni Di Fabio email: difabio@unina.it

---

## Table of contents

	pag.
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for compounds <b>10ab</b>	3S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for compound <b>10a</b>	5S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for compound <b>10b</b>	7S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for compounds <b>11ab</b>	9S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for compound <b>11a</b>	11S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for compound <b>11b</b>	13S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for compounds <b>12ab</b>	15S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for compound <b>12a</b>	17S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for compound <b>12b</b>	19S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for final compound <b>13a</b>	21S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for final compound <b>14a</b>	23S
The $^1\text{H}$ and $^{13}\text{C}$ NMR data for final compound <b>15a</b>	25S





















































