

Supplementary Materials

Table S1. Primers used for qRT-PCR.

Gene	Primer Sequence	Product Size (bp)
TNF- α	5'-CCACCACGCTCTTCTGTCTAC-3'	104
	5'-GAGGGTCTGGGCCATAGAA-3'	
IL-6	5'-ACAACCACGGCCTTCCCTACTT-3'	129
	5'-CACGATTTCCTCAGAGAACATGTG-3'	
IL-1 β	5'-GTAATGAAAGACGGCACACC-3'	98
	5'-CTTTGGGTATTGCTTGGGAT-3'	
iNOS	5'-GGCAGCCTGTGAGACCTTTG-3'	72
	5'-GCATTGGAAGTGAAGCGTTTC-3'	
COX-2	5'-GCAGATGACTGCCCAACTC-3'	103
	5'-CAGGGATGAACTCTCTCCGT-3'	
TLR4	5'-GTTGCAGAAAATGCCAGGATG-3'	101
	5'-CAGGGATTCAAGCTTCCTGGT-3'	
NF- κ B p65	5'-ACGACATTGAGGTTTCGGTTC-3'	124
	5'-ATCTTGTGATAGGGCGGTGT-3'	
Nrf2	5'-AGCCAGCTGACCTCCTTAGA-3'	131
	5'-AGTGACTGACTGATGGCAGC-3'	
GAPDH	5'-ATCCTGTAGGCCAGGTGATG-3'	113
	5'-TATGCCCAGGACAATAAGG-3'	




Figure S1. The total ion chromatogram of EEIH in positive ion mode.