

## Supplementary Materials

# Attitude to Co-Administration of Influenza and COVID-19 Vaccines among Pregnant Women Exploring the Health Action Process Approach Model

Alessandra Fallucca <sup>1,\*</sup>, Palmira Immordino <sup>1</sup>, Patrizia Ferro <sup>1</sup>, Luca Mazzeo <sup>1</sup>, Sefora Petta <sup>1</sup>, Antonio Maiorana <sup>2</sup>, Marianna Maranto <sup>2</sup>, Alessandra Casuccio <sup>1</sup> and Vincenzo Restivo <sup>3</sup>

- <sup>1</sup> Department of Health Promotion, Mother and Child Care, Internal Medicine and Medical Specialities, University of Palermo, 90127 Palermo, Italy; palmira.immordino@unipa.it (P.I.); patrizia.ferro@unipa.it (P.F.); luca.mazzeo@unipa.it (L.M.); sefora.petta@gmail.com (S.P.); alessandra.casuccio@unipa.it (A.C.)
- <sup>2</sup> HCU Obstetrics and Gynaecology, ARNAS Civico Di Cristina – Benfratelli Hospital, 90127 Palermo, Italy; antonio.maiorana@arnascivico.it (A.M.); marianna.maranto@arnascivico.it (M.M.)
- <sup>3</sup> School of Medicine, University Kore of Enna, 94100 Enna, Italy; vincenzo.restivo@unikore.it
- \* Correspondence: alessandra.fallucca@unipa.it; Tel.: +39-0916553630 or +39-3804703272

### Contents

<b>S1:</b> English version of the questionnaire	page 2
<b>S2:</b> Italian version of the questionnaire	page 4



# Survey

## Attitude of pregnant women to receive co-administration of influenza and COVID-19

### SECTION A

1) How old are you??

\_\_\_\_\_

2) What is your nationality?

- Italian
- Foreign

3) Where are you resident??

- Palermo city
- Province of Palermo
- Other Sicilian cities
- Other Italian cities

4) What is your marital status??

- Single
- Engaged
- Married
- Divorced
- Cohabitant

5) What is your educational qualification??

- Primary school diploma
- Secondary school diploma
- High school diploma
- Degree/Higher qualification

6) What is your occupation?

- Employed
- Unemployed
- Housewife

7) What week of pregnancy are you?? \_\_\_\_\_

8) How many childrens do you have? \_\_\_\_\_

9) Is your pregnancy at risk??

- Yes
- No

10) If your answer is yes, what is the reason for the risk?

\_\_\_\_\_

11) What was your main source of information about vaccines?

- Gynecologist
- Family clinic health worker
- General practitioner
- Pediatrician
- Vaccination centre health worker
- Friends
- Family
- TV/Media
- Web/Internet
- Other

\_\_\_\_\_

12) Would you receive the influenza and the COVID-19 vaccine coadministered during pregnancy??

- Yes
- No

**SECTION B – Health Action Process Approach model**

<b>Risk perception</b>	Strongly agree	Agree	Undecided	Disagree	Strongly disagree
SARS-CoV-2 and influenza infection could increase the risk of miscarriage					
SARS-CoV-2 and influenza infection could increase the risk of resorting to cesarean delivery					

<b>Positive outcomes</b>	Strongly agree	Agree	Undecided	Disagree	Strongly disagree
Co-administration of COVID-19 and influenza vaccines could reduce the risk of being hospitalized for complications					
Co-administration of COVID-19 and influenza vaccines could protect my baby in few first months of life					

<b>Negative outcomes</b>	Strongly agree	Agree	Undecided	Disagree	Strongly disagree
Co-administration of COVID-19 and influenza vaccines could lead to the same frequency of side effects , such as fever or headache, as if the individual vaccines were given separately					
Co-administration of COVID-19 and influenza vaccines could lead to the same frequency of side effects , such as pain, redness and swelling in the arms despite of given the individual vaccines					

<b>Self efficacy</b>	Strongly agree	Agree	Undecided	Disagree	Strongly disagree
I am confident to have enough informations about co-administration of COVID19 and influenza vaccines to make the decision to get them					
I am sure to have co-administration even though my family/friends disagree					



## Questionario

# Attitudine delle donne in gravidanza nei confronti della vaccinazione anti-influenzale e anti-SARS-COV2

### SEZIONE A

- 1) Quanti anni ha?  
\_\_\_\_\_
- 2) Qual è la sua nazionalità?  
 Italiana  
 Estera
- 3) Dove è residente?  
 Palermo  
 Provincia di Palermo  
 Altre città siciliane  
 Altre città italiane
- 4) Qual è il suo stato civile attuale?  
 Nubile  
 Fidanzata  
 Sposata  
 Separata/Divorziata  
 Convivente
- 5) Qual è il suo titolo di studio?  
 Licenza elementare  
 Licenza media  
 Diploma di scuola superiore  
 Laurea/ Titolo superiore
- 6) Che attività lavorativa svolge?  
 Dipendente/impiegata  
 Disoccupata  
 Casalinga
- 7) In che settimana di gravidanza si trova? \_\_\_\_\_
- 8) Quanti figli ha? \_\_\_\_\_
- 9) La sua è una gravidanza a rischio?  
 Sì  
 No
- 10) Se sì, per quale ragione?  
\_\_\_\_\_
- 11) Quale è stata la sua principale fonte di informazione sulle vaccinazioni?  
 Ginecologo  
 Operatore sanitario del consultorio  
 Medico di Medicina Generale  
 Pediatra  
 Operatore sanitario del centro vaccinale  
 Amici  
 Parenti  
 TV/ Media  
 Web/ Internet  
 Altro  
\_\_\_\_\_
- 12) Durante la gravidanza riceverebbe una somministrazione contemporanea di due vaccini?  
 Sì  
 No

## SEZIONE B – Health Action Process Approach model

<b>Percezione del rischio</b>	Molto d'accordo	D'accordo	Indeciso	Disaccordo	Per niente d'accordo
L'infezione da SARS-CoV-2 e virus influenzale potrebbe aumentare il rischio di aborto					
L'infezione da SARS-CoV-2 e virus influenzale potrebbe aumentare il rischio di ricorso a parto cesareo					

<b>Aspettative di esito positivo</b>	Molto d'accordo	D'accordo	Indeciso	Disaccordo	Per niente d'accordo
La co-somministrazione dei vaccini contro COVID-19 e influenza potrebbe ridurre il rischio di essere ricoverata per complicanze legate alle malattie					
La co-somministrazione dei vaccini contro il COVID-19 e l'influenza potrebbe proteggere il mio bambino dalle infezioni nei primi mesi di vita					

<b>Aspettative di esito negativo</b>	Molto d'accordo	D'accordo	Indeciso	Disaccordo	Per niente d'accordo
La co-somministrazione dei vaccini contro il COVID-19 e l'influenza può determinare la stessa frequenza di effetti indesiderati come febbre o mal di testa rispetto alla somministrazione separata dei singoli vaccini					
La co-somministrazione dei vaccini contro il COVID-19 e l'influenza può determinare la stessa frequenza di effetti indesiderati come dolore, rossore e gonfiore alle braccia rispetto alla somministrazione separata dei singoli vaccini					

<b>Autoefficacia</b>	Molto d'accordo	D'accordo	Indeciso	Disaccordo	Per niente d'accordo
Sono sicura di avere abbastanza informazioni sulla co-somministrazione dei vaccini contro COVID-19 e influenza per poter decidere di farli					
Sono sicura di potermi sottoporre alla co-somministrazione anche qualora i miei familiari/amici non siano d'accordo:					