

Supplementary Materials

The following are available online at www.mdpi.com/xxx/s1, Figure S1: The 24-month longitudinal change of (a) logMAR visual acuity, (b) central retinal thickness, and (c) intraocular pressure in patients who received single dexamethasone injection. * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$; Figure S2: The Q-Q plots and results of Shapiro-Wilt test in patient's baseline logMAR visual acuity, central retinal thickness, and intraocular pressure.; Figure S3: The change in (a) LogMAR visual acuity, (b) central retinal thickness, and (c) intraocular pressure in subgroup with 37 eyes from the 37 patients. * $p < 0.05$, *** $p < 0.001$.

Figure S1




Figure S1. The 24-month longitudinal change of (a) LogMAR visual acuity, (b) central retinal thickness, and (c) intraocular pressure in patients received single dexamethasone injection. * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Figure S2






Figure S2. The Q-Q plots and results of Shapiro–Wilk test in patient’s baseline LogMAR visual acuity, central retinal thickness, and intraocular pressure.

Figure S3


(a)



(b)



(c)



* p < 0.05, *** p < 0.001

Figure S3. The change in (a) LogMAR visual acuity, (b) central retinal thickness, and (c) intraocular pressure in subgroup with 37 eyes from the 37 patients. * p < 0.05, *** p < 0.001.