

Table S1. Stratified subgroup analyses of crude and adjusted odds ratios of asthma and COPD for COVID-19 infection in total participants by covariates

Characteristics	COVID-19 (exposure/total, %)	Control (exposure/total, %)	ORs (95% confidence interval) for COVID-19				
			Crude†	P- value	Model 1†‡	P- value	Model 2†§
Age < 60 years old	n = 2486	n = 9944					
Asthma							
Non-asthma	2,317/2,486 (93.2%)	9,363/9,944 (94.2%)	1		1		1
Mild-asthma	151/2,486 (6.1%)	521/9,944 (5.2%)	1.17 (0.97-1.41)	0.096	1.12 (0.93-1.36)	0.242	1.11 (0.91-1.35)
Severe- asthma	18/2,486 (0.7%)	60/9,944 (0.6%)	1.21 (0.72-2.06)	0.475	1.18 (0.69-2.01)	0.558	1.12 (0.65-1.93)
COPD							
Non-COPD	2,424/2,486 (97.5%)	9,762/9,944 (98.2%)	1		1		1
Mild- COPD	34/2,486 (1.4%)	110/9,944 (1.1%)	1.25 (0.85-1.83)	0.267	1.26 (0.85-1.88)	0.251	1.23 (0.83-1.84)
Severe- COPD	28/2,486 (1.1%)	72/9,944 (0.7%)	1.57 (1.01-2.43)	0.045*	1.49 (0.95-2.33)	0.083	1.47 (0.94-2.30)
Age ≥ 60 years old	n = 1580	n = 6320					
Asthma							
Non-asthma	1,387/1,580 (87.8%)	5,604/6,320 (88.7%)	1		1		1
Mild-asthma	171/1,580 (10.8%)	640/6,320 (10.1%)	1.08 (0.90-1.29)	0.399	1.08 (0.89-1.30)	0.437	1.06 (0.88-1.29)
Severe- asthma	22/1,580 (1.4%)	76/6,320 (1.2%)	1.17 (0.73-1.89)	0.520	1.21 (0.73-1.98)	0.461	1.17 (0.70-1.93)
COPD							
Non-COPD	1478/1,580 (93.5%)	5,963/6,320 (94.4%)	1		1		1
Mild- COPD	67/1,580 (4.2%)	249/6,320 (3.9%)	1.09 (0.83-1.43)	0.554	1.07 (0.80-1.43)	0.640	1.04 (0.78-1.40)
Severe- COPD	35/1,580 (2.2%)	108/6,320 (1.7%)	1.31 (0.89-1.93)	0.171	1.20 (0.80-1.80)	0.389	1.16 (0.76-1.75)
Men (n = 7,630)							
Asthma							
Non-asthma	1,406/1,526 (92.1%)	5,722/6,104 (93.7%)	1		1		1
Mild-asthma	106/1,526 (6.9%)	325/6,104 (5.3%)	1.34 (1.06-1.68)	0.013*	1.29 (1.01-1.64)	0.038*	1.30 (1.01-1.66)
Severe- asthma	14/1,526 (0.9%)	57/6,104 (0.9%)	1.01 (0.56-1.81)	0.986	0.93 (0.50-1.72)	0.812	0.93 (0.50-1.74)
COPD							
Non-COPD	1,457/1,526 (95.5%)	5,864/6,104 (96.1%)	1		1		1

Asthma							
			1		1		1
Non-asthma	1,219/1,345 (90.6%)	4,919/5,380 (91.4%)					
Mild-asthma	112/1,345 (8.3%)	410/5,380 (7.6%)	1.11 (0.89-1.38)	0.376	1.07 (0.85-1.34)	0.561	1.04 (0.82-1.31)
Severe- asthma	14/1,345 (1.0%)	51/5,380 (0.9%)	1.11 (0.61-2.01)	0.733	1.17 (0.64-2.14)	0.617	1.06 (0.57-1.98)
COPD							
Non-COPD	1,281/1,345 (95.2%)	5,192/5,380 (96.5%)					
Mild- COPD	39/1,345 (2.9%)	124/5,380 (2.3%)	1.28 (0.89-1.85)	0.184	1.19 (0.82-1.74)	0.365	1.18 (0.80-1.73)
Severe- COPD	25/1,345 (1.9%)	64/5,380 (1.2%)	1.59 (1.00-2.54)	0.051	1.44 (0.88-2.35)	0.146	1.41 (0.85-2.34)
Underweight (n = 700)							
Asthma							
Non-asthma	119/129 (92.2%)	532/571 (93.2%)					
Mild-asthma	8/129 (6.2%)	36/571 (6.3%)	0.99 (0.45-2.19)	0.987	1.03 (0.44-2.43)	0.939	0.56 (0.20-1.55)
Severe- asthma	2/129 (1.6%)	3/571 (0.5%)	2.98 (0.49-18.03)	0.234	3.27 (0.49-21.72)	0.220	3.65 (0.54-24.58)
COPD							
Non-COPD	119/129 (92.2%)	558/571 (97.7%)					
Mild- COPD	8/129 (6.2%)	8/571 (1.4%)	4.69 (1.73-12.74)	0.003*	9.58 (2.96-31.03)	0.001*	12.56 (3.62-43.59)
Severe- COPD	2/129 (1.6%)	5/571 (0.9%)	1.88 (0.36-9.78)	0.456	2.63 (0.36-19.03)	0.338	2.72 (0.39-19.01)
Normal weight (n = 7,819)							
Asthma							
Non-asthma	1,339/1,458 (91.8%)	5,901/6,361 (92.8%)					
Mild-asthma	106/1,458 (7.3%)	413/6,361 (6.5%)	1.13 (0.91-1.41)	0.276	1.17 (0.93-1.47)	0.181	1.13 (0.89-1.42)
Severe- asthma	13/1,458 (0.9%)	47/6,361 (0.7%)	1.22 (0.66-2.26)	0.529	1.33 (0.70-2.53)	0.383	1.22 (0.63-2.34)
COPD							
Non-COPD	1,397/1,458 (95.8%)	6,171/6,361 (97.0%)					
Mild- COPD	34/1,458 (2.3%)	127/6,361 (2.0%)	1.18 (0.81-1.73)	0.391	1.16 (0.77-1.73)	0.477	1.11 (0.74-1.67)
Severe- COPD	27/1,458 (1.9%)	63/6,361 (1.0%)	1.89 (1.20-2.98)	0.006*	1.95 (1.22-3.13)	0.006*	1.88 (1.17-3.03)
Overweight (n = 4,868)							
Asthma							
Non-asthma	923/1,010 (91.4%)	3,569/3,858 (92.5%)					
Mild-asthma	77/1,010 (7.6%)	263/3,858 (6.8%)	1.13 (0.87-1.47)	0.357	1.11 (0.85-1.47)	0.442	1.11 (0.84-1.47)

Non-COPD	840/885 (94.9%)	4,500/4,692 (95.9%)	1		1		1	
Mild-COPD	29/885 (3.3%)	136/4,692 (2.9%)	1.14 (0.76-1.72)	0.522	1.00 (0.65-1.53)	0.999	0.90 (0.58-1.39)	0.623
Severe-COPD	16/885 (1.8%)	56/4,692 (1.2%)	1.53 (0.88-2.68)	0.136	1.17 (0.64-2.11)	0.616	1.04 (0.56-1.92)	0.907

Alcohol consumption < 1 time a week (n = 13,465)

Asthma

Non-asthma	2,676/2,968 (90.2%)	9,534/10,497 (90.8%)	1		1		1	
Mild-asthma	259/2,968 (8.7%)	855/10,497 (8.1%)	1.08 (0.93-1.25)	0.304	1.10 (0.95-1.28)	0.217	1.09 (0.93-1.27)	0.298
Severe-asthma	33/2,968 (1.1%)	108/10,497 (1.0%)	1.09 (0.74-1.61)	0.671	1.17 (0.78-1.75)	0.441	1.13 (0.75-1.70)	0.563

COPD

Non-COPD	2,842/2,968 (95.8%)	10,107/10,497 (96.3%)	1		1		1	
Mild- COPD	78/2,968 (2.6%)	263/10,497 (2.5%)	1.06 (0.82-1.36)	0.684	1.10 (0.84-1.43)	0.500	1.07 (0.81-1.40)	0.637
Severe-COPD	48/2,968 (1.6%)	127/10,497 (1.2%)	1.34 (0.96-1.88)	0.083	1.30 (0.92-1.85)	0.137	1.27 (0.89-1.80)	0.187

Alcohol consumption ≥1 time a week (n = 6,865)

Asthma

Non-asthma	1,028/1,098 (93.6%)	5,433/5,767 (94.2%)	1		1		1	
Mild-asthma	63/1,098 (5.7%)	306/5,767 (5.3%)	1.09 (0.82-1.44)	0.554	1.09 (0.82-1.45)	0.562	1.06 (0.79-1.42)	0.695
Severe-asthma	7/1,098 (0.6%)	28/5,767 (0.5%)	1.32 (0.58-3.03)	0.511	1.31 (0.55-3.13)	0.547	1.20 (0.50-2.91)	0.682

COPD

Non-COPD	1,060/1,098 (96.5%)	5,618/5,767 (97.4%)	1		1		1	
Mild- COPD	23/1,098 (2.1%)	96/5,767 (1.7%)	1.27 (0.80-2.01)	0.308	1.21 (0.75-1.95)	0.444	1.18 (0.72-1.92)	0.514
Severe-COPD	15/1,098 (1.4%)	53/5,767 (0.9%)	1.50 (0.84-2.67)	0.167	1.42 (0.78-2.59)	0.256	1.38 (0.75-2.54)	0.297

Systolic blood pressure < 140 mmHg and diastolic blood pressure < 90 mmHg (n = 17,427)

Asthma

Non-asthma	3,218/3,530 (91.2%)	12,834/13,897 (92.4%)	1		1		1	
Mild-asthma	280/3,530 (7.9%)	948/13,897 (6.8%)	1.18 (1.03-1.35)	0.021*	1.15 (1.00-1.33)	0.056	1.13 (0.98-1.31)	0.099
Severe-asthma	32/3,530 (0.9%)	115/13,897 (0.8%)	1.11 (0.75-1.65)	0.604	1.10 (0.74-1.66)	0.632	1.05 (0.70-1.58)	0.817

COPD

Non-COPD	3,395/3,530 (96.2%)	13,466/13,897 (96.9%)	1		1		1	
Mild-COPD	81/3,530 (2.3%)	279/13,897 (2.0%)	1.15 (0.90-1.48)	0.269	1.13 (0.87-1.46)	0.365	1.10 (0.84-1.43)	0.500
Severe-COPD	54/3,530 (1.5%)	152/13,897 (1.1%)	1.41 (1.03-1.93)	0.032*	1.37 (0.99-1.90)	0.058	1.33 (0.96-1.85)	0.092

Systolic blood pressure ≥ 140 mmHg or diastolic blood pressure ≥90 mmHg (n = 2,903)**Asthma**

Non-asthma	486/536 (90.7%)	2,133/2,367 (90.1%)	1	1	1	1	0.203
Mild-asthma	42/536 (7.8%)	213/2,367 (9.0%)	0.87 (0.61-1.22)	0.412	0.79 (0.55-1.15)	0.216	0.79 (0.54-1.14)
Severe- asthma	8/536 (1.5%)	21/2,367 (0.9%)	1.68 (0.74-3.80)	0.218	1.73 (0.74-4.04)	0.209	1.68 (0.70-4.00)

COPD

Non-COPD	507/536 (94.6%)	2,259/2,367 (95.4%)	1	1	1	1	0.792
Mild-COPD	20/536 (3.7%)	80/2,367 (3.4%)	1.11 (0.68-1.84)	0.672	1.07 (0.63-1.82)	0.791	1.08 (0.62-1.86)
Severe-COPD	9/536 (1.7%)	28/2,367 (1.2%)	1.43 (0.67-3.06)	0.352	1.07 (0.48-2.40)	0.866	1.08 (0.48-2.43)

Fasting blood glucose < 100 mg/dL (n = 12,806)**Asthma**

Non-asthma	2,309/2,522 (91.6%)	9,465/10,284 (92.0%)	1	1	1	1	0.870
Mild-asthma	192/2,522 (7.6%)	730/10,284 (7.1%)	1.08 (0.91-1.27)	0.373	1.04 (0.88-1.24)	0.635	1.02 (0.85-1.21)
Severe- asthma	21/2,522 (0.8%)	89/10,284 (0.9%)	0.97 (0.60-1.56)	0.891	0.93 (0.57-1.52)	0.773	0.87 (0.53-1.42)

COPD

Non-COPD	2,424/2,522 (96.1%)	9,967/10,284 (96.9%)	1	1	1	1	0.243
Mild-COPD	58/2,522 (2.3%)	201/10,284 (2.0%)	1.19 (0.88-1.59)	0.257	1.20 (0.88-1.62)	0.250	1.20 (0.88-1.64)
Severe-COPD	40/2,522 (1.6%)	116/10,284 (1.1%)	1.42 (0.99-2.04)	0.059	1.40 (0.96-2.04)	0.078	1.41 (0.97-2.07)

Fasting blood glucose ≥ 100 mg/dL (n = 7,524)**Asthma**

Non-asthma	1,395/1,544 (90.3%)	5,502/5,980 (92.0%)	1	1	1	1	0.106
Mild-asthma	130/1,544 (8.4%)	431/5,980 (7.2%)	1.19 (0.97-1.46)	0.096	1.19 (0.96-1.48)	0.107	1.20 (0.96-1.49)
Severe- asthma	19/1,544 (1.2%)	47/5,980 (0.8%)	1.60 (0.93-2.73)	0.088	1.67 (0.95-2.93)	0.077	1.68 (0.94-2.99)

COPD

Non-COPD	1,478/1,544 (95.7%)	5,758/5,980 (96.3%)	1	1	1	1	0.733
Mild-COPD	43/1,544 (2.8%)	158/5,980 (2.6%)	1.06 (0.75-1.49)	0.737	1.03 (0.72-1.48)	0.866	0.94 (0.65-1.36)
Severe-COPD	23/1,544 (1.5%)	64/5,980 (1.1%)	1.40 (0.87-2.26)	0.169	1.17 (0.71-1.94)	0.541	1.09 (0.65-1.82)

Total cholesterol < 200 mg/dL (n = 11,393)**Asthma**

Non-asthma	2,109/2,325 (90.7%)	8,324/9,068 (91.8%)	1	1	1
------------	---------------------	---------------------	---	---	---

Mild-asthma	190/2,325 (8.2%)	661/9,068 (7.3%)	1.14 (0.96-1.34)	0.142	1.14 (0.96-1.36)	0.145	1.12 (0.93-1.34)	0.227
Severe- asthma	26/2,325 (1.1%)	83/9,068 (0.9%)	1.24 (0.79-1.93)	0.348	1.26 (0.80-1.99)	0.327	1.19 (0.75-1.89)	0.469
COPD								
Non-COPD	2,224/2,325 (95.7%)	8,744/9,068 (96.4%)	1		1		1	
Mild-COPD	63/2,325 (2.7%)	228/9,068 (2.5%)	1.09 (0.82-1.44)	0.566	1.12 (0.83-1.51)	0.458	1.02 (0.83-1.26)	0.841
Severe-COPD	38/2,325 (1.6%)	96/9,068 (1.1%)	1.56 (1.07-2.27)	0.022*	1.46 (0.98-2.17)	0.061	1.03 (0.55-1.90)	0.938
Total cholesterol ≥ 200 mg/dL (n = 8,937)								
Asthma								
Non-asthma	1,595/1,741 (91.6%)	6,643/7,196 (92.3%)	1		1		1	
Mild-asthma	132/1,741 (7.6%)	500/7,196 (6.9%)	1.10 (0.90-1.34)	0.351	1.04 (0.84-1.28)	0.733	1.08 (0.80-1.46)	0.622
Severe- asthma	14/1,741 (0.8%)	53/7,196 (0.7%)	1.10 (0.61-1.99)	0.752	1.07 (0.58-1.96)	0.830	1.40 (0.94-2.09)	0.101
COPD								
Non-COPD	1,678/1,741 (96.4%)	6,981/7,196 (97.0%)	1		1		1	
Mild-COPD	38/1,741 (2.2%)	131/7,196 (1.8%)	1.21 (0.84-1.74)	0.313	1.17 (0.80-1.71)	0.410	1.17 (0.79-1.71)	0.436
Severe-COPD	25/1,741 (1.4%)	84/7,196 (1.2%)	1.24 (0.79-1.94)	0.352	1.16 (0.73-1.85)	0.537	1.15 (0.72-1.85)	0.554
CCI scores = 0 (n = 17,698)								
Asthma								
Non-asthma	2,840/3,089 (91.9%)	13,489/14,609 (92.3%)	1		1		1	
Mild-asthma	219/3,089 (7.1%)	1004/14,609 (6.9%)	1.04 (0.89-1.21)	0.647	1.05 (0.90-1.23)	0.543	1.04 (0.89-1.22)	0.634
Severe- asthma	30/3,089 (1.0%)	116/14,609 (0.8%)	1.23 (0.82-1.84)	0.318	1.20 (0.79-1.81)	0.387	1.16 (0.76-1.75)	0.497
COPD								
Non-COPD	2,990/3,089 (96.8%)	14,172/14,609 (97.0%)	1		1		1	
Mild-COPD	58/3,089 (1.9%)	298/14,609 (2.0%)	0.92 (0.69-1.23)	0.578	1.03 (0.77-1.37)	0.855	1.01 (0.76-1.36)	0.939
Severe-COPD	41/3,089 (1.3%)	139/14,609 (1.0%)	1.40 (0.99-1.99)	0.061	1.37 (0.96-1.97)	0.083	1.35 (0.94-1.93)	0.108
CCI scores = 1 (n = 1,454)								
Asthma								
Non-asthma	524/588 (89.1%)	782/866 (90.3%)	1		1		1	
Mild-asthma	57/588 (9.7%)	74/866 (8.5%)	1.15 (0.80-1.65)	0.451	1.37 (0.93-2.01)	0.401	1.28 (0.86-1.90)	0.398
Severe- asthma	7/588 (1.2%)	10/866 (1.2%)	1.05 (0.40-2.76)	0.930	1.32 (0.48-3.69)	0.109	1.14 (0.40-3.29)	0.226

COPD							
Non-COPD	555/588 (94.4%)	824/866 (95.2%)	1		1		1
Mild-COPD	22/588 (3.7%)	24/866 (2.8%)	1.36 (0.76-2.45)	0.305	1.69 (0.91-3.12)	0.399	1.52 (0.80-2.89)
Severe-COPD	11/588 (1.9%)	18/866 (2.1%)	0.91 (0.43-1.94)	0.801	1.21 (0.54-2.69)	0.095	1.14 (0.51-2.57)
CCI scores ≥ 2 (n = 1,178)							
Asthma							
Non-asthma	340/389 (87.4%)	696/789 (88.2%)	1		1		1
Mild-asthma	46/389 (11.8%)	83/789 (10.5%)	1.14 (0.77-1.66)	0.518	1.16 (0.77-1.73)	0.114	1.13 (0.74-1.72)
Severe- asthma	3/389 (0.8%)	10/789 (1.3%)	0.61 (0.17-2.25)	0.462	0.55 (0.15-2.09)	0.424	0.52 (0.13-2.02)
COPD							
Non-COPD	357/389 (91.8%)	729/789 (92.4%)	1		1		1
Mild-COPD	21/389 (5.4%)	37/789 (4.7%)	1.16 (0.67-2.01)	0.599	1.12 (0.63-1.98)	0.146	1.15 (0.64-2.08)
Severe-COPD	11/389 (2.8%)	23/789 (2.9%)	0.98 (0.47-2.03)	0.949	1.07 (0.50-2.30)	0.416	1.05 (0.48-2.32)
NSAID used < 6 times (n = 10,717)							
Asthma							
Non-asthma	1,871/1,972 (94.9%)	8,318/8,745 (95.1%)	1		1		1
Mild-asthma	96/1,972 (4.9%)	376/8,745 (4.3%)	1.14 (0.90-1.43)	0.280	1.16 (0.91-1.47)	0.232	1.12 (0.88-1.43)
Severe- asthma	05/1,972 (0.3%)	51/8,745 (0.6%)	0.44 (0.17-1.09)	0.077	0.51 (0.20-1.30)	0.161	0.48 (0.19-1.24)
COPD							
Non-COPD	1,912/1,972 (97.0%)	8,547/8,745 (97.7%)	1		1		1
Mild-COPD	35/1,972 (1.8%)	136/8,745 (1.6%)	1.15 (0.79-1.67)	0.464	1.10 (0.74-1.63)	0.641	1.04 (0.89-1.23)
Severe-COPD	25/1,972 (1.3%)	62/8,745 (0.7%)	1.80 (1.13-2.88)	0.013*	1.66 (1.02-2.71)	0.040*	1.43 (0.94-2.18)
NSAID used ≥ 6 times (n = 9,613)							
Asthma							
Non-asthma	1,833/2,094 (87.5%)	6,649/7,519 (88.4%)	1		1		1
Mild-asthma	226/2,094 (10.8%)	785/7,519 (10.4%)	1.04 (0.89-1.22)	0.588	1.05 (0.89-1.24)	0.543	1.10 (0.73-1.64)
Severe- asthma	35/2,094 (1.7%)	85/7,519 (1.1%)	1.49 (1.01-2.22)	0.047*	1.47 (0.98-2.21)	0.066	1.66 (1.02-2.72)
COPD							
Non-COPD	1,990/2,094 (95.0%)	7,178/7,519 (95.5%)	1		1		1
Mild-COPD	66/2,094 (3.2%)	223/7,519 (3.0%)	1.07 (0.81-1.41)	0.646	1.12 (0.84-1.49)	0.455	1.07 (0.80-1.44)

Non-asthma	1,042/1,188 (87.7%)	4,099/4,599 (89.1%)	1		1		1	
Mild-asthma	128/1,188 (10.8%)	450/4,599 (9.8%)	1.12 (0.91-1.38)	0.289	1.08 (0.86-1.34)	0.516	1.08 (0.86-1.35)	0.520
Severe- asthma	18/1,188 (1.5%)	50/4,599 (1.1%)	1.42 (0.82-2.44)	0.209	1.33 (0.76-2.34)	0.321	1.33 (0.75-2.39)	0.333
COPD								
Non-COPD	1,118/1,188 (94.1%)	4,358/4,599 (94.8%)	1		1		1	
Mild-COPD	46/1,188 (3.9%)	172/4,599 (3.7%)	1.04 (0.75-1.45)	0.806	1.02 (0.72-1.45)	0.898	0.97 (0.68-1.39)	0.876
Severe-COPD	24/1,188 (2.0%)	69/4,599 (1.5%)	1.36 (0.85-2.17)	0.203	1.11 (0.67-1.82)	0.691	1.06 (0.64-1.75)	0.832

* Conditional or unconditional logistic regression model, Significance at P < 0.05

† Stratified model for age, sex and income.

‡ Model 1 was adjusted for obesity, smoking, alcohol consumption, systolic blood pressure, diastolic blood pressure, fasting blood glucose, total cholesterol, CCI scores, number of NSAID used, number of steroid used, and hypertension.

§ Model 2 was adjusted for model 1 plus asthma and COPD.

Table S2. Subgroup analyses of crude and adjusted odds ratios of asthma and COPD for morbidity in COVID-19 participants by covariates

Characteristics	Severe	Mild participants	ORs (95% confidence interval) for morbidity					
	participants (exposure/total, %)	(exposure/total, %)	Crude	P-value	Model 1†	P- value	Model 2‡	P- value
Age < 60 years old (n = 2,486)								
Asthma								
Non-asthma	82/92 (89.1%)	2,235/2,394 (93.4%)	1		1		1	
Mild-asthma	10/92 (10.9%)	141/2,394 (5.9%)	1.93 (0.98-3.81)	0.057	2.05 (1.01-4.18)	0.047*	2.18 (1.06-4.50)	0.035*
Severe- asthma	0/92 (0.0%)	18/2,394 (0.8%)	N/A		N/A		N/A	
COPD								
Non-COPD	89/92 (96.7%)	2,335/2,394 (97.5%)	1		1		1	
Mild-COPD	1/92 (1.1%)	33/2,394 (1.4%)	0.80 (0.11-5.88)	0.822	0.76 (0.10-5.74)	0.788	0.53 (0.07-4.26)	0.552
Severe- COPD	2/92 (2.2%)	26/2,394 (1.1%)	2.02 (0.47-8.64)	0.344	1.98 (0.44-8.99)	0.376	2.09 (0.46-9.53)	0.341
Age ≥ 60 years old (n = 1,580)								
Asthma								
Non-asthma	214/251 (85.3%)	1,173/1,329 (88.3%)	1		1		1	
Mild-asthma	33/251 (13.1%)	138/1,329 (10.4%)	1.31 (0.87-1.97)	0.192	0.92 (0.58-1.47)	0.723	0.83 (0.51-1.35)	0.445
Severe- asthma	4/251 (1.6%)	18/1,329 (1.4%)	1.22 (0.41-3.63)	0.724	0.61 (0.16-2.29)	0.468	0.46 (0.11-1.87)	0.278
COPD								
Non-COPD	224/251 (89.2%)	1,254/1,329 (94.4%)	1		1		1	
Mild-COPD	14/251 (5.6%)	53/1,329 (4.0%)	1.48 (0.81-2.71)	0.206	1.01 (0.50-2.04)	0.982	1.16 (0.56-2.41)	0.689
Severe- COPD	13/251 (5.2%)	22/1,329 (1.7%)	3.31 (1.64-6.66)	0.001*	2.35 (1.02-5.41)	0.045*	2.70 (1.14-6.42)	0.024*
Men (n = 1,526)								
Asthma								
Non-asthma	181/204 (88.7%)	1,225/1,322 (92.7%)	1		1		1	
Mild-asthma	21/204 (10.3%)	85/1,322 (6.4%)	1.67 (1.01-2.76)	0.045*	0.83 (0.46-1.49)	0.531	0.70 (0.37-1.30)	0.253

Severe-asthma	2/204 (1.0%)	12/1,322 (0.9%)	1.13 (0.25-5.08)	0.875	0.31 (0.04-2.34)	0.259	0.18 (0.02-1.53)	0.116
COPD								
Non-COPD	183/204 (89.7%)	1,274/1,322 (96.4%)	1		1		1	
Mild-COPD	12/204 (5.9%)	27/1,322 (2.0%)	3.09 (1.54-6.22)	0.002*	1.78 (0.76-4.15)	0.181	2.30 (0.95-5.58)	0.066
Severe-COPD	9/204 (4.4%)	21/1,322 (1.6%)	2.98 (1.35-6.62)	0.007*	1.63 (0.62-4.26)	0.322	2.03 (0.76-5.44)	0.159
Women (n = 2,540)								
Asthma								
Non-asthma	115/139 (82.7%)	2,183/2,401 (90.9%)	1		1		1	
Mild-asthma	22/139 (15.8%)	194/2,401 (8.1%)	2.15 (1.33-3.48)	0.002*	1.49 (0.87-2.54)	0.149	0.00 (0.00-0.00)	0.000
Severe-asthma	2/139 (1.4%)	24/2,401 (1.0%)	1.58 (0.37-6.78)	0.537	0.93 (0.19-4.57)	0.923	1.46 (0.84-2.56)	0.184
COPD								
Non-COPD	130/139 (93.5%)	2,315/2,401 (96.4%)	1		1		1	
Mild-COPD	3/139 (2.2%)	59/2,401 (2.5%)	0.91 (0.28-2.93)	0.868	0.42 (0.12-1.46)	0.171	0.37 (0.10-1.35)	0.133
Severe-COPD	6/139 (4.3%)	27/2,401 (1.1%)	3.96 (1.61-9.75)	0.003*	3.11 (1.10-8.78)	0.032*	2.71 (0.93-7.96)	0.069
Low income (n = 1,472)								
Asthma								
Non-asthma	76/88 (86.4%)	1,267/1,384 (91.5%)	1		1		1	
Mild-asthma	11/88 (12.5%)	105/1,384 (7.6%)	1.75 (0.90-3.39)	0.099	1.10 (0.51-2.39)	0.810	1.28 (0.58-2.83)	0.550
Severe-asthma	1/88 (0.0%)	12/1,384 (0.0%)	1.39 (0.18-10.83)	0.754	1.98 (0.23-17.14)	0.535	2.75 (0.27-28.34)	0.396
COPD								
Non-COPD	82/88 (93.2%)	1,333/1,384 (96.3%)	1		1		1	
Mild-COPD	1/88 (1.1%)	35/1,384 (2.5%)	0.46 (0.06-3.43)	0.452	0.16 (0.02-1.47)	0.106	0.13 (0.01-1.25)	0.078
Severe-COPD	5/88 (5.7%)	16/1,384 (1.2%)	5.08 (1.82-14.21)	0.002*	2.51 (0.69-9.10)	0.162	2.16 (0.57-8.09)	0.255
Middle income (n = 1,249)								
Asthma								
Non-asthma	93/110 (84.5%)	1,049/1,139 (92.1%)	1		1		1	
Mild-asthma	15/110 (13.6%)	79/1,139 (6.9%)	2.14 (1.19-3.87)	0.012*	1.56 (0.77-3.13)	0.215	1.47 (0.72-3.00)	0.291

Severe-asthma	2/110 (1.8%)	11/1,139 (1.0%)	2.05 (0.45-9.39)	0.355	0.30 (0.04-2.42)	0.255	0.18 (0.02-1.99)	0.161
COPD								
Non-COPD	101/110 (91.8%)	1,105/1,139 (97.0%)	1		1		1	
Mild-COPD	6/110 (5.5%)	20/1,139 (1.8%)	3.28 (1.29-8.36)	0.013*	1.75 (0.50-6.14)	0.381	2.16 (0.62-7.49)	0.224
Severe-COPD	3/110 (2.7%)	14/1,139 (1.2%)	2.34 (0.66-8.29)	0.186	1.07 (0.20-5.73)	0.941	1.10 (0.20-6.16)	0.916

High income (n = 1,345)

Asthma

Non-asthma	127/145 (87.6%)	1,092/1,200 (91.0%)	1		1		1	
Mild-asthma	17/145 (11.7%)	95/1,200 (7.9%)	1.54 (0.89-2.66)	0.123	1.02 (0.54-1.92)	0.961	0.90 (0.47-1.76)	0.766
Severe-asthma	1/145 (0.7%)	13/1,200 (1.1%)	0.66 (0.09-5.10)	0.692	0.49 (0.05-4.40)	0.523	0.32 (0.03-3.47)	0.348

COPD

Non-COPD	130/145 (89.7%)	1,151/1,200 (95.9%)	1		1		1	
Mild-COPD	8/145 (5.5%)	31/1,200 (2.6%)	2.29 (1.03-5.08)	0.042*	1.28 (0.51-3.22)	0.594	1.37 (0.53-3.52)	0.518
Severe-COPD	7/145 (4.8%)	18/1,200 (1.5%)	3.45 (1.41-8.40)	0.007*	2.88 (0.96-8.63)	0.058	3.23 (1.06-9.88)	0.040*

Underweight (n = 129)

Asthma

Non-asthma	5/5 (100.0%)	114/124 (91.9%)	1		1		1	
Mild-asthma	0/5 (0.0%)	8/124 (6.5%)	N/A		N/A		N/A	
Severe-asthma	0/5 (0.0%)	2/124 (1.6%)	N/A		N/A		N/A	

COPD

Non-COPD	4/05 (80.0%)	115/124 (92.7%)	1		1		1	
Mild-COPD	0/05 (0.0%)	8/124 (6.5%)	N/A		N/A		N/A	
Severe-COPD	1/05 (20.0%)	1/124 (0.8%)	28.75 (1.51-546.90)	0.025*	N/A		N/A	

Normal weight (n = 1,458)

Asthma

Non-asthma	90/103 (87.4%)	1,249/1,355 (92.2%)	1		1		1	
Mild-asthma	12/103 (11.7%)	94/1,355 (6.9%)	1.77 (0.94-3.35)	0.079	1.62 (0.78-3.38)	0.197	1.78 (0.83-3.84)	0.142

Severe-asthma	1/103 (1.0%)	12/1,355 (0.9%)	1.16 (0.15-8.99)	0.890	0.28 (0.02-3.18)	0.302	0.33 (0.03-3.84)	0.372
COPD								
Non-COPD	95/103 (92.2%)	1,302/1,355 (96.1%)	1		1		1	
Mild-COPD	4/103 (3.9%)	30/1,355 (2.2%)	1.83 (0.63-5.30)	0.267	0.64 (0.18-2.25)	0.482	0.56 (0.15-2.05)	0.379
Severe-COPD	4/103 (3.9%)	23/1,355 (1.7%)	2.39 (0.81-7.04)	0.115	1.05 (0.28-3.98)	0.948	1.07 (0.27-4.26)	0.927
Overweight (n = 1,010)								
Asthma								
Non-asthma	66/70 (94.3%)	857/940 (91.2%)	1		1		1	
Mild-asthma	3/70 (4.3%)	74/940 (7.9%)	0.53 (0.16-1.72)	0.287	0.28 (0.08-1.02)	0.054	0.26 (0.07-1.03)	0.055
Severe-asthma	1/70 (1.4%)	9/940 (1.0%)	1.44 (0.18-11.56)	0.730	0.94 (0.09-10.11)	0.961	0.91 (0.06-13.77)	0.944
COPD								
Non-COPD	66/70 (94.3%)	904/940 (96.2%)	1		1		1	
Mild-COPD	2/70 (2.9%)	25/940 (2.7%)	1.10 (0.25-4.73)	0.902	0.60 (0.12-2.96)	0.527	0.67 (0.12-3.66)	0.647
Severe-COPD	2/70 (2.9%)	11/940 (1.2%)	2.49 (0.54-11.47)	0.241	0.95 (0.14-6.35)	0.960	1.53 (0.18-13.13)	0.699
Obese (n = 1,469)								
Asthma								
Non-asthma	135/165 (81.8%)	1,188/1,304 (91.1%)	1		1		1	
Mild-asthma	28/165 (17.0%)	103/1,304 (7.9%)	2.39 (1.52-3.77)	<0.001*	1.68 (0.99-2.84)	0.056	1.56 (0.90-2.69)	0.115
Severe-asthma	2/165 (1.2%)	13/1,304 (1.0%)	1.35 (0.30-6.06)	0.692	0.97 (0.17-5.56)	0.971	0.84 (0.13-5.37)	0.857
COPD								
Non-COPD	148/165 (89.7%)	1268/1,304 (97.2%)	1		1		1	
Mild-COPD	9/165 (5.5%)	23/1,304 (1.8%)	3.35 (1.52-7.38)	0.003*	1.87 (0.72-4.83)	0.199	1.66 (0.62-4.45)	0.317
Severe-COPD	8/165 (4.8%)	13/1,304 (1.0%)	5.28 (2.15-12.94)	<0.001*	4.98 (1.66-14.93)	0.004*	4.79 (1.57-14.62)	0.006*
Non-smoker (n = 3,181)								
Asthma								
Non-asthma	203/233 (87.1%)	2,703/2,948 (91.7%)	1		1		1	
Mild-asthma	27/233 (11.6%)	220/2,948 (7.5%)	1.63 (1.07-2.50)	0.023*	1.17 (0.73-1.89)	0.511	1.14 (0.69-1.87)	0.612

Severe-asthma	3/233 (1.3%)	25/2,948 (0.8%)	1.60 (0.48-5.34)	0.446	1.08 (0.27-4.37)	0.919	1.19 (0.30-4.78)	0.803
COPD								
Non-COPD	215/233 (92.3%)	2,847/2,948 (96.6%)	1		1		1	
Mild-COPD	7/233 (3.0%)	65/2,948 (2.2%)	1.43 (0.65-3.15)	0.380	0.69 (0.29-1.69)	0.421	0.66 (0.26-1.65)	0.370
Severe-COPD	11/233 (4.7%)	36/2,948 (1.2%)	4.05 (2.03-8.06)	<0.001*	2.55 (1.12-5.85)	0.027*	2.46 (1.06-5.70)	0.037*

Past or current smoker (n = 885)

Asthma

Non-asthma	93/110 (84.5%)	705/775 (91.0%)	1		1		1	
Mild-asthma	16/110 (14.5%)	59/775 (7.6%)	2.06 (1.14-3.72)	0.017*	0.98 (0.47-2.04)	0.958	0.83 (0.38-1.82)	0.649
Severe-asthma	1/110 (0.9%)	11/775 (1.4%)	0.69 (0.09-5.40)	0.723	0.17 (0.02-1.93)	0.154	0.10 (0.01-1.34)	0.082

COPD

Non-COPD	98/110 (89.1%)	742/775 (95.7%)	1		1		1	
Mild-COPD	8/110 (7.3%)	21/775 (2.7%)	2.89 (1.24-6.69)	0.014*	1.66 (0.57-4.83)	0.352	2.06 (0.66-6.37)	0.211
Severe-COPD	4/110 (3.6%)	12/775 (1.5%)	2.52 (0.80-7.98)	0.115	1.21 (0.29-5.08)	0.796	2.06 (0.46-9.35)	0.348

Alcohol consumption < 1 time a week (n = 2,968)

Asthma

Non-asthma	217/258 (84.1%)	2,459/2,710 (90.7%)	1		1		1	
Mild-asthma	38/258 (14.7%)	221/2,710 (8.2%)	1.95 (1.34-2.82)	<0.001*	1.25 (0.81-1.93)	0.321	1.19 (0.76-1.88)	0.447
Severe-asthma	3/258 (1.2%)	30/2,710 (1.1%)	1.13 (0.34-3.74)	0.838	0.42 (0.10-1.73)	0.230	0.38 (0.09-1.64)	0.193

COPD

Non-COPD	234/258 (90.7%)	2,608/2,710 (96.2%)	1		1		1	
Mild-COPD	11/258 (4.3%)	67/2,710 (2.5%)	1.83 (0.95-3.51)	0.069	0.85 (0.39-1.83)	0.671	0.91 (0.41-2.01)	0.817
Severe-COPD	13/258 (5.0%)	35/2,710 (1.3%)	4.14 (2.16-7.93)	<0.001*	2.32 (1.04-5.18)	0.040*	2.38 (1.05-5.38)	0.037*

Alcohol consumption ≥ 1 time a week (n = 1,098)

Asthma

Non-asthma	79/85 (92.9%)	949/1,013 (93.7%)	1		1		1	
Mild-asthma	5/85 (5.9%)	58/1,013 (5.7%)	1.04 (0.40-2.66)	0.942	0.63 (0.22-1.78)	0.380	0.51 (0.17-1.54)	0.233

Severe-asthma	1/85 (1.2%)	6/1,013 (0.6%)	2.00 (0.24-16.84)	0.523	2.72 (0.28-26.22)	0.387	1.71 (0.15-19.84)	0.668
COPD								
Non-COPD	79/85 (92.9%)	981/1,013 (96.8%)	1		1		1	
Mild-COPD	4/85 (4.7%)	19/1,013 (1.9%)	2.62 (0.87-7.88)	0.087	1.87 (0.56-6.28)	0.311	2.31 (0.63-8.52)	0.208
Severe-COPD	2/85 (2.4%)	13/1,013 (1.3%)	1.91 (0.42-8.62)	0.400	1.80 (0.34-9.36)	0.487	1.81 (0.33-9.91)	0.497

Systolic blood pressure < 140 mmHg and diastolic blood pressure < 90 mmHg (n = 3,530)

Asthma								
Non-asthma	231/268 (86.2%)	2,987/3,262 (91.6%)	1		1		1	
Mild-asthma	34/268 (12.7%)	246/3,262 (7.5%)	1.79 (1.22-2.62)	0.003*	1.13 (0.73-1.76)	0.587	1.08 (0.68-1.72)	0.732
Severe-asthma	3/268 (1.1%)	29/3,262 (0.9%)	1.34 (0.40-4.42)	0.634	0.37 (0.08-1.68)	0.198	0.32 (0.07-1.56)	0.158
COPD								
Non-COPD	246/268 (91.8%)	3,149/3,262 (96.5%)	1		1		1	
Mild-COPD	12/268 (4.5%)	69/3,262 (2.1%)	2.23 (1.19-4.17)	0.012*	1.10 (0.52-2.30)	0.804	1.20 (0.56-2.56)	0.633
Severe-COPD	10/268 (3.7%)	44/3,262 (1.3%)	2.91 (1.45-5.85)	0.003*	1.24 (0.53-2.91)	0.615	1.34 (0.57-3.17)	0.506

Systolic blood pressure ≥ 140 mmHg or diastolic blood pressure ≥ 90 mmHg (n = 536)

Asthma								
Non-asthma	65/75 (86.7%)	421/461 (91.3%)	1		1		1	
Mild-asthma	9/75 (12.0%)	33/461 (7.2%)	1.77 (0.81-3.86)	0.154	1.07 (0.42-2.77)	0.886	1.15 (0.42-3.16)	0.791
Severe-asthma	1/75 (1.3%)	7/461 (1.5%)	0.93 (0.11-7.64)	0.943	1.59 (0.15-17.24)	0.704	1.09 (0.09-13.52)	0.950
COPD								
Non-COPD	67/75 (89.3%)	440/461 (95.4%)	1		1		1	
Mild-COPD	3/75 (4.0%)	17/461 (3.7%)	1.16 (0.33-4.06)	0.818	0.72 (0.15-3.39)	0.681	0.68 (0.14-3.43)	0.642
Severe-COPD	5/75 (6.7%)	4/461 (0.9%)	8.21 (2.15-31.34)	0.002*	22.32 (3.28-152.00)	0.002*	22.24 (3.11-158.94)	0.002*

Fasting blood glucose < 100 mg/dL (n = 2,522)

Asthma								
Non-asthma	130/153 (85.0%)	2,179/2,369 (92.0%)	1		1		1	
Mild-asthma	21/153 (13.7%)	171/2,369 (7.2%)	2.06 (1.27-3.35)	0.004*	1.18 (0.67-2.09)	0.561	1.09 (0.60-1.96)	0.785

Severe-asthma	2/153 (1.3%)	19/2,369 (0.8%)	1.76 (0.41-7.66)	0.448	1.01 (0.19-5.28)	0.990	0.76 (0.13-4.53)	0.765
COPD								
Non-COPD								
Non-COPD	139/153 (90.8%)	2,285/2,369 (96.5%)	1		1		1	
Mild-COPD	7/153 (4.6%)	51/2,369 (2.2%)	2.26 (1.01-5.06)	0.049*	1.32 (0.52-3.35)	0.564	1.29 (0.50-3.36)	0.596
Severe-COPD	7/153 (4.6%)	33/2,369 (1.4%)	3.49 (1.52-8.02)	0.003*	1.92 (0.68-5.41)	0.218	1.95 (0.66-5.78)	0.229
Fasting blood glucose ≥ 100 mg/dL (n = 1,544)								
Asthma								
Non-asthma	166/190 (87.4%)	1,229/1,354 (90.8%)	1		1		1	
Mild-asthma	22/190 (11.6%)	108/1,354 (8.0%)	1.51 (0.93-2.45)	0.098	1.03 (0.58-1.80)	0.931	1.01 (0.56-1.81)	0.977
Severe-asthma	2/190 (1.1%)	17/1,354 (1.3%)	0.87 (0.20-3.80)	0.854	0.30 (0.05-1.85)	0.194	0.30 (0.05-2.01)	0.215
COPD								
Non-COPD	174/190 (91.6%)	1,304/1,354 (96.3%)	1		1		1	
Mild-COPD	8/190 (4.2%)	35/1,354 (2.6%)	1.71 (0.78-3.75)	0.179	0.80 (0.32-1.99)	0.624	0.97 (0.37-2.53)	0.950
Severe-COPD	8/190 (4.2%)	15/1,354 (1.1%)	4.00 (1.67-9.57)	0.002*	2.15 (0.77-6.03)	0.146	2.23 (0.78-6.31)	0.133
Total cholesterol < 200 mg/dL (n = 2,325)								
Asthma								
Non-asthma	186/220 (84.5%)	1,923/2,105 (91.4%)	1		1		1	
Mild-asthma	32/220 (14.5%)	158/2,105 (7.5%)	2.09 (1.39-3.15)	<0.001*	1.40 (0.87-2.25)	0.169	1.34 (0.82-2.21)	0.245
Severe-asthma	2/220 (0.9%)	24/2,105 (1.1%)	0.86 (0.20-3.67)	0.840	0.32 (0.06-1.68)	0.177	0.27 (0.05-1.56)	0.142
COPD								
Non-COPD	198/220 (90.0%)	2,026/2,105 (96.2%)	1		1		1	
Mild-COPD	10/220 (4.5%)	53/2,105 (2.5%)	1.93 (0.97-3.85)	0.062	0.84 (0.37-1.88)	0.666	0.87 (0.38-2.03)	0.754
Severe-COPD	12/220 (5.5%)	26/2,105 (1.2%)	4.72 (2.35-9.51)	<0.001*	2.45 (1.02-5.85)	0.045*	2.53 (1.04-6.14)	0.040*
Total cholesterol ≥ 200 mg/dL (n = 1,741)								
Asthma								
Non-asthma	110/123 (89.4%)	1,485/1,618 (91.8%)	1		1		1	
Mild-asthma	11/123 (8.9%)	121/1,618 (7.5%)	1.23 (0.64-2.34)	0.535	0.76 (0.36-1.60)	0.465	0.72 (0.33-1.54)	0.393

Severe-asthma	2/123 (1.6%)	12/1,618 (0.7%)	2.25 (0.50-10.18)	0.292	1.59 (0.23-11.01)	0.637	1.36 (0.18-10.16)	0.765
COPD								
Non-COPD								
Non-COPD	115/123 (93.5%)	1,563/1,618 (96.6%)	1		1		1	
Mild-COPD	5/123 (4.1%)	33/1,618 (2.0%)	2.06 (0.79-5.38)	0.140	1.25 (0.39-3.95)	0.710	1.32 (0.41-4.28)	0.643
Severe-COPD	3/123 (2.4%)	22/1,618 (1.4%)	1.85 (0.55-6.28)	0.322	1.55 (0.40-5.96)	0.525	1.61 (0.41-6.36)	0.497
CCI scores = 0 (n = 3,089)								
Asthma								
Non-asthma	143/164 (87.2%)	2,697/2,925 (92.2%)	1		1		1	
Mild-asthma	21/164 (12.8%)	198/2,925 (6.8%)	2.00 (1.24-3.23)	0.005*	1.49 (0.87-2.56)	0.144	1.43 (0.82-2.49)	0.204
Severe-asthma	0/164 (0.0%)	30/2,925 (1.0%)	N/A		N/A		N/A	
COPD								
Non-COPD	153/164 (93.3%)	2,837/2,925 (97.0%)	1		1		1	
Mild-COPD	4/164 (2.4%)	54/2,925 (1.8%)	1.37 (0.49-3.84)	0.545	1.06 (0.34-3.24)	0.925	0.99 (0.32-3.12)	0.988
Severe-COPD	7/164 (4.3%)	34/2,925 (1.2%)	3.82 (1.67-8.75)	0.002*	2.17 (0.78-6.08)	0.140	2.74 (0.98-7.63)	0.054
CCI scores = 1 (n = 588)								
Asthma								
Non-asthma	77/91 (84.6%)	447/497 (89.9%)	1		1		1	
Mild-asthma	12/91 (13.2%)	45/497 (9.1%)	1.55 (0.78-3.06)	0.209	0.95 (0.45-2.03)	0.255	0.88 (0.39-1.97)	0.279
Severe-asthma	2/91 (2.2%)	5/497 (1.0%)	2.32 (0.44-12.18)	0.319	2.20 (0.35-13.76)	0.903	1.84 (0.28-12.23)	0.758
COPD								
Non-COPD	85/91 (93.4%)	470/497 (94.6%)	1		1		1	
Mild-COPD	3/91 (3.3%)	19/497 (3.8%)	0.87 (0.25-3.02)	0.830	0.80 (0.20-3.18)	0.255	0.77 (0.18-3.37)	0.528
Severe-COPD	3/91 (3.3%)	8/497 (1.6%)	2.07 (0.54-7.97)	0.289	4.06 (0.83-19.80)	0.750	3.89 (0.75-20.26)	0.733
CCI scores ≥ 2 (n = 389)								
Asthma								
Non-asthma	76/88 (86.4%)	264/301 (87.7%)	1		1		1	
Mild-asthma	10/88 (11.4%)	36/301 (12.0%)	0.97 (0.46-2.03)	0.925	0.48 (0.18-1.29)	0.933	0.46 (0.17-1.28)	0.997

Severe-asthma	2/88 (2.3%)	1/301 (0.3%)	6.94 (0.62-77.51)	0.116	1.17 (0.03-45.02)	0.015*	1.22 (0.03-56.33)	0.015*
COPD								
Non-COPD	125/135 (92.6%)	1,746/1,837 (95.0%)	1		1		1	
Mild-COPD	10/135 (7.4%)	86/1,837 (4.7%)	1.62 (0.82-3.20)	0.162	1.03 (0.47-2.27)	0.937	0.88 (0.37-2.07)	0.772
Severe-COPD	0/135 (0.0%)	5/1,837 (0.3%)	N/A		N/A		N/A	
NSAID used < 6 times (n = 1,972)								
Asthma								
Non-asthma	125/135 (92.6%)	1,746/1,837 (95.0%)	1		1		1	
Mild-asthma	10/135 (7.4%)	86/1,837 (4.7%)	1.62 (0.82-3.20)	0.162	1.03 (0.47-2.27)	0.937	0.88 (0.37-2.07)	0.772
Severe-asthma	0/135 (0.0%)	5/1,837 (0.3%)	N/A		N/A		N/A	
COPD								
Non-COPD	124/135 (91.9%)	1,788/1,837 (97.3%)	1		1		1	
Mild-COPD	4/135 (3.0%)	31/1,837 (1.7%)	1.86 (0.65-5.36)	0.250	0.90 (0.28-2.89)	0.860	0.99 (0.29-3.38)	0.990
Severe-COPD	7/135 (5.2%)	18/1,837 (1.0%)	5.61 (2.30-13.68)	<0.001*	4.93 (1.68-14.44)	0.004*	5.05 (1.71-14.95)	0.003*
NSAID used ≥ 6 times (n = 2,094)								
Asthma								
Non-asthma	171/208 (82.2%)	1,662/1,886 (88.1%)	1		1		1	
Mild-asthma	33/208 (15.9%)	193/1,886 (10.2%)	1.66 (1.11-2.48)	0.013*	1.11 (0.70-1.77)	0.660	1.11 (0.69-1.78)	0.683
Severe-asthma	4/208 (1.9%)	31/1,886 (1.6%)	1.25 (0.44-3.60)	0.674	0.56 (0.15-2.05)	0.379	0.54 (0.14-2.09)	0.375
COPD								
Non-COPD	189/208 (90.9%)	1,801/1,886 (95.5%)	1		1		1	
Mild-COPD	11/208 (5.3%)	55/1,886 (2.9%)	1.91 (0.98-3.70)	0.057	0.94 (0.41-2.12)	0.872	0.98 (0.42-2.27)	0.964
Severe-COPD	8/208 (3.8%)	30/1,886 (1.6%)	2.54 (1.15-5.62)	0.021*	1.11 (0.41-2.99)	0.831	1.18 (0.43-3.24)	0.745
Steroid used < 3 times (n = 2,206)								
Asthma								
Non-asthma	138/144 (95.8%)	1,963/2,062 (95.2%)	1		1		1	
Mild-asthma	6/144 (4.2%)	92/2,062 (4.5%)	0.93 (0.40-2.16)	0.862	0.67 (0.27-1.66)	0.391	0.62 (0.24-1.59)	0.319

Severe-asthma	0/144 (0.0%)	07/2,062 (0.3%)	N/A		N/A		N/A
COPD							
Non-COPD	139/144 (96.5%)	2,025/2,062 (98.2%)	1		1		1
Mild-COPD	3/144 (2.1%)	28/2,062 (1.4%)	1.56 (0.47-5.20)	0.468	1.41 (0.38-5.17)	0.605	1.59 (0.42-5.99)
Severe-COPD	2/144 (1.4%)	9/2,062 (0.4%)	3.24 (0.69-15.13)	0.135	1.19 (0.19-7.40)	0.853	1.53 (0.23-9.99)
Steroid used ≥ 3 times (n = 1,860)							
Asthma							
Non-asthma	158/199 (79.4%)	1,445/1,661 (87.0%)	1		1		1
Mild-asthma	37/199 (18.6%)	187/1,661 (11.3%)	1.81 (1.23-2.67)	0.003*	1.34 (0.85-2.13)	0.213	1.31 (0.82-2.11)
Severe-asthma	4/199 (2.0%)	29/1,661 (1.7%)	1.26 (0.44-3.64)	0.667	0.51 (0.14-1.83)	0.300	0.45 (0.12-1.70)
COPD							
Non-COPD	174/199 (87.4%)	1,564/1,661 (94.2%)	1		1		1
Mild-COPD	12/199 (6.0%)	58/1,661 (3.5%)	1.86 (0.98-3.53)	0.619	0.82 (0.38-1.79)	0.376	0.84 (0.38-1.89)
Severe-COPD	13/199 (6.5%)	39/1,661 (2.3%)	3.00 (1.57-5.72)	0.001*	2.52 (1.14-5.54)	0.022*	2.61 (1.17-5.81)
Non-hypertension (n = 2,878)							
Asthma							
Non-asthma	147/165 (89.1%)	2,515/2,713 (92.7%)	1		1		1
Mild-asthma	18/165 (10.9%)	176/2,713 (6.5%)	1.75 (1.05-2.92)	0.033	1.23 (0.69-2.19)	0.492	1.26 (0.69-2.29)
Severe-asthma	0/165 (0.0%)	22/2,713 (0.8%)	N/A		N/A		N/A
COPD							
Non-COPD	157/165 (95.2%)	2,627/2,713 (96.8%)	1		1		1
Mild-COPD	5/165 (3.0%)	50/2,713 (1.8%)	1.67 (0.66-4.26)	0.280	1.04 (0.36-2.96)	0.946	0.95 (0.32-2.77)
Severe-COPD	3/165 (1.8%)	36/2,713 (1.3%)	1.39 (0.43-4.58)	0.584	0.59 (0.14-2.40)	0.459	0.65 (0.15-2.78)
Hypertension (n = 1,188)							
Asthma							
Non-asthma	149/178 (83.7%)	893/1,010 (88.4%)	1		1		1
Mild-asthma	25/178 (14.0%)	103/1,010 (10.2%)	1.46 (0.91-2.33)	0.118	1.03 (0.60-1.76)	0.930	0.92 (0.52-1.62)

Severe- asthma	4/178 (2.2%)	14/1,010 (1.4%)	1.71 (0.56-5.27)	0.349	0.90 (0.24-3.40)	0.881	0.72 (0.17-2.99)	0.650
COPD								
Non-COPD	156/178 (87.6%)	962/1,010 (95.2%)	1		1		1	
Mild-COPD	10/178 (5.6%)	36/1,010 (3.6%)	1.71 (0.83-3.52)	0.143	0.87 (0.38-2.00)	0.746	0.95 (0.39-2.29)	0.904
Severe- COPD	12/178 (6.7%)	12/1,010 (1.2%)	6.17 (2.72-13.97)	<0.001*	4.36 (1.66-11.43)	0.003*	4.63 (1.71-12.54)	0.003*

* Unconditional logistic regression model, Significance at P < 0.05

† Model 1 was adjusted for age, sex, income, obesity, smoking, alcohol consumption, systolic blood pressure, diastolic blood pressure, fasting blood glucose, total cholesterol, CCI scores, number of NSAID used, number of steroid used and hypertension.

‡ Model 2 was adjusted for model 1 plus asthma and COPD.

Table S3. Subgroup analyses of crude and adjusted odd ratios of asthma and COPD for mortality in COVID-19 participants by covariates

Characteristics	Dead participants	Survived participants	ORs (95% confidence interval) for mortality					
	(exposure/total, %)	(exposure/total, %)	Crude	P-value	Model 1†	P-value	Model 2‡	P-value
Age < 60 years old (n = 2,486)								
Asthma								
Non-asthma	12/12 (100.0%)	2,305/2,474 (93.2%)	1		1		1	
Mild-asthma	0/12 (0.0%)	151/2,474 (6.1%)	N/A		N/A		N/A	
Severe-asthma	0/12 (0.0%)	18/2,474 (0.7%)	N/A		N/A		N/A	
COPD								
Non-COPD	11/12 (91.7%)	2,413/2,474 (97.5%)	1		1		1	
Mild-COPD	0/12 (0.0%)	34/2,474 (1.4%)	N/A		N/A		N/A	
Severe-COPD	1/12 (8.3%)	27/2,474 (1.1%)	8.13 (1.01-65.16)	0.049*	13.09 (0.87-196.11)	0.063	32.84 (2.43-444.17)	0.009*
Age ≥ 60 years old (n = 1,580)								
Asthma								
Non-asthma	96/120 (80.0%)	1,291/1,460 (88.4%)	1		1		1	
Mild-asthma	20/120 (16.7%)	151/1,460 (10.3%)	1.78 (1.07-2.97)	0.027*	1.07 (0.58-1.97)	0.837	0.93 (0.49-1.79)	0.838
Severe-asthma	4/120 (3.3%)	18/1,460 (1.2%)	2.99 (0.99-9.01)	0.052	1.10 (0.23-5.25)	0.910	0.73 (0.13-4.08)	0.722
COPD								
Non-COPD	102/120 (85.0%)	1,376/1,460 (94.2%)	1		1		1	
Mild-COPD	9/120 (7.5%)	58/1,460 (4.0%)	2.09 (1.01-4.35)	0.047*	1.13 (0.45-2.85)	0.794	1.20 (0.45-3.19)	0.710
Severe-COPD	9/120 (7.5%)	26/1,460 (1.8%)	4.67 (2.13-10.23)	0.001*	2.73 (1.01-7.41)	0.049*	2.90 (1.02-8.26)	0.047*
Men (n = 1,526)								
Asthma								
Non-asthma	74/91 (81.3%)	1,332/1,435 (92.8%)	1		1		1	
Mild-asthma	15/91 (16.5%)	91/1,435 (6.3%)	2.97 (1.64-5.38)	<0.001*	1.22 (0.58-2.56)	0.605	0.97 (0.44-2.15)	0.945

Severe-asthma	2/91 (2.2%)	12/1,435 (0.8%)	3.00 (0.66-13.65)	0.155	0.27 (0.03-2.90)	0.282	0.13 (0.01-1.71)	0.121
COPD								
Non-COPD	76/91 (83.5%)	1,381/1,435 (96.2%)	1		1		1	
Mild-COPD	9/91 (9.9%)	30/1,435 (2.1%)	5.45 (2.50-11.89)	<0.001*	2.30 (0.78-6.81)	0.133	2.67 (0.86-8.27)	0.090*
Severe-COPD	6/91 (6.6%)	24/1,435 (1.7%)	4.54 (1.80-11.44)	0.001*	1.57 (0.47-5.20)	0.461	2.14 (0.61-7.51)	0.237
Women (n = 2,540)								
Asthma								
Non-asthma	34/41 (82.9%)	2,264/2,499 (90.6%)	1		1		1	
Mild-asthma	5/41 (12.2%)	211/2,499 (8.4%)	1.58 (0.61-4.08)	0.346	0.52 (0.17-1.61)	0.258	0.39 (0.11-1.42)	0.155
Severe-asthma	2/41 (4.9%)	24/2,499 (1.0%)	5.55 (1.26-24.42)	0.023*	2.52 (0.40-15.97)	0.326	5.78 (0.82-40.67)	0.078
COPD								
Non-COPD	37/41 (90.2%)	2,408/2,499 (96.4%)	1		1		1	
Mild-COPD	0/41 (0.0%)	62/2,499 (2.5%)	N/A		N/A		N/A	
Severe-COPD	4/41 (9.8%)	29/2,499 (1.2%)	8.98 (3.00-26.82)	<0.001*	5.74 (1.34-24.63)	0.019*	8.26 (1.63-41.81)	0.011*
Low income (n = 1,472)								
Asthma								
Non-asthma	30/35 (85.7%)	1,313/1,437 (91.4%)	1		1		1	
Mild-asthma	4/35 (11.4%)	112/1,437 (7.8%)	1.56 (0.54-4.52)	0.409	0.56 (0.15-2.15)	0.397	0.61 (0.15-2.41)	0.479
Severe-asthma	1/35 (2.9%)	12/1,437 (0.8%)	3.65 (0.46-28.96)	0.221	11.09 (1.06-116.04)	0.045*	11.35 (0.69-187.10)	0.089
COPD								
Non-COPD	30/35 (85.7%)	1,385/1,437 (96.4%)	1		1		1	
Mild-COPD	1/35 (2.9%)	35/1,437 (2.4%)	1.32 (0.18-9.95)	0.788	0.24 (0.02-3.47)	0.297	0.23 (0.02-3.18)	0.272
Severe-COPD	4/35 (11.4%)	17/1,437 (1.2%)	10.87 (3.45-34.24)	<0.001*	6.75 (1.26-36.05)	0.026*	5.15 (0.90-29.67)	0.066
Middle income (n = 1,249)								
Asthma								
Non-asthma	31/40 (77.5%)	1,111/1,209 (91.9%)	1		1		1	
Mild-asthma	7/40 (17.5%)	87/1,209 (7.2%)	2.88 (1.23-6.74)	0.015*	1.15 (0.32-4.19)	0.834	1.22 (0.32-4.65)	0.771

Severe-asthma	2/40 (5.0%)	11/1,209 (0.9%)	6.52 (1.39-30.65)	0.017*	0.09 (0.01-1.46)	0.091	0.11 (0.00-3.49)	0.211
COPD								
Non-COPD	35/40 (87.5%)	1,171/1,209 (96.9%)	1		1		1	
Mild-COPD	3/40 (7.5%)	23/1,209 (1.9%)	4.36 (1.25-15.22)	0.021*	0.36 (0.03-3.88)	0.397	0.89 (0.07-11.12)	0.927
Severe-COPD	2/40 (5.0%)	15/1,209 (1.2%)	4.46 (0.98-20.26)	0.053	0.34 (0.02-5.40)	0.444	0.61 (0.03-12.08)	0.745
High income (n = 1,345)								
Asthma								
Non-asthma	47/57 (82.5%)	1,172/1,288 (91.0%)	1		1		1	
Mild-asthma	9/57 (15.8%)	103/1,288 (8.0%)	2.18 (1.04-4.57)	0.039*	1.19 (0.48-2.96)	0.705	0.97 (0.37-2.54)	0.944
Severe-asthma	1/57 (1.8%)	13/1,288 (1.0%)	1.92 (0.25-14.97)	0.534	1.05 (0.10-11.55)	0.968	0.60 (0.04-9.09)	0.711
COPD								
Non-COPD	48/57 (84.2%)	1,233/1,288 (95.7%)	1		1		1	
Mild-COPD	5/57 (8.8%)	34/1,288 (2.6%)	3.78 (1.42-10.09)	0.008*	1.80 (0.54-6.00)	0.337	1.85 (0.53-6.51)	0.335
Severe-COPD	4/57 (7.0%)	21/1,288 (1.6%)	4.89 (1.62-14.81)	0.005*	3.02 (0.70-13.01)	0.139	3.24 (0.71-14.73)	0.128
Underweight (n = 129)								
Asthma								
Non-asthma	3/3 (100.0%)	116/126 (92.1%)	1		1		1	
Mild-asthma	0/3 (0.0%)	8/126 (6.3%)	N/A		N/A		N/A	
Severe-asthma	0/3 (0.0%)	2/126 (1.6%)	N/A		N/A		N/A	
COPD								
Non-COPD	2/03 (66.7%)	117/126 (92.9%)	1		1		1	
Mild-COPD	0/03 (0.0%)	8/126 (6.3%)	N/A		N/A		N/A	
Severe-COPD	1/03 (33.3%)	1/126 (0.8%)	N/A		N/A		N/A	
Normal weight (n = 1,458)								
Asthma								
Non-asthma	33/37 (89.2%)	1,306/1,421 (91.9%)	1		1		1	
Mild-asthma	3/37 (8.1%)	103/1,421 (7.2%)	1.15 (0.35-3.82)	0.816	0.74 (0.16-3.38)	0.701	1.00 (0.19-5.27)	0.996

Severe-asthma	1/37 (2.7%)	12/1,421 (0.8%)	3.30 (0.42-26.11)	0.258	0.06 (0.00-3.23)	0.169	0.10 (0.00-4.00)	0.220
COPD								
Non-COPD	33/37 (89.2%)	1,364/1,421 (96.0%)	1		1		1	
Mild-COPD	2/37 (5.4%)	32/1,421 (2.3%)	2.58 (0.59-11.23)	0.206	0.20 (0.02-2.07)	0.178	0.27 (0.03-2.61)	0.255
Severe-COPD	2/37 (5.4%)	25/1,421 (1.8%)	3.31 (0.75-14.54)	0.113	0.66 (0.10-4.49)	0.667	1.21 (0.15-9.96)	0.861
Overweight (n = 1,010)								
Asthma								
Non-asthma	27/28 (96.4%)	896/982 (91.2%)	1		1		1	
Mild-asthma	0/28 (0.0%)	77/982 (7.8%)	N/A		N/A		N/A	
Severe-asthma	1/28 (3.6%)	9/982 (0.9%)	3.69 (0.45-30.15)	0.224	2.93 (0.19-45.86)	0.444	N/A	
COPD								
Non-COPD	25/28 (89.3%)	945/982 (96.2%)	1		1		1	
Mild-COPD	1/28 (3.6%)	26/982 (2.6%)	1.45 (0.19-11.14)	0.719	0.61 (0.05-6.93)	0.692	0.99 (0.06-16.10)	0.997
Severe-COPD	2/28 (7.1%)	11/982 (1.1%)	6.87 (1.45-32.64)	0.015*	3.22 (0.36-29.19)	0.298	N/A	
Obese (n = 1,469)								
Asthma								
Non-asthma	45/64 (70.3%)	1,278/1,405 (91.0%)	1		1		1	
Mild-asthma	17/64 (26.6%)	114/1,405 (8.1%)	4.24 (2.35-7.64)	<0.001*	2.51 (1.20-5.28)	0.015*	2.24 (1.03-4.88)	0.042*
Severe-asthma	2/64 (3.1%)	13/1,405 (0.9%)	4.37 (0.96-19.94)	0.057	3.35 (0.37-30.04)	0.280	3.02 (0.30-31.00)	0.352
COPD								
Non-COPD	53/64 (82.8%)	1,363/1,405 (97.0%)	1		1		1	
Mild-COPD	6/64 (9.4%)	26/1,405 (1.9%)	5.94 (2.34-15.03)	<0.001*	2.37 (0.66-8.45)	0.185	1.62 (0.41-6.39)	0.492
Severe-COPD	5/64 (7.8%)	16/1,405 (1.1%)	8.04 (2.84-22.76)	<0.001*	7.07 (1.61-31.04)	0.010*	5.96 (1.31-27.02)	0.021*
Non-smoker (n = 3,181)								
Asthma								
Non-asthma	65/77 (84.4%)	2,841/3,104 (91.5%)	1		1		1	
Mild-asthma	9/77 (11.7%)	238/3,104 (7.7%)	1.65 (0.81-3.36)	0.165	0.74 (0.32-1.70)	0.475	0.70 (0.29-1.69)	0.427

Severe-asthma	3/77 (3.9%)	25/3,104 (0.8%)	5.25 (1.55-17.81)	0.008*	3.67 (0.68-19.96)	0.132	4.61 (0.84-25.15)	0.078
COPD								
Non-COPD	67/77 (87.0%)	2,995/3,104 (96.5%)	1		1		1	
Mild-COPD	3/77 (3.9%)	69/3,104 (2.2%)	1.95 (0.60-6.33)	0.269	0.48 (0.11-2.08)	0.329	0.38 (0.07-1.96)	0.246
Severe-COPD	7/77 (9.1%)	40/3,104 (1.3%)	7.82 (3.38-18.10)	<0.001*	3.32 (1.04-10.56)	0.042*	3.53 (1.06-11.76)	0.040*
Past or current smoker (n = 885)								
Asthma								
Non-asthma	43/55 (78.2%)	755/830 (91.0%)	1		1		1	
Mild-asthma	11/55 (20.0%)	64/830 (7.7%)	3.02 (1.48-6.14)	0.002*	1.14 (0.44-2.96)	0.783	0.83 (0.29-2.34)	0.717
Severe-asthma	1/55 (1.8%)	11/830 (1.3%)	1.60 (0.20-12.65)	0.658	0.10 (0.01-1.67)	0.108	0.04 (0.00-0.96)	0.047*
COPD								
Non-COPD	46/55 (83.6%)	794/830 (95.7%)	1		1		1	
Mild-COPD	6/55 (10.9%)	23/830 (2.8%)	4.50 (1.75-11.60)	0.002*	3.08 (0.76-12.59)	0.117	4.00 (0.90-17.78)	0.068
Severe-COPD	3/55 (5.5%)	13/830 (1.6%)	3.98 (1.10-14.47)	0.036*	0.98 (0.16-5.90)	0.984	2.40 (0.34-17.19)	0.383
Alcohol consumption < 1 time a week (n = 2,968)								
Asthma								
Non-asthma	92/112 (82.1%)	2,584/2,856 (90.5%)	1		1		1	
Mild-asthma	17/112 (15.2%)	242/2,856 (8.5%)	1.97 (1.16-3.37)	0.013*	0.86 (0.44-1.67)	0.659	0.79 (0.39-1.58)	0.496
Severe-asthma	3/112 (2.7%)	30/2,856 (1.1%)	2.81 (0.84-9.37)	0.093	0.61 (0.11-3.41)	0.572	0.45 (0.07-2.90)	0.404
COPD								
Non-COPD	97/112 (86.6%)	2,745/2,856 (96.1%)	1		1		1	
Mild-COPD	7/112 (6.3%)	71/2,856 (2.5%)	2.79 (1.25-6.22)	0.012*	0.87 (0.30-2.51)	0.798	1.06 (0.35-3.19)	0.917
Severe-COPD	8/112 (7.1%)	40/2,856 (1.4%)	5.66 (2.58-12.42)	<0.001*	2.16 (0.76-6.20)	0.151	2.54 (0.85-7.58)	0.096
Alcohol consumption ≥ 1 time a week (n = 1,098)								
Asthma								
Non-asthma	16/20 (80.0%)	1,012/1,078 (93.9%)	1		1		1	
Mild-asthma	3/20 (15.0%)	60/1,078 (5.6%)	3.16 (0.90-11.15)	0.073	1.60 (0.29-8.94)	0.590	1.22 (0.20-7.60)	0.832

Severe-asthma	1/20 (5.0%)	6/1,078 (0.6%)	10.54 (1.20-92.68)	0.034*	9.35 (0.43-201.98)	0.154	2.71 (0.08-96.04)	0.584
COPD								
Non-COPD	16/20 (80.0%)	1,044/1,078 (96.8%)	1		1		1	
Mild-COPD	2/20 (10.0%)	21/1,078 (1.9%)	6.22 (1.34-28.76)	0.019*	2.63 (0.30-23.21)	0.385	2.21 (0.23-21.62)	0.497
Severe-COPD	2/20 (10.0%)	13/1,078 (1.2%)	10.04 (2.09-48.18)	0.004*	10.24 (0.89-118.09)	0.062	7.35 (0.45-119.08)	0.160
Systolic blood pressure < 140 mmHg and diastolic blood pressure < 90 mmHg (n = 3,530)								
Asthma								
Non-asthma	82/101 (81.2%)	3,136/3,429 (91.5%)	1		1		1	
Mild-asthma	16/101 (15.8%)	264/3,429 (7.7%)	2.32 (1.34-4.02)	0.003*	0.93 (0.46-1.88)	0.848	0.82 (0.39-1.71)	0.593
Severe-asthma	3/101 (3.0%)	29/3,429 (0.8%)	3.96 (1.18-13.25)	0.026*	0.37 (0.06-2.39)	0.294	0.23 (0.03-1.78)	0.159
COPD								
Non-COPD	87/101 (86.1%)	3,308/3,429 (96.5%)	1		1		1	
Mild-COPD	7/101 (6.9%)	74/3,429 (2.2%)	3.60 (1.61-8.04)	0.002*	1.17 (0.39-3.51)	0.780	1.56 (0.50-4.87)	0.443
Severe-COPD	7/101 (6.9%)	47/3,429 (1.4%)	5.66 (2.49-12.89)	<0.001*	1.52 (0.51-4.55)	0.455	1.98 (0.63-6.23)	0.244
Systolic blood pressure ≥ 140 mmHg or diastolic blood pressure ≥ 90 mmHg (n = 536)								
Asthma								
Non-asthma	26/31 (83.9%)	460/505 (91.1%)	1		1		1	
Mild-asthma	4/31 (12.9%)	38/505 (7.5%)	1.86 (0.62-5.61)	0.269	1.05 (0.26-4.21)	0.946	1.07 (0.22-5.10)	0.937
Severe-asthma	1/31 (3.2%)	07/505 (1.4%)	2.53 (0.30-21.32)	0.394	5.82 (0.35-96.76)	0.220	4.49 (0.23-89.50)	0.325
COPD								
Non-COPD	26/31 (83.9%)	481/505 (95.2%)	1		1		1	
Mild-COPD	2/31 (6.5%)	18/505 (3.6%)	2.06 (0.45-9.34)	0.351	0.95 (0.11-8.13)	0.964	0.77 (0.07-8.19)	0.829
Severe-COPD	3/31 (9.7%)	6/505 (1.2%)	9.25 (2.19-39.08)	0.003*	33.28 (3.52-314.96)	0.002*	28.33 (3.13-256.62)	0.003*
Fasting blood glucose < 100 mg/dL (n = 2,522)								
Asthma								
Non-asthma	45/56 (80.4%)	2,264/2,466 (91.8%)	1		1		1	
Mild-asthma	9/56 (16.1%)	183/2,466 (7.4%)	2.47 (1.19-5.14)	0.015*	0.88 (0.35-2.20)	0.784	0.77 (0.29-2.04)	0.594

Severe-asthma	2/56 (3.6%)	19/2,466 (0.8%)	5.30 (1.20-23.42)	0.028*	2.69 (0.37-19.65)	0.328	1.60 (0.16-16.53)	0.692
COPD								
Non-COPD	48/56 (85.7%)	2376/2,466 (96.4%)	1		1		1	
Mild-COPD	3/56 (5.4%)	55/2,466 (2.2%)	2.70 (0.82-8.93)	0.104	1.00 (0.23-4.38)	0.998	1.06 (0.23-4.78)	0.943
Severe-COPD	5/56 (8.9%)	35/2,466 (1.4%)	7.07 (2.66-18.84)	<0.001*	2.84 (0.70-11.54)	0.146	2.80 (0.57-13.66)	0.203
Fasting blood glucose ≥ 100 mg/dL (n = 1,544)								
Asthma								
Non-asthma	63/76 (82.9%)	1,332/1,468 (90.7%)	1		1		1	
Mild-asthma	11/76 (14.5%)	119/1,468 (8.1%)	1.95 (1.00-3.81)	0.049*	1.02 (0.42-2.45)	0.967	0.90 (0.36-2.21)	0.809
Severe-asthma	2/76 (2.6%)	17/1,468 (1.2%)	2.49 (0.56-11.01)	0.229	0.36 (0.04-3.66)	0.390	0.27 (0.02-3.55)	0.316
COPD								
Non-COPD	65/76 (85.5%)	1,413/1,468 (96.3%)	1		1		1	
Mild-COPD	6/76 (7.9%)	37/1,468 (2.5%)	3.53 (1.44-8.65)	0.006*	1.12 (0.33-3.83)	0.855	1.53 (0.41-5.71)	0.531
Severe-COPD	5/76 (6.6%)	18/1,468 (1.2%)	6.04 (2.17-16.77)	0.001*	3.16 (0.85-11.73)	0.085	3.28 (0.86-12.50)	0.083
Total cholesterol < 200 mg/dL (n = 2,325)								
Asthma								
Non-asthma	72/91 (79.1%)	2,037/2,234 (91.2%)	1		1		1	
Mild-asthma	17/91 (18.7%)	173/2,234 (7.7%)	2.78 (1.60-4.82)	<0.001*	1.71 (0.84-3.50)	0.139	1.47 (0.68-3.15)	0.324
Severe-asthma	2/91 (2.2%)	24/2,234 (1.1%)	2.36 (0.55-10.17)	0.250	0.48 (0.06-3.75)	0.483	0.25 (0.03-2.34)	0.224
COPD								
Non-COPD	75/91 (82.4%)	2,149/2,234 (96.2%)	1		1		1	
Mild-COPD	7/91 (7.7%)	56/2,234 (2.5%)	3.58 (1.58-8.12)	0.002*	1.05 (0.35-3.15)	0.938	1.08 (0.34-3.44)	0.893
Severe-COPD	9/91 (9.9%)	29/2,234 (1.3%)	8.89 (4.07-19.45)	<0.001*	3.98 (1.29-12.29)	0.016*	4.34 (1.33-14.15)	0.015*
Total cholesterol ≥ 200 mg/dL (n = 1,741)								
Asthma								
Non-asthma	36/41 (87.8%)	1,559/1,700 (91.7%)	1		1		1	
Mild-asthma	3/41 (7.3%)	129/1,700 (7.6%)	1.01 (0.31-3.32)	0.991	0.25 (0.06-1.04)	0.056	0.25 (0.06-1.11)	0.069

Severe-asthma	2/41 (4.9%)	12/1,700 (0.7%)	7.22 (1.56-33.43)	0.012*	5.65 (0.60-53.49)	0.131	5.75 (0.54-61.00)	0.147
COPD								
Non-COPD	38/41 (92.7%)	1,640/1,700 (96.5%)	1		1		1	
Mild-COPD	2/41 (4.9%)	36/1,700 (2.1%)	2.40 (0.56-10.32)	0.240	0.66 (0.10-4.47)	0.666	0.64 (0.07-5.93)	0.697
Severe-COPD	1/41 (2.4%)	24/1,700 (1.4%)	1.80 (0.24-13.64)	0.570	0.91 (0.09-8.94)	0.938	1.04 (0.08-12.86)	0.975
CCI scores = 0 (n = 3,089)								
Asthma								
Non-asthma	36/41 (87.8%)	2,804/3,048 (92.0%)	1		1		1	
Mild-asthma	5/41 (12.2%)	214/3,048 (7.0%)	1.82 (0.71-4.69)	0.215	0.75 (0.24-2.35)	0.621	0.61 (0.17-2.15)	0.442
Severe-asthma	0/41 (0.0%)	30/3,048 (1.0%)	N/A		N/A		N/A	
COPD								
Non-COPD	36/41 (87.8%)	2,954/3,048 (96.9%)	1		1		1	
Mild-COPD	1/41 (2.4%)	57/3,048 (1.9%)	1.44 (0.19-10.68)	0.722	0.69 (0.06-8.17)	0.765	0.92 (0.08-10.54)	0.945
Severe-COPD	4/41 (9.8%)	37/3,048 (1.2%)	8.88 (3.01-26.20)	<0.001*	2.20 (0.41-11.87)	0.360	4.53 (0.74-27.70)	0.102
CCI scores = 1 (n = 588)								
Asthma								
Non-asthma	25/34 (73.5%)	499/554 (90.1%)	1		1		1	
Mild-asthma	7/34 (20.6%)	50/554 (9.0%)	2.79 (1.15-6.79)	0.023*	1.33 (0.49-3.66)	0.016*	1.45 (0.49-4.33)	0.028*
Severe-asthma	2/34 (5.9%)	5/554 (0.9%)	7.99 (1.48-43.20)	0.016*	8.00 (0.95-67.62)	0.576	16.26 (1.62-163.44)	0.506
COPD								
Non-COPD	32/34 (94.1%)	523/554 (94.4%)	1		1		1	
Mild-COPD	0/34 (0.0%)	22/554 (4.0%)	N/A		N/A		N/A	
Severe-COPD	2/34 (5.9%)	9/554 (1.6%)	3.63 (0.75-17.51)	0.108	3.31 (0.33-39.91)	0.971	4.11 (0.39-43.38)	0.965
CCI scores ≥ 2 (n = 389)								
Asthma								
Non-asthma	47/57 (82.5%)	293/332 (88.3%)	1		1		1	
Mild-asthma	8/57 (14.0%)	38/332 (11.4%)	1.31 (0.58-2.99)	0.517	0.48 (0.15-1.58)	0.095	0.42 (0.12-1.44)	0.055

Severe-asthma	2/57 (3.5%)	1/332 (0.3%)	12.46 (1.11-140.11)	0.041*	1.71 (0.04-82.12)	0.098	1.02 (0.02-58.25)	0.065
COPD								
Non-COPD	45/57 (78.9%)	312/332 (94.0%)	1		1		1	
Mild-COPD	8/57 (14.0%)	13/332 (3.9%)	4.27 (1.68-10.86)	0.002*	1.50 (0.39-5.79)	0.037*	1.84 (0.41-8.17)	0.170
Severe-COPD	4/57 (7.0%)	7/332 (2.1%)	3.96 (1.12-14.07)	0.038*	3.02 (0.47-19.44)	0.106	3.36 (0.48-23.51)	0.994
NSAID used < 6 times (n = 1,972)								
Asthma								
Non-asthma	46/48 (95.8%)	1,825/1,924 (94.9%)	1		1		1	
Mild-asthma	2/48 (4.2%)	94/1,924 (4.9%)	0.84 (0.20-3.53)	0.816	0.15 (0.02-1.10)	0.062	0.06 (0.01-0.54)	0.013*
Severe-asthma	0/48 (0.0%)	05/1,924 (0.3%)	N/A		N/A		N/A	
COPD								
Non-COPD	42/48 (87.5%)	1,870/1,924 (97.2%)	1		1		1	
Mild-COPD	2/48 (4.2%)	33/1,924 (1.7%)	2.70 (0.63-11.62)	0.183	0.67 (0.12-3.72)	0.648	1.16 (0.17-8.00)	0.879
Severe-COPD	4/48 (8.3%)	21/1,924 (1.1%)	8.48 (2.79-25.79)	<0.001*	6.88 (1.37-34.63)	0.019*	16.84 (3.23-87.87)	0.001*
NSAID used ≥ 6 times (n = 2,094)								
Asthma								
Non-asthma	62/84 (73.8%)	1,771/2,010 (88.1%)	1		1		1	
Mild-asthma	18/84 (21.4%)	208/2,010 (10.3%)	2.47 (1.44-4.26)	0.001*	1.35 (0.70-2.63)	0.375	1.35 (0.68-2.68)	0.396
Severe-asthma	4/84 (4.8%)	31/2,010 (1.5%)	3.69 (1.26-10.76)	0.017*	1.46 (0.32-6.68)	0.628	1.37 (0.27-6.94)	0.703
COPD								
Non-COPD	71/84 (84.5%)	1,919/2,010 (95.5%)	1		1		1	
Mild-COPD	7/84 (8.3%)	59/2,010 (2.9%)	3.21 (1.41-7.27)	0.005*	1.08 (0.36-3.26)	0.890	0.93 (0.29-3.02)	0.904
Severe-COPD	6/84 (7.1%)	32/2,010 (1.6%)	5.07 (2.05-12.51)	<0.001*	1.53 (0.42-5.66)	0.522	1.37 (0.36-5.27)	0.646
Steroid used < 3 times (n = 2,206)								
Asthma								
Non-asthma	36/36 (100.0%)	2,065/2,170 (95.2%)	1		1		1	
Mild-asthma	0/36 (0.0%)	98/2,170 (4.5%)	N/A		N/A		N/A	

Severe-asthma	0/36 (0.0%)	7/2,170 (0.3%)	N/A		N/A		N/A
COPD							
Non-COPD	34/36 (94.4%)	2,130/2,170 (98.2%)	1		1		1
Mild-COPD	1/36 (2.8%)	30/2,170 (1.4%)	2.09 (0.28-15.76)	0.475	1.78 (0.14-22.51)	0.657	2.05 (0.14-31.14)
Severe-COPD	1/36 (2.8%)	10/2,170 (0.5%)	6.27 (0.78-50.31)	0.084	0.55 (0.03-9.29)	0.678	10.53 (0.37-300.82)
Steroid used ≥ 3 times (n = 1,860)							
Asthma							
Non-asthma	72/96 (75.0%)	1,531/1,764 (86.8%)	1		1		1
Mild-asthma	20/96 (20.8%)	204/1,764 (11.6%)	2.09 (1.24-3.49)	0.005*	1.23 (0.64-2.37)	0.543	1.20 (0.60-2.38)
Severe-asthma	4/96 (4.2%)	29/1,764 (1.6%)	2.93 (1.00-8.57)	0.049*	0.94 (0.21-4.15)	0.938	0.71 (0.14-3.64)
COPD							
Non-COPD	79/96 (82.3%)	1659/1,764 (94.0%)	1		1		1
Mild-COPD	8/96 (8.3%)	62/1,764 (3.5%)	2.71 (1.25-5.85)	0.011*	0.76 (0.27-2.14)	0.602	0.77 (0.26-2.30)
Severe-COPD	9/96 (9.4%)	43/1,764 (2.4%)	4.40 (2.07-9.33)	<0.001*	3.91 (1.36-11.24)	0.011*	4.03 (1.36-11.98)
Non-hypertension (n = 2,878)							
Asthma							
Non-asthma	34/40 (85.0%)	2,628/2,838 (92.6%)	1		1		1
Mild-asthma	6/40 (15.0%)	188/2,838 (6.6%)	2.47 (1.02-5.95)	0.044	0.70 (0.22-2.23)	0.541	0.60 (0.18-2.04)
Severe-asthma	0/40 (0.0%)	22/2,838 (0.8%)	N/A		N/A		N/A
COPD							
Non-COPD	36/40 (90.0%)	2,748/2,838 (96.8%)	1		1		1
Mild-COPD	2/40 (5.0%)	53/2,838 (1.9%)	2.88 (0.68-12.28)	0.153	1.25 (0.19-8.14)	0.814	1.57 (0.22-11.03)
Severe-COPD	2/40 (5.0%)	37/2,838 (1.3%)	4.13 (0.96-17.77)	0.057	0.90 (0.13-6.27)	0.916	2.20 (0.29-16.81)
Hypertension (n = 1,188)							
Asthma							
Non-asthma	74/92 (80.4%)	968/1,096 (88.3%)	1		1		1
Mild-asthma	14/92 (15.2%)	114/1,096 (10.4%)	1.61 (0.88-2.94)	0.124	1.01 (0.49-2.08)	0.972	0.93 (0.43-1.99)

Severe- asthma	4/92 (4.3%)	14/1,096 (1.3%)	3.74 (1.20-11.64)	0.023*	2.09 (0.45-9.65)	0.346	1.79 (0.33-9.65)	0.498
COPD								
Non-COPD	77/92 (83.7%)	1,041/1,096 (95.0%)	1		1		1	
Mild-COPD	7/92 (7.6%)	39/1,096 (3.6%)	2.43 (1.05-5.61)	0.038*	0.95 (0.34-2.70)	0.930	0.86 (0.27-2.73)	0.803
Severe- COPD	8/92 (8.7%)	16/1,096 (1.5%)	6.76 (2.81-16.29)	<0.001*	4.19 (1.39-12.58)	0.011*	4.04 (1.29-12.59)	0.016*

* Unconditional logistic regression model, Significance at P < 0.05

† Model 1 was adjusted for age, sex, income, obesity, smoking, alcohol consumption, systolic blood pressure, diastolic blood pressure, fasting blood glucose, total cholesterol, CCI scores, number of NSAID used, number of steroid used and hypertension.

‡ Model 2 was adjusted for model 1 plus asthma and COPD.