

Supplementary Materials:

Table S1. Description of pulmonary parameters on functional respiratory tests.

Variable	N	Mean	SD	Min	Median	Max
FEV1 (mL)	90	1530.9	562.90	510.0	1430.0	3050.0
FEV1 (%)	90	55.311	17.160	23.0	53.50	93.0
FEV1/FVC (%)	90	56.037	11.322	32.1	55.40	89.7
TLC (mL)	80	6583.3	1468.8	3570.0	6710.0	9860.0
TLC (%)	80	109.99	17.637	68.0	109.50	153.0
DLCO (mmol/Kpa/min)	80	4.256	1.428	1.5	4.03	8.0
DLCO (%)	80	50.963	15.245	15.0	50.50	83.0
DLCO/AV (mmol/Kpa/min/L)	80	1.064	0.361	0.3	1.03	2.0
DLCO/AV (%)	80	76.163	25.705	21.0	75.00	132.0
Variable	N	Categories			N (%)	
GOLD Stage	90	1 (FEV ₁ > 80%)			8 (8.9)	
		2 (FEV ₁ ≥50 & ≤80%)			46 (51.1)	
		3 (FEV ₁ ≥30 & <50%)			31 (34.4)	
		4 (FEV ₁ <30%)			5 (5.6)	
FEV1 (%)	90	<30			5 (5.6)	
		≥30 & <50			31 (34.4)	
		≥50 & ≤80			46 (51.1)	
		> 80			8 (8.9)	
DLCO (%)	80	<70			68 (43.3)	
		≥70			12 (41.1)	
DLCO/AV (%)	80	<80			22 (24.7)	
		≥80			53 (59.6)	
TLC (%)	80	≤ 115			49 (61.3)	
		>115			31 (38.8)	
DLCO<70%, DLCO/AV<80% & TLC>115%	80	No			60 (75)	
		Yes			20 (25)	