

Table S1. ECG parameters.

Variables	All patients n=254	LVEF≥50 n=170	LVEF 40-49% n=31	LVEF<40 n=53	P Value
ECG — no, (%)					
ST elevation	39 (15.2)	31 (18.3)	2 (6.5)	7 (13.2)	0.166
Inversed T-Waves	110 (42.8)	68 (40.7)	14 (46.7)	28 (53.9)	0.242
Echocardiography data, n (%)					
LVEF on admission (%), median (IQR)	55 (42-60)	60 (55-65)	45 (40-46)	30 (23-35)	<0.001
LVEF at discharge (%), median (IQR)	53 (38.3-60)	60 (56-65)	40.5 (34.8-50)	38 (27-50)	<0.001
Left ventricular hypertrophy	64 (24.9)	34 (20.2)	6 (20)	25 (47.1)	<0.001
Tricuspid valve regurgitation	69 (26.8)	39 (22.9)	9 (30)	21 (39.6)	0.055
- mild	51 (19.8)	33 (19.4)	6 (20)	12 (22.6)	0.878
- moderate	18 (7)	6 (3.5)	3 (10)	10 (18.8)	0.003
- severe	0 (0)	0 (0)	0 (0)	0 (0)	
Mitral valve regurgitation	82 (31.9)	46 (27.1)	11 (36.7)	26 (49)	0.021
- mild	64 (24.9)	39 (22.9)	8 (26.7)	18 (34)	0.406
- moderate	10 (3.9)	3 (1.8)	2 (6.7)	6 (11.3)	0.031
- severe	8 (3.1)	4 (2.4)	1 (3.3)	4 (.5)	0.488
Aortic valve regurgitation	35 (13.6)	24 (14.1)	5 (16.7)	7 (13.2)	0.783
- mild	29 (11.3)	20 (11.8)	4 (13.3)	6 (11.3)	0.848
- moderate	3 (1.2)	2 (1.2)	1 (3.3)	0 (0)	0.406
- severe	3 (1.2)	2 (1.2)	0 (0)	2 (3.7)	0.750
p values for the comparison between groups LVEF, Ejection fraction; LVEF≥50, LVEF 40-49%, and LVEF<40.					