Table S1

Inter-Rater Agreement Rates for Each Stage of the Umbrella Review

Stage	Agreement (%)
Screening (based on abstracts)	
English	99
Mentioned schizophrenia or related disorders	87
Mentioned psychotherapy	88
Meta-analysis	90
Screening (based on full texts)	
English	98
Meta-analysis	96
At least five studies	77
Population with schizophrenia or related disorders	85
Effectiveness of cognitive and behavioral intervention	79
Reported symptom-related outcomes	74
Suitable control condition	78
Quality assessment	
Clear review question	100
Appropriate inclusion criteria[a]	100
Appropriate search strategy	97
Adequate use of sources[b]	91
Appropriate appraisal criteria	94
Appraisal by two or more reviewers	84
Methods to minimize error in data extraction[c]	88
Appropriate method to combine studies	100
Assessed publication bias	84
Appropriate recommendations	100
Appropriate new research directives	88
Data extraction	
Sample demographics	100
Year(s) searched for studies	89
Regions covered	89
Total number of studies	86
Total sample size	82
Type of cognitive and behavioral intervention	96
Effect size	82
I^2 values	100
How overall effect size was estimated	86
Assessment tools used	89
Number of studies for subgroup analysis (if any)	86
Subgroup analysis in detail (if any)	86
Limitations	96

[a] Appropriate inclusion consists of populations that are schizophrenic, capture interventions that are psychological, and select for suitable control conditions
[b] Sources should capture both published and unpublished literature
[c] These include methods such as but not limited to, having two independent coders, performing the coding twice, and performing checks