

Supplementary

Table S1. Main performance indicators of Early Prostate Cancer Detection Programme (EPCDP) in Lithuania in the first seven screening rounds between 2006 and 2015 for men, aged 45–49 years.

	Calendar year (screening round)						
	2006 (R1)	2007 (R2)	2008 (R3)	2009 (R4)	2010- 2011 (R5)	2012- 2013 (R6)	2014- 2015 (R7)
Individuals screened (45–49-year old)	1872	2075	2415	1873	2563	2134	1687
PSA results							
PSA <3 ng/mL (%)	1735 (92.7)	1928 (92.9)	2255 (93.4)	1755 (93.7)	2390 (93.3)	1993 (93.4)	1573 (93.2)
PSA ≥3 ng/mL (%)	137 (7.3)	147 (7.1)	160 (6.6)	118 (6.3)	173 (6.7)	141 (6.6)	114 (6.8)
Biopsy							
Number of biopsies (% of PSA positive)	23 (16.8)	53 (36.1)	43 (26.9)	54 (45.8)	81 (46.8)	54 (38.3)	62 (54.4)
Prostate cancer (% of biopsy)	5 (21.7)	19 (35.8)	17 (39.5)	22 (40.7)	20 (24.7)	22 (40.7)	26 (41.9)
% prostate cancer of test-positive	3.6	12.9	10.6	18.6	11.6	15.6	22.8
% prostate cancer of screened persons	0.3	0.9	0.7	1.2	0.8	1.0	1.5

PSA – prostate specific antigen; R - round.