



Supplymental Figures, Tables and Schemes





Supplemental Figure 1. The representative image of TAM population selection graph plot.



Supplemental Figure 2. The proportion of each TIL CD45 positive population depicted in Figure 4. c.



Supplemental Figure 3. CD4+/CD8+ population quadrant plot depicted.in the Figure. 4 c.

D	Schedule Route	Number of Animals	BWC ^{a)} (%, mean ± SE)	p-value Aspin-Welch's		
Drug				Control	FTD/TPI	DC101
Control	Days 1-5, 8-12 (sid, po) + Days 1, 3, 5, 7, 9, 11, and 13 (sid, ip)	6	15.8 ± 2.0			
FTD/TPI 200 mg/kg- bwt/day	Days 1-5 and 8-12 (sid, po)	6	7.3 ± 2.2	0.016		
DC101 0.8 mg into each mice	Days 1, 3, 5, 7, 9, 11, and 13 (sid, ip)	6	8.0 ± 2.0	0.021		

Supplemental Table 1. Body weight changes in mice implanted with murine colorecta
tumor CT26 after treatment with FTD/TPI and DC101.

FTD/TPI			0.1 ± 1.3	< 0.001	0.018	0.008
200 mg/kg- bwt/day +DC101 0.8 mg into each mice	Days 1-5 and 8-12 (sid, po) + Days 1, 3, 5, 7, 9, 11, and 13(sid, ip)	6				

a): Body weight change (BWC, %; mean±SD) on Day 15 were calculated according to the following formula: BWC (%) = [(BW on Day 15) - (BW on Day 0)] / (BW on Day 0) × 100.