


Article

Semi-Online Algorithms for the Hierarchical Extensible Bin-Packing Problem and Early Work Problem

Yaru Yang , Man Xiao * and Weidong Li

School of Mathematics and Statistics, Yunnan University, Kunming 650504, China; y2239023588@126.com (Y.Y); weidongmath@126.com (W.L.)

* Correspondence: man1205@163.com

Abstract: In this paper, we consider two types of semi-online problems with hierarchies. In the extensible bin-packing problem with two hierarchical bins, one bin can pack all items, while the other bin can only pack some items. The initial size of the bin can be expanded, and the goal is to minimize the total size of the two bins. When the largest item size is given in advance, we provide some lower bounds and propose online algorithms. When the total item size is given in advance, we provide some lower bounds and propose online algorithms. In addition, we also consider the relevant early-work-maximization problem on two hierarchical machines; one machine can process any job, while the other machine can only process some jobs. Each job shares a common due date, and the goal is to maximize the total early work. When the largest job size is known, we provide some lower bounds and propose two online algorithms whose competitive ratios are close to the lower bounds.

Keywords: semi-online; early work; hierarchy; competitive ratio



Citation: Yang, Y.; Xiao, M.; Li, W. Semi-Online Algorithms for the Hierarchical Extensible Bin-Packing Problem and Early Work Problem. *Computation* **2024**, *12*, 68. <https://doi.org/10.3390/computation12040068>

Academic Editor: Michele Bonnin

Received: 12 September 2023

Revised: 13 February 2024

Accepted: 11 March 2024

Published: 1 April 2024



Copyright: © 2024 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

The bin-packing problem (BP) is one of the most fundamental problems in combinatorial optimization and is the cornerstone of approximation algorithms, and it has been extensively studied since the early 1970s. The extensive study of the BP, called the extensive bin-packing problem (EBP), has had a great impact on the design and analysis of approximation algorithms [1,2], which are widely used in numerous classic applications, such as machine scheduling, cutting stock problems, storage allocation, and cloud storage. Currently, the model of the EBP arises in scheduling problems [3], and more and more hierarchical scheduling has been combined with early work maximization (especially makespan minimization) in recent years [4] (especially [5–7]). Thus, in this work, we will investigate both problems: the hierarchical extensible bin-packing problem and the early-work-maximization problem. Before introducing our problems, we will first provide some basic knowledge and related notions, the contributions of previous studies, and the motivation and the results of this paper.

1.1. Basic Knowledge and Related Notions

In the (semi-)online scheduling problem, the jobs arrive one by one. The performance of the (semi-)online algorithm is measured by the competitive ratio. For a maximization (minimization) problem and given an instance I , the objective value of the solution produced by an online algorithm A is denoted by $C^A(I)$ (C^A , for short), and the offline optimal criterion value is denoted by $C^*(I)$ (C^* , for short). The performance of A is measured by its competitive ratio, and the competitive ratio of A is defined as the minimum value ρ satisfying $C^*(I) \leq \rho \cdot C^A(I)$ ($C^A(I) \leq \rho \cdot C^*(I)$) for any instance I , where $C^A(I)$ denotes the output value by A and $C^*(I)$ denotes the offline optimal criterion value. On the other hand, if there is no online algorithm for the problem that has a competitive ratio strictly

less than γ , then γ is referred to as a lower bound of the problem. In particular, if there is an online algorithm with a competitive ratio exactly matching the problem's lower bound, then we claim that this algorithm is an optimal online algorithm.

For the online hierarchical extensible bin-packing problem, we are given a set $I = \{a_1, a_2, \dots, a_n\}$ of n items. Each item a_j has a size s_j and m extendable bins B_1, B_2, \dots, B_m with original size 1, where each item must be packed into one bin, and the total size of the items packed in any bin can exceed 1, if necessary. The load $L_i = \sum_{j: a_j \in B_i} s_j$ of a bin B_i is just the total size of the items contained in B_i , and the size of a bin B_i is defined by $\max\{L_i, 1\}$. The extensible bin-packing problem introduced in [3,8], which is also called operating room allocation [9], is to minimize the total size of the bins, i.e., to minimize

$$S = \sum_{i=1}^m s_i = \sum_{i=1}^m \max\{L_i, 1\}.$$

Since the model of the EBP naturally arises in scheduling problems, we stick to the scheduling terminology in this article (bins are the same as machines; items are the same as jobs). For the semi-online hierarchical early work maximization scheduling problem, we are given a set $\mathcal{M} = \{M_1, M_2\}$ of two hierarchical machines and a set $\mathcal{J} = \{J_1, J_2, \dots, J_n\}$ of n jobs arriving online. The machine M_1 can process all jobs, while the machine M_2 can only process some of the jobs. Each job can only be processed by one machine. A new job J_{j+1} arrives only after job J_j is irrevocably scheduled to a machine. Let $L_i = \sum_{J_j \in S_i} p_j$ be the load of M_i , $i \in \{1, 2\}$. The objective is to find a schedule such that the total early work

$$X = \sum_{j=1}^n X_j = \sum_{i=1}^2 \min\{L_i, 1\}$$

is maximized.

1.2. The Contributions of Previous Studies

The extensible bin-packing problem (EBP), with the goal of minimizing the total sizes of bins, originates from the research work of Dell'Olmo et al. [8], who showed that the problem is strongly NP-hard. Furthermore, they proved that the approximation ratio of the longest processing time (LPT) algorithm for the problem is $\frac{13}{12}$.

Alon et al. [10] presented a unified efficient polynomial time approximation scheme (EPTAS) for scheduling on parallel machines, which is also suitable for the EBP. It is worth noting that Coffman et al. [11] presented an asymptotic fully polynomial time approximation scheme (FPTAS) for the EBP. If the number m of bins is fixed, there is an FPTAS following from the results of [12]. Most recently, Levin [13] designed an EPTAS for a generalization of the EBP with unequal bin sizes, where the cost of exceeding the bin size depends on the index of the bin and not only on the amount by which the size of the bin is exceeded.

A special case of the EBP is the case of extensible bin packing with unequal bin sizes (called the EBP-UBS). The online version of the problem was first studied by Dell'Olmo et al. [14], and they proved that the competitive ratio of the LS algorithm is $\frac{5}{4}$, which was improved slightly by Ye et al. [15]. Berg et al. [16] gave an online algorithm for the online EBP with a variable cost of extension. Most recently, Luo et al. [17] presented several lower bounds and an online algorithm whose competitive ratio is optimal in certain cases for the online EBP with a variable cost of extension. When $m \geq 3$, there exists a big gap between the best-known lower bound and the upper bound for the online EBP. When $m = 2$, the best possible competitive ratio for the online EBP problem is $\frac{7}{6}$ [3,18]. Another special case of the EBP is the case of a stochastic extensible bin-packing problem (SEBP), in which the size of each item follows some known probability distribution, and all the n items are packed into m bins of unit capacity in order to minimize the expected costs. Sagnol et al. [19] showed that there is a simple policy, called LEPT, with an approximation ratio of $1 + e^{-1} \approx 1.368$ for the SEBP,

and the problem has been generalized to arbitrary stochastic jobs in [20]. Building on the two papers, Sagnol et al. [21] proved improved bounds under distributional assumptions of the processing times.

The EBP model arises in scheduling problems in which machines are available for some amount of time at a fixed cost and for extra time at an additional cost. Speranza et al. [3] first introduced the online scheduling problem on m identical machines with extendable working time, which is also a special online EBP problem in which all bin sizes are equal to one and the size of a bin can be extended if necessary. They proved that the competitive ratio of the list scheduling (LS) algorithm for the problem is $\frac{5}{4}$ and designed a new online algorithm with a competitive ratio of 1.228.

A similar problem is the early work maximization scheduling problem. Nonpreemptive parallel machine scheduling with a common due date to maximize the total early work of all the jobs, i.e., the total processing time of the jobs completed before the common due date, has been a popular objective in the past decade [22,23]. Recently, for the offline version of the problem, when the number m of machines is fixed, Li [24] presented an FPTAS with running time $O(\frac{1}{\epsilon^{2m+1}} + n)$, for any desired accuracy ϵ , where n is the number of jobs and $f(\frac{1}{\epsilon})$ is exponential in $\frac{1}{\epsilon}$. When the number m of machines is not fixed, Li [24] also presented an EPTAS. Moreover, Sun et al. [25] proved that the worst-case ratio of the LPT algorithm for the offline early-work-maximization problem is at most 1.207 this year. For the online case of the problem, Chen et al. [26] considered the scheduling problem on parallel identical machines and presented an algorithm with a competitive ratio of $\frac{\sqrt{2m^2-2m+1}-1}{m-1}$. In particular, they proved that the competitive ratio of $\sqrt{5}-1$ is tight when $m=2$. This year, Jiang et al. [27] proved that the tight competitive ratio of the LS algorithm is $\frac{4}{3}$ and improved the upper bound on the competitive ratio for the previous algorithm EFF_m to 1.2956.

For the early-work-maximization problems on two hierarchical machines, Xiao et al. [28] studied two semi-online models of the problem with a buffer or rearrangements. If a buffer size of K is available, they designed an optimal online algorithm with a competitive ratio of $4/3$. If it is allowed to reassign at most K jobs after all the jobs have been scheduled, they proposed an optimal online algorithm with a competitive ratio of $4/3$. Furthermore, Xiao et al. [7] designed an optimal online algorithm with a competitive ratio of $\sqrt{2}$ for the problem and proposed several optimal semi-online algorithms for the cases when the largest processing time or total processing time is known. For the early-work-maximization problems on two hierarchical uniform machines M_1 and M_2 , where machine M_1 with speed $s > 0$ is available for all jobs and machine M_2 with speed 1 is available only for high-hierarchy jobs, Xiao et al. [4] proposed four optimal semi-online algorithms for the cases of the total size of all jobs, the total size of low-hierarchy jobs, the total size of high-hierarchy jobs, and both the total size of low-hierarchy and high-hierarchy jobs that are known in advance, respectively. This problem is also closely related to the online l_p -norm load-balancing problem on two hierarchical machines [6,29] and the online machine covering problems on two hierarchical machines [30–32]. Furthermore, more related results can be found in the recent surveys [33–35].

The makespan minimization scheduling problem on hierarchical machines is another typical objective in scheduling and is also closely related to the online early-work-maximization problem. The online version of such a problem was also first studied by Park et al. [36] and Jiang et al. [37]. They independently proposed an optimal online algorithm with a competitive ratio of $\frac{5}{3}$. Moreover, if the total size of all the jobs is given in advance, ref. [36] presented an optimal online algorithm with a competitive ratio of $\frac{3}{2}$. If the largest processing time of jobs is known in advance, Wu et al. [38] presented an optimal online algorithm with a competitive ratio of $\frac{1+\sqrt{5}}{2}$; if the total processing time is known in advance, the group presented an optimal online algorithm and obtained the same result as [36]. If the processing times are bounded, Liu et al. [39], Luo et al. [40], and Zhang et al. [41] designed several online algorithms for the makespan minimization problem on two hierarchical machines. Chen et al. [22,42] considered several semi-online versions of the problem and proposed the

corresponding optimal online algorithms. Akaria et al. [5] discussed online scheduling with migration on two hierarchical machines.

1.3. The Motivation of the Paper

The EBP has been widely used to represent the cost of allocating surgeries to operating rooms (ORs) [9,16,19] in recent years, which is a challenging combinatorial optimization problem. There is also significant uncertainty in the duration of surgical procedures, which further complicates assignment decisions. In the context of OR allocation, ORs represent bins. Assume that $k \leq m$ is the number of ORs. Each bin has a certain size at a fixed cost c^f , which denotes the time T that each OR is available during a particular day. The OR can be utilized for more than the regular available time. Under this model, the total cost of a solution assigning the subset of surgeries S_i to the i -th operating room ($i = 1, \dots, k$) becomes $kc^f + c^v \sum_{i=1}^k \max\{\sum_{j \in S_i} p_j - T, 0\}$, and the decision maker is asked to find the best allocation so that the total cost is minimized. The EBP corresponds to the situation in which $T = c^f = c^v = 1$ and $k = m$. In practice, surgical durations are not known in advance, and the patients with more severe injuries should be given priority treatment, which is also highly important. In addition, in communications engineering, service providers assign service classes to calls in communications networks and route queries to hierarchical databases. Hence, motivated by these random cases and online hierarchical scheduling [43], we study the hierarchical extensible bin-packing problem (HEBP), in which each bin B_i has an identical original size 1, for $i = 1, 2$. The bin B_1 can pack all the items, while B_2 can only pack the items with the high hierarchy, i.e., $h_j = 2$, with the objective of minimizing the expected costs. Our new model is defined to generalize some special semi-online cases of the HEBP.

Scheduling with the goal of early work maximization has many practical applications in recent years, such as scheduling customer orders in manufacturing systems, testing software in software engineering, spreading fertilizers in agriculture, planning technological processes in manufacturing systems, collecting data from sensors in control systems, and harvesting crops in agriculture. For example, in the service industry, service providers often assign corresponding privileges and differentiated services to customers according to the level of service they promise to customers. Motivated by [32], we study the early-work-maximization problems on two identical parallel machines under a grade of service (GoS) provision, with the information of the largest job, where the machine M_1 can process all jobs, while the machine M_2 can only process the higher hierarchical jobs, with the goal of maximizing the total early work. Our new model is defined to generalize some special semi-online cases of the problem.

1.4. The Organization and Results Of The Paper

The remainder of this paper is organized as follows. Section 2 focuses on a series of models for the HEBP with the largest item size known in advance.

(Section 2.1) If the largest size β of the items is known in advance, without knowledge of the item hierarchy, and if at least one item of size β appears, we give two lower bounds $1 + \frac{\beta}{4}$ and $1 + \frac{1}{2+2\beta}$ and propose an optimal online algorithm with a competitive ratio of $1 + \min\{\frac{\beta}{4}, \frac{1}{2+2\beta}\}$.

(Section 2.2) If the hierarchy of the largest item is known in advance and there is at least one item of the largest size β that appears, we give some lower bounds. When $\frac{2}{3} < \beta < 1$, we propose a simple online algorithm with a competitive ratio of $\frac{3-\beta}{2}$.

(Section 2.3) If the largest item with hierarchy $h_j = 1$ is known in advance and if $\beta = 1$, i.e., $s_j \leq s_{\max,1} \leq 1$, where $s_{\max,1}$ is the size of the largest item $a_{\max,1}$ with the lower hierarchy, we design an optimal semi-online algorithm with a competitive ratio of $\frac{7}{6}$.

(Section 2.4) If the largest item with hierarchy $h_j = 2$ is known in advance and considering the case where $\beta = 1$, i.e., $s_j \leq s_{\max,2} \leq 1$, where $s_{\max,2}$ is the size of the largest

item $a_{max,2}$ with the higher hierarchy, we show a lower bound $\frac{\sqrt{13}+1}{4}$ and design an online algorithm with a competitive ratio of $\frac{7}{6}$.

Section 3 focuses on a series of models for the HEBP with the total item size known in advance.

(Section 3.1) If the total size T of all the items is known in advance, we give a lower bound of $\frac{5}{4}$ and propose an optimal online algorithm with a competitive ratio of $\frac{5}{4}$.

(Section 3.2) If the total size T_1 of the low-hierarchy items is known in advance, we show a lower bound of $\frac{\sqrt{13}+1}{4}$ and propose an algorithm with a competitive ratio of $\frac{7}{6}$.

(Section 3.3) If the total size T_2 of the high-hierarchy items is known in advance, we show a lower bound of $\frac{\sqrt{13}+1}{4}$ and propose an algorithm with a competitive ratio of $\frac{7}{6}$.

In Section 4, we investigate the semi-online hierarchical early-work-maximization problem, i.e., the case of the largest job is known in advance.

(Section 4.1) If the largest job size $p_{max} = \beta \leq 1$ is known in advance, without knowledge of the job hierarchy, we give two lower bounds $1 + \frac{\beta}{3}$ and $\frac{\sqrt{\beta^2-2\beta+9-1+\beta}}{2}$ for $\beta < \frac{\sqrt{5}-1}{2}$ and $\frac{\sqrt{5}-1}{2} \leq \beta \leq 1$, respectively. We also propose an online algorithm with a competitive ratio $\frac{\sqrt{\beta^2-2\beta+9-1+\beta}}{2}$ for $0 < \beta \leq 1$.

(Section 4.2) If the hierarchy of the largest job is known, when the largest job has a low hierarchy, i.e., $p_j \leq p_{max,1} = \beta \leq 1$, for $1 \leq j \leq n$, we denote this problem as $P2|GoS, online, p_{max,1} = \beta | \max(X)$. We give two lower bounds $\frac{4}{4-\beta}$ and $\frac{4}{3+\beta}$ for $\beta \leq \frac{1}{2}$ and $\frac{1}{2} < \beta \leq 1$, respectively.

Finally, we present our conclusions in Section 5.

2. The Hierarchical Extensible Bin-Packing Problem of Knowing the Largest Item Size

For the online case, a set of n items $I = \{a_1, \dots, a_n\}$ and two hierarchical bins $B = \{B_1, B_2\}$ are given. Each item a_j is characterized by two parameters: the item size s_j and the item hierarchy $h_j \in \{1, 2\}$. For convenience, item a_j is denoted by $a_j = (s_j, h_j)$ for $j = 1, \dots, n$. Each bin B_i has an identical original size of 1 for $i = 1, 2$. The hierarchical constraint means that the bin B_1 can pack all the items, while B_2 can only pack the items with hierarchy 2, i.e., $h_j = 2$.

All the items of I are ordered in a list and arrive one by one. Once an item arrives, it must be assigned to one of the two hierarchical bins immediately and irrevocably. The information of item a_{j+1} is given after item a_j has been assigned. Assume that the size of each item satisfies

$$s_j \leq 1, \text{ for } j = 1, \dots, n. \quad (1)$$

This problem is to find a packing that assigns all the items of I to the two bins, and the goal is to minimize the total size of both bins. Let $L_i = \sum_{a_j \in B_i} s_j$ be the load of the bin B_i , i.e., the total size of the items assigned to B_i , for $i = 1, 2$. If $L_i \leq 1$, the size of bin B_i is equal to 1, i.e., $s_i = 1$. If $L_i > 1$, the size of bin B_i is equal to its load, i.e., $s_i = L_i$. As a result, the size of bin B_i is defined as

$$s_i = \max\{L_i, 1\}.$$

Therefore, the goal of the problem is to find a packing plan such that the total size of both bins

$$S = \sum_{i=1}^2 s_i = \sum_{i=1}^2 \max\{L_i, 1\} \quad (2)$$

is minimized.

In the following, let L_i^j be the total size of the items assigned to bin B_i after item a_j is assigned, for $j \in \{1, 2, \dots, n\}$. Clearly, we have

$$L_i^n = L_i.$$

Let T be the total size of all the items and T_k ($k = 1, 2$) be the total size of the items with hierarchy $h_j = k$. Hence, we have $T = T_1 + T_2$. Define C^* as the offline optimal value and C^A as the output value of the (semi-)online algorithm A . From the definition of the total size of both bins, we have the following lemma.

Lemma 1. *The offline optimal value C^* satisfies*

$$C^* \geq \max\{T, 2\}. \quad (3)$$

In this section, we consider a series of models for which the largest item size is given in advance. Assume that each item size s_j is bounded by $(0, \beta]$, i.e.,

$$0 < s_j \leq \beta.$$

2.1. The Largest Item is Known

In this subsection, the largest size of the items is known in advance without knowledge of the item hierarchy, and at least one item of size β appears. We give two lower bounds $1 + \frac{\beta}{4}$ and $1 + \frac{1}{2+2\beta}$ and propose an optimal online algorithm with a competitive ratio $1 + \min\{\frac{\beta}{4}, \frac{1}{2+2\beta}\}$.

Theorem 1. *When only the size of the largest item is known, any online algorithm A has a competitive ratio at least $1 + \frac{\beta}{4}$ for $\beta < 1$.*

Proof. Let N be a large enough integer and $\varepsilon = \frac{1}{N}$. The first t items are $a_1 = a_2 = \dots = a_t = (\varepsilon, 2)$, where t is the minimal integer satisfying the following conditions.

Case 1. $L_1^t \in [\frac{\beta}{2}, \frac{\beta}{2} + \varepsilon]$ ($L_2^t < 1 - \frac{\beta}{2}$).

The item $a_{t+1} = (\beta, 1)$ and the last k items $a_{t+2}, \dots, a_{t+1+k}$ arrive, $\sum_{j=t+2}^{t+1+k} s_j = 1 - \beta$ and $s_j \leq \beta$, then $C^* \leq 2 + \varepsilon$ and $C^A \geq 2 + \frac{\beta}{2}$.

Case 2. $L_2^t \in [1 - \frac{\beta}{2}, 1 - \frac{\beta}{2} + \varepsilon]$ ($L_1^t < \frac{\beta}{2}$).

The last two items $a_{t+1} = (1 - \frac{\beta}{2} - L_1^t, 1)$ and $a_{t+2} = (\beta, 2)$ arrive, implying that $C^* \leq 2 + \varepsilon$ and $C^A \geq 2 + \frac{\beta}{2}$.

As a result, in all cases, we obtain that

$$\lim_{\varepsilon \rightarrow 0} \frac{C^A}{C^*} \geq \lim_{\varepsilon \rightarrow 0} \frac{2 + \frac{\beta}{2}}{2 + \varepsilon} \geq 1 + \frac{\beta}{4}.$$

Therefore, our theorem holds in any case. \square

Theorem 2. *When only the size of the largest item is known, any online algorithm A has a competitive ratio of at least $1 + \frac{1}{2+2\beta}$ for $\beta \geq 1$.*

Proof. The first item is $a_1 = (\frac{1}{2}, 2)$.

Case 1. a_1 is assigned to B_1 .

Then, the last item $a_2 = (\beta, 1)$ arrives, and we have $C^* = 1 + \beta$ and $C^A = \frac{3}{2} + \beta$.

Case 2. a_1 is assigned to B_2 .

Then, the next item $a_2 = (\beta, 2)$:

- (i) If a_2 is assigned to B_2 , and no more items arrive, then, we have $C^* = 1 + \beta$ and $C^A = \frac{3}{2} + \beta$.
- (ii) If a_2 is assigned to B_1 , the last item $a_3 = (\frac{1}{2}, 1)$ arrives, then we have $C^* = 1 + \beta$ and $C^A = \frac{3}{2} + \beta$.

As a result, in all cases, we obtain that

$$\frac{C^A}{C^*} \geq \frac{\frac{3}{2} + \beta}{1 + \beta} = 1 + \frac{1}{2 + 2\beta}.$$

Therefore, our theorem holds in any case. \square

The details of our online algorithm are described in Algorithm 1.

Theorem 3. *The competitive ratio of Algorithm 1 is at most $1 + \min\{\frac{\beta}{4}, \frac{1}{2+2\beta}\}$.*

Algorithm 1: A1.

```

1 Initially, let  $L_2^0 = 0$ .
2 When a new item  $a_j = (s_j, h_j)$  arrives,
3 if  $h_j = 1$  then
4   | Assign item  $a_j$  to  $B_1$ .
5 else
6   | if  $L_2^{j-1} < \max\{1 - \frac{\beta}{2}, \frac{1}{2}\}$  then
7     | Assign item  $a_j$  to  $B_2$ .
8   | else
9     | Assign item  $a_j$  to  $B_1$ .
10 If there is another item,  $j = j + 1$ , go to step 2. Otherwise, stop.
```

Proof. Since the largest item size is β , we have $C^* \geq 1 + \beta$. Based on Lemma 1, we have $C^* \geq \max\{T, 2\}$. In the case of $\min\{L_1, L_2\} \geq 1$, we have $C^{A1} = T \leq C^*$. In the case of $\max\{L_1, L_2\} \leq 1$, we have $C^{A1} = 2 \leq C^*$. Both cases imply that Algorithm 1 reaches optimality. Thus, we only consider the case of $\min\{L_1, L_2\} < 1 < \max\{L_1, L_2\}$, implying that

$$C^{A1} = 1 + \max\{L_1, L_2\}.$$

We consider the following two cases:

Case 1. $L_1 > 1$ and $L_2 < 1$.

Let $a_l = (p_l, 2)$ be the last item of hierarchy $h_j = 2$ assigned to B_1 . According to Algorithm 1, we know that item a_l is assigned to B_1 at Line 9; then, we have

$$L_2 \geq L_2^{l-1} \geq \max\{1 - \frac{\beta}{2}, \frac{1}{2}\}. \quad (4)$$

By Lemma 1, we have

$$\begin{aligned} \frac{C^{A1}}{C^*} &\leq \frac{L_1 + 1}{\max\{2, L_1 + L_2, 1 + \beta\}} = 1 + \frac{L_1 + 1 - \max\{2, L_1 + L_2, 1 + \beta\}}{\max\{2, L_1 + L_2, 1 + \beta\}} \\ &\leq 1 + \frac{1 - L_2}{\max\{2, L_1 + L_2, 1 + \beta\}} \leq 1 + \frac{1 - L_2}{\max\{2, 1 + \beta\}} \\ &\leq 1 + \frac{\min\{\frac{\beta}{2}, \frac{1}{2}\}}{\max\{2, 1 + \beta\}} = 1 + \min\{\frac{\beta}{4}, \frac{1}{2 + 2\beta}\}, \end{aligned}$$

where the second inequality follows from $\max\{2, L_1 + L_2, 1 + \beta\} \geq L_1 + L_2$, the third inequality follows from $\max\{2, L_1 + L_2, 1 + \beta\} \geq \max\{2, 1 + \beta\}$, and the last inequality follows from (4).

Case 2. $L_1 < 1$ and $L_2 > 1$.

Let $a_t = (s_t, 2)$ be the last item of hierarchy 2 assigned to B_2 . According to Algorithm 1, we know that item a_t is assigned to B_2 at Line 7; then, we have

$$L_2 = L_2^{t-1} + s_t \leq \max \left\{ 1 - \frac{\beta}{2}, \frac{1}{2} \right\} + \beta. \quad (5)$$

By Lemma 1, we have

$$\begin{aligned} \frac{C^{A1}}{C^*} &\leq \frac{1 + L_2}{\max \{2, L_1 + L_2, 1 + \beta\}} \leq \frac{1 + L_2}{\max \{2, 1 + \beta\}} \\ &= 1 + \frac{L_2 - \max \{1, \beta\}}{\max \{2, 1 + \beta\}} \leq 1 + \min \left\{ \frac{\beta}{4}, \frac{1}{2 + 2\beta} \right\}, \end{aligned}$$

where the second inequality follows from $\max \{2, L_1 + L_2, 1 + \beta\} \geq \max \{2, 1 + \beta\}$ and the last inequality follows from (5).

Therefore, our theorem holds in any case. \square

2.2. The Largest Item with Lower Hierarchy or Higher Hierarchy

In this subsection, the hierarchy of the largest item is known, and there is at least one item of size β that appears; we give some lower bounds. When $\frac{2}{3} < \beta < 1$, we propose a simple online algorithm with a competitive ratio of $\frac{3-\beta}{2}$.

Theorem 4. *When the largest item is the hierarchy-1 item, any online algorithm A has a competitive ratio of at least $1 + \frac{1-\beta}{4}$ for $\frac{1}{2} \leq \beta < 1$.*

Proof. Let N be a large enough integer and $\varepsilon = \frac{1}{N}$. The first t items are $a_1 = (\beta, 1)$ and $a_2 = \dots = a_t = (\varepsilon, 2)$, where t is the minimal integer satisfying the following conditions.

Case 1. $L_1^t \in [\beta + \frac{1-\beta}{2}, \beta + \frac{1-\beta}{2} + \varepsilon]$ ($L_2^t < \beta + \frac{1-\beta}{2}$).

The last item $a_{t+1} = (1 - \beta, 1)$ arrives, then $C^* \leq 2 + \varepsilon$ and $C^A \geq 2 + \frac{1-\beta}{2}$.

Case 2. $L_2^t \in [\beta + \frac{1-\beta}{2}, \beta + \frac{1-\beta}{2} + \varepsilon]$ ($L_1^t < \beta + \frac{1-\beta}{2}$).

The last two items $a_{t+1} = (\beta + \frac{1-\beta}{2} - L_1^t, 1)$ and $a_{t+2} = (1 - \beta, 2)$ arrive, implying that $C^* \leq 2 + \varepsilon$ and $C^A \geq 2 + \frac{1-\beta}{2}$.

As a result, in all cases, we obtain that

$$\lim_{\varepsilon \rightarrow 0} \frac{C^A}{C^*} \geq \lim_{\varepsilon \rightarrow 0} \frac{2 + \frac{1-\beta}{2}}{2 + \varepsilon} \geq 1 + \frac{1-\beta}{4}.$$

Therefore, our theorem holds in any case. \square

Theorem 5. *When the largest item is the hierarchy-2 item, any online algorithm A has a competitive ratio of at least $\frac{\sqrt{4+2\beta}}{2}$ for $\beta \leq \frac{\sqrt{13}-1}{4}$.*

Proof. Let N be a large enough integer and $\varepsilon = \frac{1}{N}$. The first item is $a_1 = (\beta, 2)$.

If a_1 is assigned to B_1 , then the last item $a_2 = (1, 1)$ arrives, and we have $C^* = 2$ and $C^A = 2 + \beta$.

If a_1 is assigned to B_2 , then the next $t - 1$ items $a_2 = \dots = a_t = (\varepsilon, 2)$ arrive, where t is the minimal integer satisfying the following conditions.

Case 1. $L_1^t \in [2 + \beta - \sqrt{4 + 2\beta}, 2 + \beta - \sqrt{4 + 2\beta} + \varepsilon]$ ($L_2^t < \sqrt{4 + 2\beta} - 1 - \beta$).

The last item $a_{t+1} = (1, 1)$ arrives, then $C^* \leq 2 + \varepsilon$ and $C^A \geq 4 + \beta - \sqrt{4 + 2\beta}$.

Case 2. $L_2^t \in [\sqrt{4 + 2\beta} - 1 - \beta, \sqrt{4 + 2\beta} - 1 - \beta + \varepsilon]$ ($L_1^t < 2 + \beta - \sqrt{4 + 2\beta}$).

The next item $a_{t+1} = (\beta, 2)$ arrives:

- (i) If a_{t+1} is assigned to B_2 , no more jobs arrive, and we have $C^* \leq 2 + \varepsilon$ and $C^A \geq \sqrt{4 + 2\beta}$.

- (ii) If a_{t+1} is assigned to B_1 , the last item $a_{t+2} = (1 - L_1^t, 1)$ arrives, and we have $C^* \leq \sqrt{4 + 2\beta} + \varepsilon$ and $C^A \geq 2 + \beta$.

Since $\beta \leq \frac{\sqrt{13}-1}{4}$, we have

$$\beta \leq \sqrt{4 + 2\beta} - 1 - \beta$$

and

$$\lim_{\varepsilon \rightarrow 0} \frac{4 + \beta - \sqrt{4 + 2\beta}}{2 + \varepsilon} \geq \lim_{\varepsilon \rightarrow 0} \frac{2 + \beta}{\sqrt{4 + 2\beta} + \varepsilon} \geq \lim_{\varepsilon \rightarrow 0} \frac{\sqrt{4 + 2\beta}}{2 + \varepsilon} = \frac{\sqrt{4 + 2\beta}}{2},$$

and as a result, in all cases, we obtain that

$$\lim_{\varepsilon \rightarrow 0} \frac{C^A}{C^*} \geq \frac{\sqrt{4 + 2\beta}}{2}.$$

Therefore, our theorem holds in any case. \square

Theorem 6. When the largest item is the hierarchy-2 item, any online algorithm A has a competitive ratio of at least $\frac{\sqrt{3-2\beta}+1}{2}$ for $\frac{\sqrt{13}-1}{4} < \beta < 1$.

Proof. The first item is $a_1 = (\beta, 2)$.

Case 1. a_1 is assigned to B_1 .

Then, the last item $a_2 = (1, 1)$ arrives, and we have $C^* = 2$ and $C^A = 2 + \beta$.

Case 2. a_1 is assigned to B_2 .

Then, the next item $a_2 = (\sqrt{3-2\beta} - \beta, 2)$ arrives:

- (i) If a_2 is assigned to B_2 , no more items arrive, and we have $C^* = 2$ and $C^A = \sqrt{3-2\beta} + 1$.
- (ii) If a_2 is assigned to B_1 , the last item $a_3 = (1, 1)$ arrives, and we have $C^* = \sqrt{3-2\beta} + 1$ and $C^A = 2 + \sqrt{3-2\beta} - \beta$.

Therefore, we obtain

$$\frac{C^A}{C^*} \geq \frac{2 + \sqrt{3-2\beta} - \beta}{\sqrt{3-2\beta} + 1} = \frac{\sqrt{3-2\beta} + 1}{2}.$$

Therefore, our theorem holds in any case. \square

The details of our online algorithm are described in Algorithm 2.

Theorem 7. The competitive ratio of Algorithm 2 is at most $\frac{3-\beta}{2}$.

Algorithm 2: A2.

- 1 **if** The largest item is hierarchy 1 **then**
 - 2 Assign all hierarchy-1 items to B_1 and all hierarchy-2 items to B_2 .
 - 3 **else**
 - 4 Assign the first largest hierarchy-2 item to B_2 and the remaining items to B_1 .
-

Proof. As the proof of Theorem 3, we consider only the following two cases.

Case 1. $L_1 > 1$ and $L_2 < 1$:

- (i) If the largest item is hierarchy 1, then all items of hierarchy 2 are assigned to B_2 , and Algorithm 2 reaches optimality.
- (ii) If the largest item is hierarchy 2, then the first largest item is assigned to B_2 , and $L_2 \geq \beta$. By Lemma 1, we have

$$\frac{C^{A2}}{C^*} \leq \frac{L_1 + 1}{\max\{L_1 + L_2, 2\}} \leq 1 + \frac{1 - L_2}{2} \leq 1 + \frac{1 - \beta}{2}.$$

Case 2. $L_1 < 1$ and $L_2 > 1$:

- (i) If the largest item is hierarchy 1, then $L_1 \geq T_1 \geq \beta$. By Lemma 1, we have

$$\frac{C^{A2}}{C^*} \leq \frac{L_2 + 1}{\max\{L_1 + L_2, 2\}} \leq 1 + \frac{1 - L_1}{2} \leq 1 + \frac{1 - \beta}{2}.$$

- (ii) If the largest item is hierarchy 2, then only the first largest item is assigned to B_2 , and $L_2 = \beta > 1$, which contradicts the assumption that $\beta < 1$.

Therefore, our theorem holds in any case. \square

2.3. The Largest Item with the Lower Hierarchy

In this subsection, we focus on the semi-online case in which the largest item with hierarchy 1 is known a priori and consider the case in which $\beta = 1$, i.e.,

$$s_j \leq s_{\max,1} \leq 1, \quad (6)$$

where $s_{\max,1}$ is the size of the largest item $a_{\max,1}$ with the lower hierarchy; we design an optimal semi-online algorithm with a competitive ratio of $\frac{7}{6}$.

Theorem 8. *The competitive ratio of any online algorithm A for the problem is no less than $\frac{7}{6}$.*

Proof. Assume that $s_{\max,1} = \frac{2}{3}$. The first two items $a_1 = (\frac{2}{3}, 1)$ and $a_2 = (\frac{1}{3}, 2)$ arrive.

Case 1. a_2 is assigned to B_1 .

Then, the last item $a_3 = (\frac{1}{3}, 1)$ arrives. Thus, we have $C^A = \frac{7}{3}$ and $C^* = 2$.

Case 2. a_2 is assigned to B_2 .

Then, the third item $a_3 = (\frac{1}{3}, 2)$ arrives:

- (i) If a_3 is assigned to bin B_1 , then the last item $a_4 = (\frac{1}{3}, 1)$ arrives. Thus, we have $C^A = \frac{7}{3}$ and $C^* = 2$.
- (ii) If a_3 is assigned to bin B_2 , then the last item $a_4 = (\frac{2}{3}, 2)$ arrives. This means that $C^A = \frac{7}{3}$ and $C^* = 2$.

Therefore, $\frac{C^A}{C^*} \geq \frac{7}{6}$, our theorem holds in any case. \square

Now, we present an optimal online algorithm to solve the semi-online case when the largest item has the lower hierarchy. The primary concept of this algorithm is that we prioritize bin B_2 when allocating items, since the largest items with hierarchy 1 can only be assigned to B_1 .

Theorem 9. *The competitive ratio of Algorithm 3 is at most $\frac{7}{6}$.*

Algorithm 3: A3.

```

1 Initially, let  $j = 1$ ,  $L_2^0 = 0$ .
2 When a new item  $a_j = (s_j, h_j)$  arrives,
3 if  $h_j = 1$  then
4   | Assign item  $a_j$  to bin  $B_1$ .
5 else
6   | if  $L_2^{j-1} \leq \frac{2}{3}$  then
7     | | Assign item  $a_j$  to bin  $B_2$ .
8   | else
9     | | Assign item  $a_j$  to bin  $B_1$ .
10 If there is another item, let  $j = j + 1$ , and go to Line 2. Otherwise, stop.
```

Proof. As the proof of Theorem 3, we consider only the following two cases.

Case 1. $L_1 > 1$ and $L_2 < 1$.

According to the analysis of Theorem 2, we let $a_k = (s_k, 2)$ be the last item of hierarchy $h_j = 2$ assigned to B_1 . According to Algorithm 3, we know that item a_k is assigned to B_1 at Line 9, implying that

$$L_2 \geq L_2^{j-1} > \frac{2}{3}. \quad (7)$$

Thus, based on Lemma 1, we have

$$\begin{aligned} \frac{C^{A3}}{C^*} &\leq \frac{1 + L_1}{\max\{L_1 + L_2, 2\}} = 1 + \frac{1 + L_1 - \max\{L_1 + L_2, 2\}}{\max\{L_1 + L_2, 2\}} \\ &\leq 1 + \frac{1 - L_2}{\max\{L_1 + L_2, 2\}} \leq 1 + \frac{1 - L_2}{2} = \frac{3 - L_2}{2} \leq \frac{7}{6}, \end{aligned}$$

where the second inequality follows from $\max\{L_1 + L_2, 2\} \geq L_1 + L_2$, the third inequality follows from $\max\{L_1 + L_2, 2\} \geq 2$, and the last inequality follows from (7).

Case 2. $L_1 < 1$ and $L_2 > 1$.

Case 2.1 $s_{\max,1} \leq \frac{2}{3}$.

Let $a_k = (s_k, 2)$ be the last item assigned to B_2 . By (6), we assume that

$$s_k \leq s_{\max,1} \leq \frac{2}{3}. \quad (8)$$

According to Algorithm 3, we know that item a_k is assigned to B_2 at Line 7, which implies that

$$L_2^{k-1} \leq \frac{2}{3},$$

and

$$L_2 = L_2^{k-1} + s_k \leq \frac{2}{3} + \frac{2}{3} = \frac{4}{3},$$

where the inequality follows from (8). Hence, based on Lemma 1, we have

$$\frac{C^{A3}}{C^*} \leq \frac{1 + L_2}{2} \leq \frac{1 + \frac{4}{3}}{2} = \frac{\frac{7}{3}}{2} = \frac{7}{6}.$$

Case 2.2 $s_{\max,1} > \frac{2}{3}$.

Obviously, we have

$$L_1 \geq s_{\max,1} > \frac{2}{3}. \quad (9)$$

Thus, based on Lemma 1, we have

$$\begin{aligned} \frac{C^{A3}}{C^*} &\leq \frac{1 + L_2}{\max\{L_1 + L_2, 2\}} = 1 + \frac{1 + L_2 - \max\{L_1 + L_2, 2\}}{\max\{L_1 + L_2, 2\}} \\ &\leq 1 + \frac{1 - L_1}{\max\{L_1 + L_2, 2\}} \leq 1 + \frac{1 - L_1}{2} = \frac{3 - L_1}{2} \leq \frac{3 - \frac{2}{3}}{2} = \frac{7}{6}, \end{aligned}$$

where the second inequality follows from $\max\{L_1 + L_2, 2\} \geq L_1 + L_2$, the third inequality follows from $\max\{L_1 + L_2, 2\} \geq 2$, and the last inequality follows from (9).

Therefore, our theorem holds in any case. \square

2.4. The Largest Item with the Higher Hierarchy

In this subsection, we focus on the semi-online case in which the largest item with hierarchy 2 is known in advance and consider the case in which $\beta = 1$, i.e.,

$$s_j \leq s_{\max,2} \leq 1, \quad (10)$$

where $s_{\max,2}$ is the size of the largest item $a_{\max,2}$ with the higher hierarchy. We show a lower bound $\frac{\sqrt{13}+1}{4}$ and design an online algorithm with a competitive ratio of $\frac{7}{6}$.

Theorem 10. *The competitive ratio of any online algorithm A for the problem is no less than $\frac{\sqrt{13}+1}{4}$.*

Proof. Assume that $s_{\max,2} = \frac{\sqrt{13}-1}{4}$. The first item $a_1 = (\frac{\sqrt{13}-1}{4}, 2)$ arrives. Let N be a large enough integer and $\varepsilon = \frac{1}{N}$.

Case 1. a_1 is assigned to bin B_1 .

Then, the next N items $a_2 = \dots = a_{N+1} = (\varepsilon, 1)$ arrive, and no more items arrive.

Thus, we have $C^A = \frac{\sqrt{13}+7}{4}$, and $C^* = 2$.

Case 2. a_1 is assigned to bin B_2 .

Then, the second item $a_2 = (\frac{\sqrt{13}-1}{4}, 2)$ arrives:

(i) a_2 is assigned to bin B_2 .

Then, no more items arrive. Thus, we have $C^A = \frac{\sqrt{13}+1}{2}$, and $C^* = 2$.

(ii) a_2 is assigned to bin B_1 .

Then, the next N items $a_3 = \dots = a_{N+2} = (\varepsilon, 1)$ arrive, and no more items arrive.

Thus, we have $C^A = \frac{\sqrt{13}+7}{4}$ and $C^* = \frac{\sqrt{13}+1}{2}$.

As a result, in all cases, we obtain that

$$\frac{C^A}{C^*} \geq \frac{\frac{\sqrt{13}+1}{2}}{2} = \frac{\frac{\sqrt{13}+7}{4}}{\frac{\sqrt{13}+1}{2}} = \frac{\sqrt{13}+1}{4}.$$

Therefore, our theorem holds in any case. \square

Now, we present an online algorithm to solve the semi-online case when the largest item has the lower hierarchy. The primary concept of this algorithm is that we reserve bin B_2 for the first largest item until it appears in the system.

Theorem 11. *The competitive ratio of Algorithm 4 is at most $\frac{7}{6}$.*

Algorithm 4: A4.

```

1 Initially, let  $j = 1$ ,  $L_2^0 = 0$ , and  $n_2 = 0$ .
2 When a new item  $a_j = (s_j, h_j)$  arrives,
3 if  $h_j = 1$  then
4   | Assign item  $a_j$  to bin  $B_1$ .
5 else
6   | if  $n_2 = 0$  and  $s_j \neq s_{max,2}$  then
7     | if  $L_2^{j-1} + s_{max,2} + s_j \leq \frac{4}{3}$  then
8       | | Assign item  $a_j$  to the bin  $B_2$ .
9     | else
10      | | Assign item  $a_j$  to the bin  $B_1$ .
11   | else
12     | if  $n_2 = 0$  and  $s_j = s_{max,2}$  then
13       | | Assign item  $a_j$  to bin  $B_2$ .
14     | else
15       | if  $L_2^{j-1} + s_j \leq \frac{4}{3}$  then
16         | | Assign item  $a_j$  to bin  $B_2$ .
17       | else
18         | | Assign item  $a_j$  to bin  $B_1$ .
19 If there is another item, let  $j = j + 1$ , and go to Line 2. Otherwise, stop.
```

Proof. As the proof of Theorem 3, we consider only the following two cases.

Case 1. $L_1 > 1$ and $L_2 < 1$.

According to the analysis of Theorem 2, we let $a_k = (s_k, 2)$ be the last item of hierarchy 2 assigned to B_1 , $a_t = (s_t, 2)$ be the first largest item of hierarchy 2, and $s_t = s_{max,2}$. Since item a_t can be assigned only to B_2 in Algorithm 4, we can obtain that $k \neq t$.

Case 1.1 $k < t$.

According to Algorithm 4, we know that item a_k is assigned to B_1 at Line 10 and a_t is assigned to B_2 at Line 13, implying that

$$L_2^{k-1} + s_{max,2} + s_k > \frac{4}{3}$$

and

$$2(L_2^{k-1} + s_{max,2}) \geq L_2^{k-1} + s_{max,2} + s_k > \frac{4}{3},$$

where the first inequality follows from (10). Hence, we have

$$L_2^{k-1} + s_{max,2} > \frac{2}{3}.$$

As item a_t is assigned to B_2 after item a_k , then

$$L_2 \geq L_2^{k-1} + s_t = L_2^{k-1} + s_{max,2} > \frac{2}{3}. \quad (11)$$

Case 1.2 $k > t$.

According to Algorithm 4, we know that item a_k is assigned to B_1 at Line 18 and a_t is assigned to B_2 at Line 13, implying that

$$L_2^{k-1} + s_k > \frac{4}{3}.$$

As item a_t is assigned to B_2 before item a_k , then, together with (11), this implies that

$$L_2^{k-1} \geq s_t = s_{\max,2} \geq s_k,$$

hence, we have

$$L_2 \geq L_2^{k-1} \geq \frac{L_2^{k-1} + s_k}{2} > \frac{2}{3}. \quad (12)$$

As a result, by (11) and (12), we have

$$L_2 > \frac{2}{3}, \quad (13)$$

hence, based on Lemma 1,

$$\begin{aligned} \frac{C^{A4}}{C^*} &\leq \frac{1 + L_1}{\max\{L_1 + L_2, 2\}} = 1 + \frac{1 + L_1 - \max\{L_1 + L_2, 2\}}{\max\{L_1 + L_2, 2\}} \\ &\leq 1 + \frac{1 + L_1 - (L_1 + L_2)}{\max\{L_1 + L_2, 2\}} = 1 + \frac{1 - L_2}{\max\{L_1 + L_2, 2\}} \leq 1 + \frac{1 - L_2}{2} \leq \frac{7}{6}, \end{aligned}$$

where the second inequality follows from $\max\{L_1 + L_2, 2\} \geq L_1 + L_2$, the third inequality follows from $\max\{L_1 + L_2, 2\} \geq 2$, and the last inequality follows from (13).

Case 2. $L_1 < 1$ and $L_2 > 1$.

Let $a_k = (s_k, 2)$ be the last item assigned to B_2 :

- (i) If item a_k is assigned to B_2 at Line 16 of Algorithm 4, then we have

$$L_2 = L_2^{k-1} + s_k \leq \frac{4}{3}. \quad (14)$$

- (ii) If a_k is the first largest item with a size $s_k = s_{\max,2}$, it is assigned to B_2 at Line 13 of Algorithm 4. Let $a_t = (s_t, 2)$ be the last item assigned to B_2 before a_k . Then, according to Algorithm 4, we have

$$L_2 = L_2^{t-1} + s_t + s_k = L_2^{t-1} + s_t + s_{\max,2} \leq \frac{4}{3}. \quad (15)$$

As a result, by (14) and (15), we have

$$L_2 \leq \frac{4}{3},$$

hence, and based on Lemma 1,

$$\frac{C^{A4}}{C^*} \leq \frac{1 + L_2}{2} \leq \frac{1 + \frac{4}{3}}{2} = \frac{7}{6}.$$

Therefore, our theorem holds in any case. \square

3. The Hierarchical Extensible Bin-Packing Problem of Knowing the Total Item Size

In this section, we consider a series of models for which the total item size is known in advance.

3.1. The Total Size of All the Items is Known

In this subsection, when we know the total size T of all the items in advance, we give a lower bound of $\frac{5}{4}$ and propose an optimal online algorithm with a competitive ratio of $\frac{5}{4}$.

Theorem 12. Any online algorithm A for the problem has a competitive ratio of at least $\frac{5}{4}$.

Proof. Assume that $T = 2$. The first item is $a_1 = (\frac{1}{2}, 2)$:

- (i) If a_1 is assigned to B_1 , then the last two items $a_2 = (1, 1)$ and $a_3 = (\frac{1}{2}, 2)$ arrive. Thus, we have $C^A \geq \frac{5}{2}$ and $C^* = 2$.
- (ii) If a_1 is assigned to B_2 , then the second item $a_2 = (1, 2)$ arrives.

If item a_2 is assigned to bin B_1 , then the last item $a_3 = (\frac{1}{2}, 1)$ arrives. Thus, we have $C^A = \frac{5}{2}$ and $C^* = 2$.

If item a_2 is assigned to bin B_2 , then the last item $a_3 = (\frac{1}{2}, 1)$ arrives. Thus, we have $C^A \geq \frac{5}{2}$ and $C^* = 2$.

As a result, in all cases, we obtain that

$$\frac{C^A}{C^*} \geq \frac{\frac{5}{2}}{2} = \frac{5}{4}.$$

Therefore, our theorem holds in any case. \square

The details of our online algorithm are described in Algorithm 5.

Algorithm 5: A5.

```

1 Initially, let  $j = 1$ ,  $L_1^0 = L_2^0 = 0$ .
2 When a new item  $a_j = (s_j, h_j)$  arrives,
3 if  $h_j = 1$  then
4   Assign item  $a_j$  to bin  $B_1$ .
5 else
6   if  $T - L_2^{j-1} - s_j > \frac{5}{8}T$  then
7     Assign item  $a_j$  to bin  $B_2$ .
8   else
9     if  $T - L_2^{j-1} - s_j \geq L_2^{j-1}$  then
10      Assign item  $a_j$  to bin  $B_2$ , and assign the remaining items to  $B_1$  (if there
      are still items after  $a_j$ ).
11    else
12      Assign item  $a_j$  to bin  $B_1$ , and assign the remaining items to  $B_1$  (if there
      are still items after  $a_j$ ).
13 If there is another item, let  $j = j + 1$ , and go to Line 2. Otherwise, stop.
```

Theorem 13. The competitive ratio of Algorithm 5 is at most $\frac{5}{4}$.

Proof. As the proof of Theorem 3, we consider the following two cases:

Case 1. $L_1 > 1$ and $L_2 < 1$.

In this case, we have $C^{A5} = 1 + L_1$. If there is no item of hierarchy $h_j = 2$ assigned to B_1 , then $L_1 = T_1 > 1$ and $L_2 = T_2 < 1$, implying that Algorithm 5 reaches optimality. Else, let $a_k = (s_k, 2)$ be the last item of hierarchy $h_j = 2$ assigned to B_1 :

- (i) If item a_k is assigned to B_1 at Line 10 by Algorithm 5, let $a_{k_2} = (s_{k_2}, 2)$ be the last item assigned to B_2 . According to Algorithm 5, we know that

$$L_1 = T - L_2^{k_2-1} - s_{k_2} \leq \frac{5}{8}T.$$

Based on Lemma 1, we have

$$\frac{C^{A5}}{C^*} \leq \frac{1 + L_1}{1 + \frac{1}{2}T} \leq \frac{1 + \frac{5}{8}T}{1 + \frac{1}{2}T} = 1 + \frac{\frac{1}{8}T}{1 + \frac{1}{2}T} \leq 1 + \frac{\frac{1}{8}T}{\frac{1}{2}T} = \frac{5}{4}.$$

- (ii) If item a_k is assigned to B_1 at Line 12 by Algorithm 5, let $a_{k_1} = (s_{k_1}, 2)$ be the first item assigned to B_1 at Line 12. According to Algorithm 5, we know that

$$L_2 = L_2^{k_1-1} > T - L_2^{k_1-1} - s_{k_1} = L_1 - s_{k_1}$$

and

$$T - L_1 > L_1 - s_{k_1},$$

implying that

$$L_1 < \frac{T + s_{k_1}}{2} \leq \frac{T + 1}{2}, \quad (16)$$

where the last inequality follows from (1).

Based on Lemma 1, if $T \leq 2$, by (16), we have

$$\frac{C^{A5}}{C^*} \leq \frac{1 + L_1}{2} < \frac{1 + \frac{T+1}{2}}{2} \leq \frac{1 + \frac{2+1}{2}}{2} = \frac{5}{4},$$

if $T > 2$, by (16), we have

$$\frac{C^{A5}}{C^*} \leq \frac{1 + L_1}{1 + \frac{T}{2}} < \frac{1 + \frac{T+1}{2}}{1 + \frac{T}{2}} = \frac{3 + T}{2 + T} = 1 + \frac{1}{2 + T} \leq 1 + \frac{1}{2 + 2} = \frac{5}{4}.$$

Case 2. $L_1 < 1$ and $L_2 > 1$.

In this case, we have $C^{A5} = 1 + L_2$. Let $L_{1,2}$ be the total size of the items of hierarchy $h_j = 2$ assigned to B_1 , and let $a_k = (s_k, 2)$ be the last item assigned to B_2 :

- (i) If item a_k is assigned to B_2 at Line 7 of Algorithm 5, then we have $L_1 = T - L_2^{k-1} - s_k > \frac{5}{8}T > \frac{T}{2}$, which contradicts $\max\{L_1, L_2\} = L_2$.
- (ii) If item a_k is assigned to B_2 at Line 10 of Algorithm 5, then we have

$$L_1 = T - L_2^{k-1} - s_k \geq L_2^{k-1} = L_2 - s_k$$

and

$$T - L_2 \geq L_2 - s_k,$$

implying that

$$L_2 < \frac{T + s_k}{2} \leq \frac{T + 1}{2}, \quad (17)$$

where the last inequality follows from (1).

Based on Lemma 1, if $T \leq 2$, by (17), we have

$$\frac{C^{A5}}{C^*} \leq \frac{1 + L_2}{2} < \frac{1 + \frac{T+1}{2}}{2} \leq \frac{1 + \frac{2+1}{2}}{2} = \frac{5}{4},$$

and if $T > 2$, by (17), we have

$$\frac{C^{A5}}{C^*} \leq \frac{1 + L_2}{1 + \frac{T}{2}} < \frac{1 + \frac{T+1}{2}}{1 + \frac{T}{2}} = \frac{3 + T}{2 + T} = 1 + \frac{1}{2 + T} \leq 1 + \frac{1}{2 + 2} = \frac{5}{4}.$$

Therefore, our theorem holds in any case. \square

3.2. The Total Size of the Low-Hierarchy Items is Known

In this subsection, the total size T_1 of the low-hierarchy items and the total size T_2 of the high-hierarchy items are known in advance. We show a lower bound of $\frac{\sqrt{13}+1}{4}$ and propose an algorithm with a competitive ratio of $\frac{7}{6}$.

Theorem 14. Any online algorithm A for the problem has a competitive ratio of at least $\frac{\sqrt{13}+1}{4}$.

Proof. Let $T_1 = \frac{\sqrt{13}-1}{4}$. The first two items are $a_1 = (\frac{\sqrt{13}-1}{4}, 1)$ and $a_2 = (\frac{\sqrt{13}-1}{4}, 2)$. a_1 can only be assigned to B_1 :

- (i) If a_2 is assigned to B_1 , then no more items arrive. Hence, we have $C^A = \frac{\sqrt{13}+1}{2}$ and $C^* = 2$, implying that

$$\frac{C^A}{C^*} = \frac{\frac{\sqrt{13}+1}{2}}{2} = \frac{\sqrt{13}+1}{4}.$$

- (ii) If a_2 is assigned to B_2 , the last item $a_3 = (1, 2)$ arrives. Regardless of how item a_3 is allocated, we have $C^A = \frac{\sqrt{13}+7}{4}$ and $C^* = \frac{\sqrt{13}+1}{2}$, implying that

$$\frac{C^A}{C^*} = \frac{\frac{\sqrt{13}+7}{4}}{\frac{\sqrt{13}+1}{2}} = \frac{\sqrt{13}+1}{4}.$$

Therefore, in any case, we have $\frac{C^A}{C^*} \geq \frac{\sqrt{13}+1}{4}$, implying that the theorem holds. \square

The details of our online algorithm are described in Algorithm 6.

Algorithm 6: A6.

```

1 Initially, let  $L_{1,2}^0 = 0$ .
2 When a new item  $a_j = (s_j, h_j)$  arrives,
3 if  $h_j = 1$  then
4   Assign item  $a_j$  to  $B_1$ .
5 else
6   if  $T_1 \geq \frac{2}{3}$  then
7     Assign item  $a_j$  to  $B_2$ .
8   else
9     if  $L_{1,2}^{j-1} + T_1 + s_j \leq \frac{2}{3}$  then
10      Assign  $a_j$  to  $B_1$ .
11    else
12      if  $\frac{2}{3} < L_{1,2}^{j-1} + T_1 + s_j \leq \frac{4}{3}$  then
13        Assign  $a_j$  to  $B_1$ , and assign the remaining hierarchy  $h_j = 2$  items to
14         $B_2$  (if there are items after  $a_j$ ).
15      else
16        Assign  $a_j$  to  $B_2$ , and assign the remaining hierarchy  $h_j = 2$  items to
17         $B_1$  (if there are items after  $a_j$ ).
18 If there is another item, let  $j = j + 1$ , and go to step 2. Otherwise, stop.
```

Theorem 15. The competitive ratio of Algorithm 6 is at most $\frac{7}{6}$.

Proof. As the proof of Theorem 3, we consider only the following two cases.

Case 1. $L_1 > 1$ and $L_2 < 1$.

In this case, we have $C^{A6} = 1 + L_1$. If there is no item of hierarchy $h_j = 2$ assigned to B_1 , then $L_1 = T_1 > 1$ and $L_2 = T_2 < 1$, implying that Algorithm 6 reaches optimality. Else, let $a_k = (s_k, 2)$ be the last item of hierarchy $h_j = 2$ assigned to B_1 . According to Algorithm 6, we know that there are three possibilities for assigning item a_k to B_1 :

- (i) If a_k is assigned to B_1 at Line 10 of Algorithm 6, then we have $L_1 = L_{1,2}^{k-1} + T_1 + s_k \leq \frac{2}{3}$, which contradicts $L_1 > 1$.

- (ii) If a_k is assigned to B_1 at Line 13 of Algorithm 6, then we have

$$L_1 = L_{1,2}^{k-1} + T_1 + s_k \leq \frac{4}{3}.$$

Based on Lemma 1, we have

$$\frac{C^{A6}}{C^*} \leq \frac{1 + L_1}{2} \leq \frac{\frac{4}{3} + 1}{2} = \frac{7}{6}.$$

- (iii) If a_k is assigned to B_1 at Line 15 of Algorithm 6, let $a_t = (s_t, 2)$ be the item assigned to B_2 at Line 15. According to Algorithm 6, we have $T_1 < \frac{2}{3}$ and

$$L_{1,2}^{t-1} + T_1 + s_t > \frac{4}{3}. \quad (18)$$

If $L_{1,2}^{t-1} = 0$, then

$$L_{1,2}^{t-1} + T_1 \leq \frac{2}{3}.$$

If $L_{1,2}^{t-1} > 0$, let $a_l = (s_l, 2)$ be the last item assigned to B_1 when a_t arrives; from the choice of Algorithm 6, we know that a_l is assigned to B_1 at Line 10. Thus, we have

$$L_{1,2}^{t-1} + T_1 = L_{1,2}^{l-1} + T_1 + s_l \leq \frac{2}{3}.$$

Together with (18), we have

$$L_2 \geq s_t > \frac{2}{3}.$$

Therefore, we have

$$\begin{aligned} \frac{C^{A6}}{C^*} &\leq \frac{1 + L_1}{\max\{L_1 + L_2, 2\}} = 1 + \frac{1 + L_1 - \max\{L_1 + L_2, 2\}}{\max\{L_1 + L_2, 2\}} \\ &\leq 1 + \frac{1 - L_2}{\max\{L_1 + L_2, 2\}} \leq 1 + \frac{1 - L_2}{2} \leq 1 + \frac{1 - \frac{2}{3}}{2} = \frac{7}{6}. \end{aligned}$$

Case 2. $L_1 < 1$ and $L_2 > 1$.

In this case, we have $C^{A6} = 1 + L_2$. Let $a_k = (s_k, 2)$ be the last item assigned to B_2 . According to Algorithm 6, we know that there are three possibilities for assigning item a_k to B_2 :

- (i) If a_k is assigned to B_2 at Line 7 of Algorithm 6, we have

$$L_1 = T_1 \geq \frac{2}{3}. \quad (19)$$

- (ii) If a_k is assigned to B_2 at Line 13 of Algorithm 6, let $a_t = (s_t, 2)$ be the item assigned to B_1 at Line 13. According to Algorithm 6, we have

$$L_1 = L_{1,2}^{t-1} + T_1 + s_t > \frac{2}{3}. \quad (20)$$

- (iii) If a_k is assigned to B_2 at Line 15, then Algorithm 6 does not run Lines 7 and 13. Since only item a_k is assigned to B_2 at Line 15, we have $L_2 = s_k \leq 1$, which contradicts the assumption that $L_2 > 1$.

As a result, by (19) and (20), we have

$$\begin{aligned}\frac{C^{A6}}{C^*} &\leq \frac{1 + L_2}{\max\{L_1 + L_2, 2\}} = 1 + \frac{1 + L_2 - \max\{L_1 + L_2, 2\}}{\max\{L_1 + L_2, 2\}} \\ &\leq 1 + \frac{1 - L_1}{\max\{L_1 + L_2, 2\}} \leq 1 + \frac{1 - L_1}{2} \leq 1 + \frac{1 - \frac{2}{3}}{2} = \frac{7}{6}.\end{aligned}$$

Therefore, our theorem holds in any case. \square

3.3. The Total Size of High-Hierarchy Items is Known

In this subsection, the total size T_2 of the high-hierarchy items is known in advance. We show a lower bound of $\frac{\sqrt{13}+1}{4}$ and propose an algorithm with a competitive ratio of $\frac{7}{6}$.

Theorem 16. Any online algorithm A for the problem has a competitive ratio of at least $\frac{\sqrt{13}+1}{4}$.

Proof. Let $T_2 = \frac{\sqrt{13}-1}{2}$. The first item is $a_1 = (\frac{\sqrt{13}-1}{4}, 2)$:

- (i) If a_1 is assigned to B_1 , the last two items $a_2 = (\frac{\sqrt{13}-1}{4}, 2)$ and $a_3 = (1, 1)$ arrive. Therefore, $C^* = \frac{\sqrt{13}+1}{2}$ and $C^A \geq \frac{\sqrt{13}+7}{4}$, implying that

$$\frac{C^A}{C^*} \geq \frac{\frac{\sqrt{13}+7}{4}}{\frac{\sqrt{13}+1}{2}} = \frac{\sqrt{13}+1}{4}.$$

- (ii) If a_1 is assigned to B_2 , the next item $a_2 = (\frac{\sqrt{13}-1}{4}, 2)$ arrives.

If a_2 is assigned to B_2 , then no more items arrive. Therefore, $C^* = 2$ and $C^A = \frac{\sqrt{13}+1}{2}$, implying that

$$\frac{C^A}{C^*} = \frac{\frac{\sqrt{13}+1}{2}}{2} = \frac{\sqrt{13}+1}{4}.$$

If a_2 is assigned to B_1 , the last item $a_3 = (1, 1)$ arrives. Therefore, $C^* = \frac{\sqrt{13}+1}{2}$ and $C^A = \frac{\sqrt{13}+7}{4}$, implying that

$$\frac{C^A}{C^*} = \frac{\frac{\sqrt{13}+7}{4}}{\frac{\sqrt{13}+1}{2}} = \frac{\sqrt{13}+1}{4}.$$

Therefore, in any case, we have $\frac{C^A}{C^*} \geq \frac{\sqrt{13}+1}{4}$, implying that the theorem holds. \square

The details of our online algorithm are described in Algorithm 7.

Algorithm 7: A7.

```

1 Initially, let  $L_{1,2}^0 = 0$ .
2 When a new item  $a_j = (s_j, h_j)$  arrives,
3 if  $h_j = 1$  then
4   | Assign item  $a_j$  to  $B_1$ .
5 else
6   | if  $T_2 \leq \frac{4}{3}$  then
7     | Assign  $a_j$  to  $B_2$ .
8   | else
9     | if  $T_2 - L_{1,2}^{j-1} - s_j \geq \frac{2}{3}$  then
10      | Assign  $a_j$  to  $B_1$ .
11     | else
12       | if  $T_2 - L_{1,2}^{j-1} \leq \frac{4}{3}$  then
13         | Assign  $a_j$  to  $B_2$ , and assign the remaining items to  $B_2$ .
14       | else
15         | Assign  $a_j$  to  $B_2$ , and assign the remaining items to  $B_1$ .
16 If there is another item, let  $j = j + 1$ , and go to step 2. Otherwise, stop.
```

Theorem 17. The competitive ratio of Algorithm 7 is at most $\frac{\sqrt{13}+1}{4}$.

Proof. As the proof of Theorem 3, we consider only the following two cases.

Case 1. $L_1 > 1$ and $L_2 < 1$.

In this case, we have $C^{A7} = 1 + L_1$. If there is no item of hierarchy $h_j = 2$ assigned to B_1 , then $L_1 = T_1 > 1$ and $L_2 = T_2 < 1$, implying that Algorithm 7 reaches optimality. Else, let $a_k = (s_k, 2)$ be the last item of hierarchy $h_j = 2$ assigned to B_1 . According to Algorithm 7, we know that there are two possibilities for assigning item a_k to B_1 :

(i) If a_k is assigned to B_1 at Line 10 of Algorithm 7, then we have

$$L_2 = T_2 - L_{1,2}^{t-1} - s_t \geq \frac{2}{3}. \quad (21)$$

(ii) If a_k is assigned to B_1 at Line 15, let $a_t = (s_t, 2)$ be the item assigned to B_2 at Line 15. According to Algorithm 7, we have

$$T_2 - L_{1,2}^{t-1} - s_t < \frac{2}{3},$$

and

$$T_2 - L_{1,2}^{t-1} > \frac{4}{3},$$

implying that

$$L_2 \geq s_t > \frac{2}{3}. \quad (22)$$

As a result, based on Lemma 1, by (21) and (22), we have

$$\begin{aligned} \frac{C^{A7}}{C^*} &\leq \frac{1 + L_1}{\max\{L_1 + L_2, 2\}} = 1 + \frac{1 + L_1 - \max\{L_1 + L_2, 2\}}{\max\{L_1 + L_2, 2\}} \\ &\leq 1 + \frac{1 - L_2}{\max\{L_1 + L_2, 2\}} \leq 1 + \frac{1 - L_2}{2} \leq 1 + \frac{1 - \frac{2}{3}}{2} = \frac{7}{6}. \end{aligned}$$

Case 2. $L_1 < 1$ and $L_2 > 1$.

In this case, we have $C^{A7} = 1 + L_2$. Let $a_k = (s_k, 2)$ be the last item assigned to B_2 . According to Algorithm 7, we know that there are three possibilities for assigning item a_k to B_2 :

(i) If a_k is assigned to B_2 at Line 7 of Algorithm 7, we have

$$L_2 = T_2 \leq \frac{4}{3}. \quad (23)$$

(ii) If a_k is assigned to B_2 at Line 13, let $a_t = (s_t, 2)$ be the first item assigned to B_2 at Line 13. According to Algorithm 7, we have

$$L_2 = T_2 - L_{1,2}^{t-1} \leq \frac{4}{3}. \quad (24)$$

(iii) If a_k is assigned to B_2 at Line 15, then Algorithm 7 does not run Lines 7 and 13. Since only item a_k is assigned to B_2 at Line 15, we have $L_2 = s_k \leq 1$, which contradicts the assumption that $L_2 > 1$.

As a result, based on Lemma 1, by (23) and (24), we have

$$\frac{C^{A7}}{C^*} \leq \frac{1 + L_2}{2} \leq \frac{1 + \frac{4}{3}}{2} = \frac{7}{6}.$$

Therefore, our theorem holds in any case. \square

3.4. The Total Size of the Low-Hierarchy and High-Hierarchy Items are Known

In this subsection, the total size T_1 of the low-hierarchy items and the total size T_2 of the high-hierarchy items are known in advance. We show a lower bound of $\frac{7}{6}$, and we propose an optimal algorithm with a competitive ratio of $\frac{7}{6}$.

Theorem 18. Any online algorithm A for the problem has a competitive ratio at least $\frac{7}{6}$.

Proof. Let $T_1 = \frac{1}{3n}$ and $T_2 = 2$. The first three items are $a_1 = (\frac{1}{3n}, 1)$, $a_2 = (\frac{1}{3}, 2)$, and $a_3 = (\frac{1}{3}, 2)$. The item a_1 can only be assigned to B_1 :

- (i) If a_2 and a_3 are assigned to the same bin, then the last two items $a_4 = (\frac{2}{3}, 2)$ and $a_5 = (\frac{2}{3}, 2)$ arrive, implying that $C^A \geq \frac{7}{3}$ and $C^* = \frac{6n+1}{3n}$.
- (ii) If a_2 and a_3 are assigned to the different bins, then the last two items $a_4 = (1, 2)$ and $a_5 = (\frac{1}{3}, 2)$ arrive, implying that $C^A \geq \frac{7}{3}$ and $C^* = \frac{6n+1}{3n}$.

As a result,

$$\lim_{n \rightarrow \infty} \frac{C^A}{C^*} \geq \lim_{n \rightarrow \infty} \frac{7n}{6n+1} = \frac{7}{6}.$$

Therefore, in any case, we have $\frac{C^A}{C^*} \geq \frac{7}{6}$, implying that the theorem holds. \square

The details of our online algorithm are described in Algorithm 8.

Algorithm 8: A8.

```

1 Initially, let  $L_{1,2}^0 = 0$ .
2 When a new item  $a_j = (s_j, h_j)$  arrives,
3 if  $h_j = 1$  then
4   | Assign item  $a_j$  to  $B_1$ .
5 else
6   | if  $T_1 + L_{1,2}^{j-1} + s_j \leq \frac{4}{3}$  then
7     | Assign item  $a_j$  to  $B_1$ .
8   | else
9     | if  $T_1 + L_{1,2}^{j-1} \geq \max \{s_j, T_2 - (L_{1,2}^{j-1} + s_j)\}$  then
10    | Assign item  $a_j$  to  $B_2$ , and assign the remaining items to  $B_2$  (if there are
11    | items after  $a_j$ ).
12    | else
13    | if  $s_j \geq \max \{T_1 + L_{1,2}^{j-1}, T_2 - (L_{1,2}^{j-1} + s_j)\}$  then
14    |   | Assign item  $a_j$  to  $B_2$ , and assign the remaining items to  $B_1$ .
15    |   | else
16    |   | Assign item  $a_j$  to  $B_1$ , and assign the remaining items to  $B_2$ .
17 if there is another item, let  $j = j + 1$ , and go to step 2. Otherwise, stop.

```

Theorem 19. The competitive ratio of Algorithm 8 is at most $\frac{7}{6}$.

Proof. As the proof of Theorem 3, we consider only the following two cases. \square

Case 1. $L_1 > 1$ and $L_2 < 1$.

In this case, we have $C^{A8} = 1 + L_1$. If there is no item of hierarchy $h_j = 2$ assigned to B_1 , then $L_1 = T_1 > 1$ and $L_2 = T_2 < 1$, implying that Algorithm 8 reaches optimality. Else, let $a_k = (s_k, 2)$ be the last item of hierarchy $h_j = 2$ assigned to B_1 . According to Algorithm 8, we know that there are three possibilities for assigning item a_k to B_1 :

(i) If a_k is assigned to B_1 at Line 7 of Algorithm 8, then we have

$$L_1 = T_1 + L_{1,2}^{k-1} + s_k \leq \frac{4}{3}.$$

Based on Lemma 1, we have

$$\frac{C^{A8}}{C^*} \leq \frac{L_1 + 1}{2} \leq \frac{\frac{4}{3} + 1}{2} = \frac{7}{6}.$$

(ii) If a_k is assigned to B_1 at Line 13, let $a_t = (s_t, 2)$ be the item assigned to B_2 at Line 13. According to Algorithm 8, we have

$$L_2 \geq s_t \geq \max \{T_1 + L_{1,2}^{t-1}, T_2 - (L_{1,2}^{t-1} + s_t)\},$$

implying that

$$L_2 \geq \frac{T_1 + T_2}{3}. \quad (25)$$

(iii) If a_k is assigned to B_1 at Line 15 of Algorithm 8, then, we have

$$L_2 = T_2 - (L_{1,2}^{l-1} + s_l) \geq \max \{s_l, T_1 + L_{1,2}^{l-1}\},$$

implying that

$$L_2 \geq \frac{T_1 + T_2}{3}. \quad (26)$$

As a result, based on Lemma 1, when $T_1 + T_2 \leq 2$, by (25) and (26), we have

$$L_1 = T_1 + T_2 - L_2 \leq \frac{2(T_1 + T_2)}{3},$$

and

$$\frac{C^{A8}}{C^*} \leq \frac{1 + L_1}{2} \leq \frac{1 + \frac{2(T_1 + T_2)}{3}}{2} \leq \frac{1 + \frac{4}{3}}{2} = \frac{7}{6}.$$

when $T_1 + T_2 > 2$, by (25) and (26), we have

$$\begin{aligned} \frac{C^{A8}}{C^*} &\leq \frac{1 + L_1}{\max\{L_1 + L_2, 2\}} = 1 + \frac{1 + L_1 - \max\{L_1 + L_2, 2\}}{\max\{L_1 + L_2, 2\}} \\ &\leq 1 + \frac{1 - L_2}{\max\{L_1 + L_2, 2\}} \leq 1 + \frac{1 - \frac{T_1 + T_2}{3}}{2} \leq 1 + \frac{1 - \frac{2}{3}}{2} = \frac{7}{6}. \end{aligned}$$

Case 2. $L_1 < 1$ and $L_2 > 1$.

In this case, we have $C^{A8} = 1 + L_2$. Let $a_k = (s_k, 2)$ be the last item assigned to B_2 . According to Algorithm 8, we know that there are three possibilities for assigning item a_k to B_2 :

- (i) If a_k is assigned to B_2 at Line 10, let $a_t = (s_t, 2)$ be the first item assigned to B_2 at Line 10. According to Algorithm 8, we have

$$L_1 = T_1 + L_{1,2}^{t-1} \geq \max\{s_t, T_2 - (L_{1,2}^{t-1} + s_t)\},$$

implying that

$$L_1 \geq \frac{T_1 + T_2}{3}. \quad (27)$$

- (ii) If a_k is assigned to B_2 at Line 13, then Algorithm 8 does not run Lines 10 and 15. Since only item a_k is assigned to B_2 at Line 13, we have $L_2 = s_k \leq 1$, which contradicts the assumption that $L_2 > 1$.
- (iii) If a_k is assigned to B_2 at Line 15, let $a_t = (s_t, 2)$ be the item assigned to B_1 at Line 15. According to Algorithm 8, we have $L_1 = T_1 + L_{1,2}^{t-1} + s_t > \frac{4}{3}$, which contradicts the assumption that $L_1 < 1$.

As a result, based on Lemma 1, when $T_1 + T_2 \leq 2$, by (27), we have

$$L_2 = T_1 + T_2 - L_1 \leq \frac{2(T_1 + T_2)}{3}$$

and

$$\frac{C^{A8}}{C^*} \leq \frac{1 + L_2}{2} \leq \frac{1 + \frac{2(T_1 + T_2)}{3}}{2} \leq \frac{1 + \frac{4}{3}}{2} = \frac{7}{6}.$$

when $T_1 + T_2 > 2$, by (27), we have

$$\begin{aligned} \frac{C^{A8}}{C^*} &\leq \frac{1 + L_2}{\max\{L_1 + L_2, 2\}} = 1 + \frac{1 + L_2 - \max\{L_1 + L_2, 2\}}{\max\{L_1 + L_2, 2\}} \\ &\leq 1 + \frac{1 - L_1}{\max\{L_1 + L_2, 2\}} \leq 1 + \frac{1 - L_1}{2} \leq 1 + \frac{1 - \frac{T_1 + T_2}{3}}{2} \leq 1 + \frac{1 - \frac{2}{3}}{2} = \frac{7}{6}. \end{aligned}$$

Therefore, our theorem holds in any case.

4. The Hierarchical Early-Work-Maximization Problem of Knowing the Largest Job

In this section, we are given two hierarchical machines M_1 and M_2 and a series of jobs arriving online that are to be immediately scheduled irrevocably at the time of their arrival. A new job appears only after the current job is scheduled to a machine. Let $\mathcal{J} = \{J_1, J_2, \dots, J_n\}$ be the set of all jobs arranged in the order of arrival time. Denote the j -th job as $J_j = (p_j, h_j)$, where p_j is the processing time (also called the size) of job J_j and $g_j \in \{1, 2\}$ is the hierarchy of job J_j . If $h_j = 1$, we call J_j a low-hierarchy job; otherwise, we call J_j a high-hierarchy job. M_1 can process all jobs, and M_2 can only process the high-hierarchy jobs.

As in [26], we assume that each job has a common due date $d = 1$, and

$$p_j \leq 1, \text{ for } j = 1, 2, \dots, n,$$

the early work of job J_j is denoted by $X_j \in [0, p_j]$. If job J_j is completed before the due date $d = 1$, the job is called *totally early* and $X_j = p_j$. If the job J_j starts at the time of $s_j < 1$, but finishes after the due date $d = 1$, the job is called *partially early* and $X_j = 1 - s_j$. If the job J_j starts at the time of $s_j \geq 1$, the job is called *totally late* and $X_j = 0$.

A feasible schedule is actually a partition (S_1, S_2) of the job set \mathcal{J} , such that $S_1 \cup S_2 = \mathcal{J}$ and $S_1 \cap S_2 = \emptyset$. Let $L_i = \sum_{J_j \in S_i} p_j$ be the load of M_i and $i \in \{1, 2\}$. The objective is to find a schedule such that the total early work

$$X = \sum_{j=1}^n X_j = \sum_{i=1}^2 \min \{L_i, 1\}$$

is maximized. Let T be the total size of the jobs in \mathcal{J} , and let L_i^j be the load of M_i after job J_j is assigned to a machine. Clearly, $T = L_1 + L_2$.

Based on the above definitions, we have the following lemma.

Lemma 2. *The optimal objective value C^* is at most $\min \{2, T\}$.*

As mentioned in Xiao et al. [7], it is not useful if we only know the largest job size (processing time) β , which may equal one. Since, if we assume that $\beta = 1$, i.e., the largest size of all the jobs is equal to 1, then for the semi-online case, Xiao et al. [7] obtained the best possible competitive ratio of $\sqrt{2}$, which is exactly the best possible competitive ratio for the pure online case. This means that we cannot obtain a better online algorithm with the knowledge of p_{\max} compared with the pure online case. Therefore, only the information on the largest size of the input jobs is unuseful. However, we can design online algorithms depending on the value of β as in [31,41].

In this section, assume that the value of β is known. We present some lower bounds and online algorithms, depending on whether the hierarchy of the largest job is given. Let p_{\max} , $p_{\max,1}$, and $p_{\max,2}$ be the maximum size of all jobs, the maximum size of low-hierarchy jobs, and the maximum size of high-hierarchy jobs, respectively. Let UB be the competitive ratio of the proposed algorithms, and let LB be the lower bound found in this section. For the sake of convenience, we only represent the portion of the optimal online algorithm that has not been obtained in Figure 1, where the largest gap for any β is no more than 0.13.




Figure 1. The lower bounds and upper bounds.

4.1. The Hierarchy of the Largest Job Is Unknown

In this subsection, we consider that only the largest job size $p_{\max} = \beta \leq 1$ is known, i.e., $p_j \leq \beta$ for $1 \leq j \leq n$, and we denote this problem as $P2|GoS, online, p_{\max} = \beta | \max(X)$. We give two lower bounds $1 + \frac{\beta}{3}$ and $\frac{\sqrt{\beta^2 - 2\beta + 9} - 1 + \beta}{2}$ for $\beta < \frac{\sqrt{5}-1}{2}$ and $\frac{\sqrt{5}-1}{2} \leq \beta \leq 1$, respectively. We also propose an online algorithm with a competitive ratio of $\frac{\sqrt{\beta^2 - 2\beta + 9} - 1 + \beta}{2}$ for $0 < \beta \leq 1$.

Theorem 20. Any online algorithm A for $P2|GoS, online, p_{\max} = \beta | \max(X)$ has a competitive ratio of at least

$$\begin{cases} 1 + \frac{\beta}{3}, & \beta < \frac{\sqrt{5}-1}{2} \\ \frac{\sqrt{\beta^2 - 2\beta + 9} - 1 + \beta}{2}, & \beta \geq \frac{\sqrt{5}-1}{2} \end{cases}.$$

Proof. We first consider $\beta < \frac{\sqrt{5}-1}{2}$. In this case, we have

$$\frac{3 - \beta}{3 + \beta} \geq \beta.$$

□

Let N be a large-enough integer and $\varepsilon = \frac{1}{N}$. The first job $J_1 = (\beta, 2)$ arrives. If J_1 is assigned to M_1 , the last N jobs $J_2 = \dots = J_{N+1} = (\varepsilon, 1)$ arrive. It follows that $C^* = 1 + \beta$ and $C^A = 1$. Thus, we have $\frac{C^*}{C^A} = 1 + \beta > 1 + \frac{\beta}{3}$. Otherwise, J_1 is assigned to M_2 . Let the next $t - 1$ items be $J_2 = \dots = J_t = (\varepsilon, 2)$, where t is the minimal integer satisfying one of the following two alternative conditions.

Case 1. $L_1^t \in [\frac{2\beta}{3+\beta}, \frac{2\beta}{3+\beta} + \varepsilon]$ and $\beta \leq L_2^t < \frac{3-\beta}{3+\beta}$.

The last N jobs $J_{t+1} = \dots = J_{t+N} = (\varepsilon, 1)$ arrive, and these jobs must be assigned to M_1 . It follows that $C^* \geq 1 + \frac{2\beta}{3+\beta} + L_2^t$ and $C^A = 1 + L_2^t$. Thus, we have

$$\frac{C^*}{C^A} \geq \frac{1 + L_2^t + \frac{2\beta}{3+\beta}}{1 + L_2^t} = 1 + \frac{\frac{2\beta}{3+\beta}}{1 + L_2^t} \geq 1 + \frac{\frac{2\beta}{3+\beta}}{1 + \frac{3-\beta}{3+\beta}} = 1 + \frac{\beta}{3}.$$

Case 2. $L_2^t \in [\frac{3-\beta}{3+\beta}, \frac{3-\beta}{3+\beta} + \varepsilon]$ and $L_1^t < \frac{2\beta}{3+\beta}$.

The next job $J_{t+1} = (\beta, 2)$ arrives. If J_{t+1} is assigned to M_2 , then no more jobs arrive. It follows that $C^* \geq \beta + \frac{3-\beta}{3+\beta} + L_1^t$ and $C^A = 1 + L_1^t$. Thus, we have

$$\frac{C^*}{C^A} \geq \frac{\beta + \frac{3-\beta}{3+\beta} + L_1^t}{1 + L_1^t} = 1 + \frac{\beta + \frac{3-\beta}{3+\beta} - 1}{1 + L_1^t} \geq 1 + \frac{\beta + \frac{3-\beta}{3+\beta} - 1}{1 + \frac{2\beta}{3+\beta}} = 1 + \frac{\beta}{3}.$$

If J_{t+1} is assigned to M_1 , then the last N jobs $J_{t+2} = \dots = J_{t+N+1} = (\varepsilon, 1)$ arrive, and these jobs must be assigned to M_1 . It follows that $C^* = 2$ and $C^A \leq 1 + \frac{3-\beta}{3+\beta} + \varepsilon$. Thus, we have

$$\lim_{\varepsilon \rightarrow 0} \frac{C^*}{C^A} \geq \lim_{\varepsilon \rightarrow 0} \frac{2}{1 + \frac{3-\beta}{3+\beta} + \varepsilon} = 1 + \frac{\beta}{3}.$$

Therefore, we have $\frac{C^*}{C^A} \geq 1 + \frac{\beta}{3}$ for $\beta < \frac{\sqrt{5}-1}{2}$.

Next, we consider the case $\beta \geq \frac{\sqrt{5}-1}{2}$. Let $x = \frac{\sqrt{\beta^2-2\beta+9}-1-\beta}{2}$. Clearly, $x \leq \beta$ when $\beta \geq \frac{\sqrt{5}-1}{2}$. The first job $J_1 = (x, 2)$ arrives. If J_1 is assigned to M_1 , the last N jobs $J_2 = \dots = J_{N+1} = (\varepsilon, 1)$ arrive. It follows that $C^* = 1 + x$ and $C^A = 1$. Thus, we have $\frac{C^*}{C^A} = 1 + x = \frac{\sqrt{\beta^2-2\beta+9}-1+\beta}{2}$.

Otherwise, J_1 is assigned to M_2 , and the next job $J_2 = (\beta, 2)$ arrives. If J_2 is assigned to M_2 , then no more jobs arrive. It follows that $C^* = \beta + x$ and $C^A = 1$. Thus, we have $\frac{C^*}{C^A} = \beta + x = \frac{\sqrt{\beta^2-2\beta+9}-1+\beta}{2}$. If J_2 is assigned to M_1 , then the last N jobs $J_3 = \dots = J_{N+2} = (\varepsilon, 1)$ arrive and these jobs must be assigned to M_1 . It follows that $C^* = 2$ and $C^A = 1 + x$. Thus, we have $\frac{C^*}{C^A} = \frac{2}{1+x} = \frac{\sqrt{\beta^2-2\beta+9}-1+\beta}{2}$.

The details of our online algorithm are described in Algorithm 9.

Theorem 21. The competitive ratio of Algorithm 9 is at most $\frac{\sqrt{\beta^2-2\beta+9}-1+\beta}{2}$, for any $\beta \in (0, 1]$.

Algorithm 9: A9.

```

1 Initially, let  $L_2^0 = 0$  and  $j = 0$ .
2 When a new job  $J_j$  arrives,
3 if  $g_j = 1$  then
4   Assign job  $J_j$  to machine  $M_1$ .
5 else
6   if  $L_2^{j-1} < \frac{\sqrt{\beta^2-2\beta+9}-\beta-1}{2}$  then
7     Assign job  $J_j$  to machine  $M_2$ 
8   else
9     Assign  $J_j$  to  $M_1$ .
10 If there is another item, let  $j = j + 1$ , and go to step 2. Otherwise, stop.
```

Proof. If $L_1 \leq 1$ and $L_2 \leq 1$, by Lemma 2, we have $C^{A9} = L_1 + L_2 \geq C^*$. If $L_1 > 1$ and $L_2 > 1$, by Lemma 2, we have $C^{A9} = 2 \geq C^*$. This implies that we need to consider only the following two cases.

Case 1. $L_1 > 1$ and $L_2 < 1$.

In this case, $C^{A9} = 1 + L_2$. If there is no high-hierarchy job assigned to M_1 , then Algorithm 9 reaches optimality. Else, let J_l be the last high-hierarchy job assigned to M_1 . According to Algorithm 9, we have $L_2 \geq L_2^{l-1} \geq \frac{\sqrt{\beta^2-2\beta+9}-\beta-1}{2}$. Thus, based on Lemma 2, we have

$$\frac{C^*}{C^{A9}} \leq \frac{\min\{2, L_1 + L_2\}}{1 + L_2} \leq \frac{2}{1 + L_2} \leq \frac{2}{\frac{\sqrt{\beta^2 - 2\beta + 9} + 1 - \beta}{2}} = \frac{\sqrt{\beta^2 - 2\beta + 9} + \beta - 1}{2}.$$

Case 2. $L_1 < 1$ and $L_2 > 1$

In this case, $C^{A9} = 1 + L_1$. Let J_t be the last high-hierarchy job assigned to M_2 . According to Algorithm 9 and $p_t \leq \beta$, we have

$$\begin{aligned} L_2 &= L_2^{t-1} + p_t \leq \frac{\sqrt{\beta^2 - 2\beta + 9} - \beta - 1}{2} + p_t \leq \frac{\sqrt{\beta^2 - 2\beta + 9} - \beta - 1}{2} + \beta \\ &= \frac{\sqrt{\beta^2 - 2\beta + 9} + \beta - 1}{2}. \end{aligned}$$

Based on Lemma 2, we have

$$\frac{C^*}{C^{A9}} \leq \frac{\min\{2, L_1 + L_2\}}{1 + L_1} \leq 1 + \frac{L_2 - 1}{1 + L_1} \leq 1 + L_2 - 1 \leq \frac{\sqrt{\beta^2 - 2\beta + 9} + \beta - 1}{2}.$$

Therefore, by Theorem 21, we conclude that Algorithm 9 is optimal when $\beta \geq \frac{\sqrt{5}-1}{2}$. \square

Remark. If $\beta = 1$, the above competitive ratio is $\sqrt{2}$, which coincides with the result in [7].

4.2. The Hierarchy of the Largest Job Is Known

In this subsection, assume that the hierarchy of the largest job is known. When the largest job has a low-hierarchy, i.e.,

$$p_j \leq p_{\max,1} = \beta \leq 1, \text{ for } 1 \leq j \leq n,$$

we denote this problem as $P2|GoS, \text{online}, p_{\max,1} = \beta | \max(X)$. We give two lower bounds $\frac{4}{4-\beta}$ and $\frac{4}{3+\beta}$ for $\beta \leq \frac{1}{2}$ and $\frac{1}{2} < \beta \leq 1$, respectively.

Theorem 22. Any online algorithm A for $P2|GoS, \text{online}, p_{\max,1} = \beta | \max(X)$ has a competitive ratio of at least

$$\begin{cases} \frac{4}{4-\beta}, & \text{if } \beta \leq \frac{1}{2}, \\ \frac{4}{3+\beta}, & \text{if } \beta > \frac{1}{2}. \end{cases}$$

Proof. We first consider $\beta \leq \frac{1}{2}$. Let N be a large-enough integer and $\varepsilon = \frac{1}{N}$. The first t items are $J_1 = (\beta, 1)$ and $J_2 = \dots = J_t = (\varepsilon, 2)$, where t is the minimal integer satisfying one of the following two alternative conditions.

Case 1. $L_1^t \in [1 - \frac{\beta}{2}, 1 - \frac{\beta}{2} + \varepsilon]$ and $L_2^t < 1 - \frac{\beta}{2}$.

The last k jobs $J_{t+1} = \dots = J_{t+k}$ with low-hierarchy arrive, where $\sum_{j=t+1}^{t+k} p_j = 1 - \beta$. Since the total size of the low-hierarchy job is one, $C^* \geq \min\{2, 2 - \frac{3\beta}{2} + L_2^t\}$ and $C^A = 1 + L_2^t$. When $\min\{2, 2 - \frac{3\beta}{2} + L_2^t\} = 2$, by Lemma 2, we have

$$\frac{C^*}{C^A} \geq \frac{2}{1 + L_2^t} \geq \frac{2}{1 + 1 - \frac{\beta}{2}} = \frac{4}{4 - \beta}.$$

When $\min\{2, 2 - \frac{3\beta}{2} + L_2^t\} = 2 - \frac{3\beta}{2} + L_2^t$, by Lemma 2 and $\beta \leq \frac{1}{2}$, we have

$$\frac{C^*}{C^A} \geq \frac{2 - \frac{3\beta}{2} + L_2^t}{1 + L_2^t} \geq 1 + \frac{1 - \frac{3\beta}{2}}{1 + 1 - \frac{\beta}{2}} = \frac{6 - 4\beta}{4 - \beta} \geq \frac{4}{4 - \beta}.$$

Case 2. $L_2^t \in [1 - \frac{\beta}{2}, 1 - \frac{\beta}{2} + \varepsilon]$ and $L_1^t < 1 - \frac{\beta}{2}$.

The last l jobs $J_{t+1} = (\beta, 2)$ and $J_{t+2} = \dots = J_{t+l}$ with low-hierarchy jobs arrive, where $\sum_{j=t+2}^{t+l} = 1 - \frac{\beta}{2} - L_1^t$. It follows that $C^* \geq 2$ and $C^A \leq 2 - \frac{\beta}{2} + \varepsilon$. Therefore, we have

$$\lim_{\varepsilon \rightarrow 0} \frac{C^*}{C^A} \geq \lim_{\varepsilon \rightarrow 0} \frac{2}{2 - \frac{\beta}{2} + \varepsilon} = \frac{4}{4 - \beta}.$$

We next consider $\beta > \frac{1}{2}$. Similarly, let N be a sufficiently large integer and $\varepsilon = \frac{1}{N}$. The first t items are $J_1 = (\beta, 1)$ and $J_2 = \dots = J_t = (\varepsilon, 2)$, where t is the minimal integer satisfying one of the following two alternatively conditions:

- (i) $L_1^t \in [\beta + \frac{1-\beta}{2}, \beta + \frac{1-\beta}{2} + \varepsilon]$ and $L_2^t < \beta + \frac{1-\beta}{2}$;
- (ii) $L_2^t \in [\beta + \frac{1-\beta}{2}, \beta + \frac{1-\beta}{2} + \varepsilon]$ and $L_1^t < \beta + \frac{1-\beta}{2}$.

If condition (i) occurs, then the last N job $J_{t+1} = \dots = J_{t+N} = (\varepsilon, 1)$ arrives. It follows that $C^* \geq 1 + \frac{1-\beta}{2} + L_2^t$ and $C^A = 1 + L_2^t$. Thus, we have

$$\frac{C^*}{C^A} \geq \frac{1 + \frac{1-\beta}{2} + L_2^t}{1 + L_2^t} = 1 + \frac{\frac{1-\beta}{2}}{1 + L_2^t} \geq 1 + \frac{\frac{1-\beta}{2}}{1 + \beta + \frac{1-\beta}{2}} = \frac{4}{3 + \beta}.$$

If condition (ii) occurs, then the last r jobs $J_{t+1} = (1 - \beta, 2)$ and $J_{t+2} = \dots = J_{t+r}$ with low-hierarchy arrive, $\sum_{j=t+2}^{t+r} p_j = \beta + \frac{1-\beta}{2} - L_1^t$ and $p_j \leq \beta$ for $t+2 \leq j \leq t+r$. It follows that $C^* = 2$ and $C^A \leq 1 + \beta + \frac{1-\beta}{2} + \varepsilon$. Thus, we have

$$\lim_{\varepsilon \rightarrow 0} \frac{C^*}{C^A} \geq \lim_{\varepsilon \rightarrow 0} \frac{2}{1 + \beta + \frac{1-\beta}{2} + \varepsilon} = \frac{4}{3 + \beta}.$$

When the largest job has a high-hierarchy, i.e.,

$$p_j \leq p_{\max,2} = \beta \leq 1, \text{ for } 1 \leq j \leq n,$$

we denote this problem as $P2|GoS, \text{online}, p_{\max,2} = \beta | \max(X)$. We give two lower bounds $1 + \frac{\beta}{3}$ and $\frac{2}{1+\beta}$. \square

Theorem 23. When $\beta \geq \frac{\sqrt{5}-1}{2}$, any online algorithm A for $P2|GoS, \text{online}, p_{\max,2} = \beta | \max(X)$ has a competitive ratio of at least

$$\begin{cases} 1 + \frac{\beta}{3}, & \text{if } \beta < \frac{\sqrt{5}-1}{2}, \\ \frac{2}{1+\beta}, & \text{if } \beta \geq \frac{\sqrt{5}-1}{2}. \end{cases}$$

Proof. As in the proof of Theorem 21, we can obtain the desired result when $\beta < \frac{\sqrt{5}-1}{2}$. Otherwise, let N be a large-enough integer and $\varepsilon = \frac{1}{N}$. The first job $J_1 = (\beta, 2)$ arrives.

Case 1. J_1 is assigned to M_1 .

The last N jobs $J_2 = \dots = J_{N+1} = (\varepsilon, 1)$ arrive, and these jobs must be assigned to M_1 . It follows that $C^* = 1 + \beta$ and $C^A = 1$. Thus, we have $\frac{C^*}{C^A} = 1 + \beta \geq \frac{2}{1+\beta}$.

Case 2. J_1 is assigned to M_2 .

The next job $J_2 = (\frac{2}{1+\beta} - \beta, 2)$ arrives, where $\frac{2}{1+\beta} - \beta \leq \beta$ following $\beta \geq \frac{\sqrt{5}-1}{2}$. If J_2 is assigned to M_2 , then no more jobs arrive. It follows that $C^* = \beta + \frac{2}{1+\beta} - \beta$ and $C^A = 1$. Thus, we have $\frac{C^*}{C^A} = \frac{2}{1+\beta}$. If J_2 is assigned to M_1 , then the last N jobs $J_3 = \dots = J_{N+2} = (\varepsilon, 1)$ arrive. It follows that $C^* = 2$ and $C^A = 1 + \beta$. Thus, we have $\frac{C^*}{C^A} \geq \frac{2}{1+\beta}$ for any case. \square

Next, we present a simple online Algorithm 10 for the case in which the hierarchy of the largest job is known.

Algorithm 10: A10.

- 1 **if** The largest job is a low-hierarchy job **then**
 - 2 Assign all high-hierarchy jobs to machine M_2 .
 - 3 **else**
 - 4 Assign the first high-hierarchy job to M_2 and the remaining jobs to M_1 .
-

Theorem 24. *The competitive ratio of Algorithm 10 is at most $\frac{2}{1+\beta}$, for any $\beta \in (0, 1]$.*

Proof. We first consider that the largest job is a low-hierarchy job. According to Algorithm 10, if there are high-hierarchy jobs, then all high-hierarchy jobs are assigned to M_2 . As the proof of Theorem 21, we consider only the cases of $L_1 < 1$ and $L_2 > 1$. Since there is at least one low-hierarchy job $(\beta, 2)$ that must be assigned to M_1 , we have $L_1 \geq \beta$. Based on Lemma 2, we have

$$\frac{C^*}{C^{A10}} \leq \frac{\min\{2, L_1 + L_2\}}{L_1 + 1} \leq \frac{2}{L_1 + 1} \leq \frac{2}{\beta + 1}.$$

Similarly, when the largest job has a high-hierarchy, we have $L_2 = \beta$, and it is easy to obtain this result. By Theorem 24, when $\beta \geq \frac{\sqrt{5}-1}{2}$, Algorithm 10 is optimal for $P2|GoS, online, p_{max,2} = \beta| \max(X)$. \square

5. Conclusions

In this paper, we studied two types of online problems with hierarchies. In some situations where the optimal online algorithm cannot be obtained, it is interesting to design optimal online algorithms. In the future, it will also be necessary to consider general models with any number of bins or machines.

Author Contributions: Conceptualization, Y.Y., M.X., and W.L.; methodology, Y.Y., M.X., and W.L.; software, Y.Y. and M.X.; validation, W.L.; formal analysis, Y.Y., M.X., and W.L.; investigation, M.X. and W.L.; resources, W.L.; data curation, M.X.; writing—original draft preparation, Y.Y. and M.X.; writing—review and editing, M.X. and W.L.; visualization, Y.Y.; supervision, M.X.; project administration, W.L.; funding acquisition, Y.Y. and W.L. All authors have read and agreed to the published version of the manuscript.

Funding: This research was funded by the National Natural Science Foundation of China (Grant No. 12071417) and the Postgraduate Research and Innovation Foundation of Yunnan University (KC-22223092).

Data Availability Statement: No new data were created nor analyzed in this study. Data sharing is not applicable to this article.

Conflicts of Interest: The authors declare no conflicts of interest.

References

1. Coffman, E.G.; Csirik, J.; Galambos, G.; Martello, S.; Vigo, D. Bin packing approximation algorithms: survey and classification. In *Handbook of Combinatorial Optimization*; Springer: Berlin/Heidelberg, Germany, 2013; pp. 455–531.
2. Hoberg, R.; Rothvoss, T. A logarithmic additive integrality gap for bin packing. In Proceedings of the 28th Annual ACM-SIAM Symposium on Discrete Algorithms. Society for Industrial and Applied Mathematics, Barcelona, Spain, 16–19 January 2017; pp. 2616–2625.
3. Speranza, M.G.; Tuza, Z. On-line approximation algorithms for scheduling tasks on identical machines with extendable working time. *Ann. Oper. Res.* **1999**, *86*, 491–506.
4. Xiao, M.; Liu, X.; Li, W. Semi-online early-work-maximization problems on two hierarchical uniform machines with partial information of processing time. *J. Comb. Optim.* **2023**, *46*, 21.
5. Akaria, I.; Epstein, L. Online scheduling with migration on two hierarchical machines. *J. Comb. Optim.* **2022**, *44*, 3535–3548.

6. Qi, X.; Yuan, J. Semi-online hierarchical scheduling on two machines for l_p -norm load balancing. *Asia. Pac. J. Oper. Res.* **2019**, *36*, 1950002.
7. Xiao, M.; Liu, X.; Li, W.; Chen, X.; Sterna, M.; Blazewicz, J. Online and semi-online scheduling on two hierarchical machines with a common due date to maximize the total early work. *arXiv* **2022**, arXiv:2209.08704.
8. Dell'Olmo, P.; Kellerer, H.; Speranza, M.G.; Tuza, Z. A 13/12 approximation algorithm for bin packing with extendable bins. *Inform. Process. Lett.* **1998**, *65*, 229–233.
9. Denton, B.T.; Miller, A.J.; Balasubramanian, H.J.; Huschka, T.R. Optimal allocation of surgery blocks to operating rooms under uncertainty. *J. Oper. Res.* **2010**, *58*, 802–816.
10. Alon, N.; Azar, Y.; Woeginger, G. J.; Yadid, T. Approximation schemes for scheduling on parallel machines. *J. Sched.* **1998**, *1*, 55–66.
11. Coffman, E.G.; Lueker, G.S. Approximation algorithms for extensible bin packing. *J. Sched.* **2006**, *9*, 63–69.
12. Woeginger, G.J. When does a dynamic programming formulation guarantee the existence of a fully polynomial time approximation scheme (FPTAS)? *INFORMS J. Comput.* **2000**, *12*, 57–74.
13. Levin, A. Approximation schemes for the generalized extensible bin-packing problem. *Algorithmica* **2022**, *84*, 325–343.
14. Dell'Olmo, P.; Speranza, M.G. Approximation algorithms for partitioning small items in unequal bins to minimize the total size. *Discret. Appl. Math.* **1999**, *94*, 181–191.
15. Ye, D.; Zhang, G. On-line extensible bin packing with unequal bin sizes. In Proceedings of the 1st International Workshop on Approximation and Online Algorithms, Budapest, Hungary, 16–18 September 2019; pp. 235–247.
16. Berg, B.P.; Denton, B.T. Fast approximation methods for online scheduling of outpatient procedure centers. *INFORMS J. Comput.* **2017**, *29*, 581–783.
17. Luo, K.; Spieksma, F.C.R. Online bin packing with overload cost. In Proceedings of the 7th International Conference on Algorithms and Discrete Applied Mathematics, Rupnagar, India, 11–13 February 2021; pp. 3–15.
18. Ye, D.; Zhang, G. On-line scheduling with extendable working time on a small number of machines. *Inform. Process. Lett.* **2003**, *85*, 171–177.
19. Sagnol, G.; Schmidt genannt Waldschmidt, D.; Tesch, A. The price of fixed assignments in stochastic extensible bin packing. In Proceedings of the 16th International Workshop on Approximation and Online Algorithms, Helsinki, Finland, 23–24 August 2018; pp. 327–347.
20. Sagnol, G. Stochastic extensible bin packing. *arXiv* **2020**, arXiv:2002.00060.
21. Sagnol, G.; Schmidt genannt Waldschmidt, D. Improved bounds for stochastic extensible bin packing under distributional assumptions. In Proceedings of 7th International Symposium on Combinatorial Optimization, Online, 18–20 May 2022; pp. 228–241.
22. Chen, X.; Ding, N.; Dosa, G.; Han, X.; Jiang, H. Online hierarchical scheduling on two machines with known total size of low-hierarchy jobs. *Int. J. Comput. Math.* **2015**, *92*, 873–881.
23. Luo, T.; Xu, Y. Semi-online scheduling on two machines with GoS levels and partial information of processing time. *Sci. World J.* **2014**, *2014*, 5762340.
24. Li, W. Improved approximation schemes for early work scheduling on identical parallel machines with a common due date. *J. Oper. Res. Soc. China* **2022**, online, <https://doi.org/10.1007/s40305-022-00402-y>
25. Sun, R.; Zhang R.; Lan, Y.; Li, W. LPT algorithm for early-work-maximization problem. *Oper. Res. Trans.* **2024**, online. <https://kns.cnki.net/kcms/detail/31.1732.O1.20240129.1642.008.html>.
26. Chen, X.; Sterna, M.; Han, X.; Blazewicz, J. Scheduling on parallel identical machines with late work criterion: Offline and online cases. *J. Sched.* **2016**, *92*, 729–736.
27. Jiang, Y.; Wu, M.; Chen, X.; Dong, J.; Cheng, T.C.E.; Blazewicz, J.; Ji, M. Online early work scheduling on parallel machines. *Eur. J. Oper. Res.* **2024**, *315*, 855–862.
28. Xiao, M.; Bai, X.; Li, W. Online early-work-maximization problem on two hierarchical machines with buffer or rearrangements. In Proceedings of the 16th International Conference on Algorithmic Applications in Management, Guangzhou, China, 13–14 August 2022; pp. 46–54.
29. Qi, X.; Yuan, J. Semi-online hierarchical scheduling for l_p -norm load balancing with buffer or rearrangements. *4OR* **2017**, *15*, 265–276.
30. Chassid, O.; Epstein, L. The hierarchical model for load balancing on two machines. *J. Comb. Optim.* **2008**, *15*, 305–314.
31. Luo, T.; Xu, Y. Semi-online hierarchical load balancing problem with bounded processing times. *Theor. Comput. Sci.* **2015**, *607*, 75–82.
32. Wu, Y.; Cheng, T.; Ji, M. Optimal algorithms for semi-online machine covering on two hierarchical machines. *Theor. Comput. Sci.* **2014**, *531*, 37–46.
33. Dwibedy, D.; Mohanty, R. Semi-online scheduling: a survey. *Comput. Oper. Res.* **2022**, *139*, 105646.
34. Vakhania, N. On preemptive scheduling of unrelated machines using linear programming. *AIMS Math.* **2023**, *8*, 7061–7082.
35. Wang, D.; Ye, C. Single machine and group scheduling with random learning rates. *AIMS Math.* **2023**, *8*, 19427–19441.
36. Park, J.; Chang, S.Y.; Lee, K. Online and semi-online scheduling of two machines under a grade of service provision. *Oper. Res. Lett.* **2006**, *34*, 692–696.
37. Jiang, Y.; He, Y.; Tang, C. Optimal online algorithms for scheduling on two identical machines under a grade of service. *J. Zhejiang Univ.-Sci. A* **2006**, *7*, 309–314.

38. Wu, Y.; Ji, M.; Yang, Q. Optimal semi-online scheduling algorithms on two parallel identical machines under a grade of service provision. *Int. J. Prod. Econ.* **2012**, *135*, 367–371.
39. Liu, M.; Chu, C.; Xu, Y.; Zheng, F. Semi-online scheduling on 2 machines under a grade of service provision with bounded processing times. *J. Comb. Optim.* **2011**, *21*, 138–149.
40. Luo, T.; Xu, Y. Optimal algorithm for semi-online scheduling on two machines under GoS levels. *Optim. Lett.* **2016**, *10*, 207–213.
41. Zhang, A.; Jiang, Y.; Fan, L.; Hu, J. Optimal online algorithms on two hierarchical machines with tightly-grouped processing times. *J. Comb. Optim.* **2015**, *29*, 781–795.
42. Chen, X.; Xu, Z.; Dósa, G.; Han, X.; Jiang, H. Semi-online hierarchical scheduling problems with buffer or rearrangement. *Inform. Process. Lett.* **2013**, *113*, 127–131.
43. Bar-Noy, A.; Freund, A.; Naor, J. On-line load balancing in a hierarchical server topology. *SIAM J. Comput.* **2001**, *31*, 527–549.

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.