



Antiangiogenic effect with antitumoral potential of antioxidant chitosan nanoparticles, on Chick Chorioallantoic Membrane

Oana-Maria Dragostin^{1*}, Rodica Tatia^{2#}, Sangram Keshari Samal^{3#}, Anca Oancea², Alexandra Simona Zamfir⁴, Ionuț Dragostin⁴, Elena-Lăcrămioara Lisă¹, Constantin Apetrei^{5*}, Carmen Lăcrămioara Zamfir⁴

¹ Research Centre in the Medical-Pharmaceutical Field, Faculty of Medicine and Pharmacy, "Dunarea de Jos" University of Galati, 800008, Galati, Romania; oana.dragostin@ugal.ro ; elenalisa@yahoo.com

² Romanian National Institute of Research and Development for Biological Sciences, 296 Splaiul Independentei, 060031 Bucharest, Romania; rodica.tatia@gmail.com

³ Laboratory of Biomaterials and Regenerative Medicine for Advanced Therapies, Indian Council of Medical Research-Regional Medical Research Centre, Bhubaneswar 751 023, Odisha, India; sksamalrec@gmail.com


⁴ Department of Morpho-Functional Sciences I, Faculty of Medicine, University of Medicine and Pharmacy "Gr.T.Popa" Iasi, Romania; simona.zamfir14@gmail.com; ionut.dragostin@yahoo.com; zamfircia@yahoo.com

⁵ Department of Chemistry, Physics and Environment, The European Centre of Excellence for the Environment, Faculty of Sciences and Environment, "Dunarea de Jos" University of Galati, 800008 Galati, Romania; apetreic@ugal.ro

* Correspondence: oana.dragostin@yahoo.com (O.M.D) ; apetreic@ugal.ro (C.A)

These authors had equal contributions

Received: 15 March 2020; Accepted: 3 April 2020; Published: 7 April 2020






Fig. S1. DLS measurements: The size distribution by intensity of chitosan and chitosan derivatives nanoparticles (a. CLA; b. CLB; c. CLC; d. CLD; e. CL)




Fig. S2. Histogram of the number of blood vessels / field



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).