

Interfacial Modification of Mesoporous TiO₂ Films with PbI₂-Ethanolamine-Dimethyl Sulfoxide Solution for CsPbIBr₂ Perovskite Solar Cells

Xianwei Meng¹, Kailin Chi², Qian Li³, Yu Cao⁴, Gengxin Song², Bao Liu², Haibin Yang¹ and Wuyou Fu^{1,*}

¹ State Key Laboratory of Superhard Materials, Jilin University, Changchun 130012, China; xwmeng17@mails.jlu.edu.cn (X.M.); yanghb@jlu.edu.cn (H.Y.)

² School of Science, Northeast Electric Power University, Jilin 132012, China; 20182787@neepu.edu.cn (K.C.); songgengxin@neepu.edu.cn (G.S.); liubao@neepu.edu.cn (B.L.)

³ Beijing Key Lab of Cryo-Biomedical Engineering and Key Lab of Cryogenics, Technical Institute of Physics and Chemistry, Chinese Academy of Sciences, Beijing 100190, China; liqian@mail.ipc.ac.cn

⁴ School of Electrical Engineering, Northeast Electric Power University, Jilin 132012, China; ycao@neepu.edu.cn

* Correspondence: fuwy@jlu.edu.cn; Tel.: +86-431-8516-8763-801; Fax: +86-431-8516-8763-801

Received: 27 April 2020; Accepted: 14 May 2020; Published: 18 May 2020

Results and discussion




Figure S1. a) XRD pattern and b) EDS spectra of the m-TiO₂/PED film.




Figure S2. $(\alpha h\nu)^2$ vs $h\nu$ plots of the $m\text{-TiO}_2/\text{CsPbIBr}_2$ with and without PED modification.