

Supporting Information:

Synthesis and Morphological Control of VO₂ Nanostructures via a One-Step Hydrothermal Method

Ozlem Karahan ^{1,*}, Ali Tufani ¹, Serkan Unal ^{1,2}, I. Burc Misirlioglu ^{1,2,*}, Yusuf Z. Menceloglu ^{1,2,3,*} and Kursat Sendur ^{1,*}

¹ Faculty of Engineering and Natural Sciences, Sabanci University, Tuzla 34956, Istanbul, Turkey; alitufani@sabanciuniv.edu (A.T.); serkanunal@sabanciuniv.edu (S.U.)

² Integrated Manufacturing Technologies Research and Application Center, Sabanci University, Teknopark İstanbul, Pendik 34906, Istanbul, Turkey

³ Nanotechnology Research and Application Center, Sabanci University, Tuzla 34956, Istanbul, Turkey

* Correspondence: ozlem.karahan@boun.edu.tr (O.K.); burc@sabanciuniv.edu (I.B.M.); yusufm@sabanciuniv.edu (Y.Z.M.); sendur@sabanciuniv.edu (K.S.)

Supplementary Materials: The following are available online at <https://www.mdpi.com/2079-4991/11/3/752/s1>, Figure S1: XRD pattern of VO₂·H₂O precursor before annealing (JCPDS #13-0346) [48].




Figure S1. XRD pattern of VO₂·H₂O precursor before annealing (JCPDS #13-0346) [48].