



Supplementary Material

Continuously Reinforced Carbon Nanotube Film Sea-Cucumber-Like Polyaniline Nanocomposites for Flexible Self-Supporting Energy-Storage Electrode Materials

Bingjian Li ¹, Shi Liu ¹, Haicun Yang ¹, Xixi Xu ¹, Yinjie Zhou ¹, Rong Yang ^{1,2}, Yun Zhang ³ and Jinchun Li ^{1,2,4,*}

¹ School of Materials Science and Engineering, Changzhou University, Changzhou 213164, China; lbj7151@163.com (B.L.); liushi19890101@126.com (S.L.); yhcobo@cczu.edu.cn (H.Y.); xxx970209@163.com (X.X.); zhouyinjie41@163.com (Y.Z.); cloudyyang@cczu.edu.cn (R.Y.)

² Jiangsu Key Laboratory of Environmentally Friendly Polymeric Materials, Changzhou University, Changzhou 213164, China

³ Changzhou Key Laboratory of Functional Film Materials, Changzhou 213164, China; hannah0422@126.com

⁴ National-Local Joint Engineering Research Center of Biomass Refining and High-Quality Utilization, Changzhou 213164, China

* Correspondence: Lijinchun88@163.com




Figure S1. The colors of PANI layer changes during different electrochemical polymerization cycles. Acidified CNTF (A), CNTF/PANI-1C nanocomposites (B), CNTF/PANI-3C nanocomposites (C), CNTF/PANI-5C nanocomposites (D), CNTF/PANI-10C nanocomposites (E), and CNTF/PANI-15C nanocomposites (F).




Figure S2. Raman spectra of pure CNTF, acidified CNTF, CNTF/PANI-1C nanocomposites, CNTF/PANI-3C nanocomposites, CNTF/PANI-5C nanocomposites, CNTF/PANI-10C nanocomposites and CNTF/PANI-15C nanocomposites.