



Supplementary Materials

Encapsulation of Luminescent Gold Nanoclusters into Synthetic Vesicles

Regina M. Chiechio ^{1,2,3}, Solène Ducarre ³, Célia Marets ¹, Aurélien Dupont ⁴, Pascale Even-Hernandez ¹, Xavier Pinson ⁵, Stéphanie Dutertre ⁵, Franck Artzner ⁶, Paolo Musumeci ², Célia Ravel ^{7,8}, Maria Jose Lo Faro ^{2,3} and Valérie Marchi ^{1,*}

¹ Institut des Sciences Chimiques de Rennes, CNRS UMR 6226, Université Rennes 1, F-35000 Rennes, France

² Dipartimento di Fisica e Astronomia “Ettore Majorana”, Università Di Catania, Via Santa Sofia 64, 95123 Catania, Italy

³ IMM-CNR, Via S. Sofia 64, 95123 Catania, Italy

⁴ BIOSIT, Inserm, CNRS UMS 3480, Université Rennes1, US_S 018, F-35000 Rennes, France

⁵ Microscopy Rennes Imaging Centre, SFR Biosit, CNRS UMS 3480—US INSERM 018, Université Rennes 1, F-35000 Rennes, France

⁶ Institut de Physique, CNRS UMR 6251, Université Rennes 1, F-35000 Rennes, France

⁷ Service de Biologie de la Reproduction-CECOS, CHU Rennes, 35000 Rennes, France

⁸ Irset (Institut de Recherche en Santé, Environnement et Travail), Inserm, EHESP, Université Rennes 1, F-35000 Rennes, France

* Correspondence: valerie.marchi@univ-rennes1.fr

Citation: Chiechio, R.M.; Ducarre, S.; Marets, C.; Dupont, A.;

Even-Hernandez, P.; Pinson, X.;

Dutertre, S.; Artzner, F.;

Musumeci, P.; Ravel, C.; et al.

Encapsulation of Luminescent Gold Nanoclusters into Synthetic Vesicles.

Nanomaterials **2022**, *12*, x.

<https://doi.org/10.3390/xxxxx>

Academic Editor: Rosario Pereiro

Received: 6 October 2022

Accepted: 26 October 2022

Published: 2 November 2022

Publisher’s Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors.

Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).




Figure S1. Phase contrast (left) or Fluorescence (right) Optical microscope images of C₃E₆D Red NCs encapsulated inside: (a,b) DOPC and (c,d) DOPC/DOTAP GUVs. Scale bar 20 μm.




Figure S2. Confocal microscope (a) fluorescence and (b) bright field images of C₃E₆D Blue NCs encapsulated inside DOPC GUVs. Scale bar 20 μ m.




Figure S3. Confocal microscopy images (in z-stack) of C₃E₆D Blue NCs encapsulated inside DOPC GUVs corresponding to Figure S2a.




Figure S4. Cryo-TEM images of DOPC MLVs alone (a,b) and with Au NCs (c,d). Scale bar 200 nm.




Figure S5. Cryo-TEM images of DOPC MLVs with Au NCs (**a,b**). Scale bar 400 nm.




Figure S6. Cryo-TEM images of DOPC LUVs alone (**a,b**). Scale bar 200 nm.




Figure S7. (a,b) Images of suspensions composed of the multilamellar vesicles (MLV) or unilamellar vesicles (LUV) alone and in presence of red AuNCs before and after purification; (c) corresponding UV-Vis spectra of the vesicles suspensions.