



Supporting Information

ZIF-67 Derived Co_2VO_4 Hollow Nanocubes for High Performance Asymmetric Supercapacitors

Chengda Li ^{1,2}, Dongliang Ma ^{1,2,*} and Qinglin Zhu ^{1,2}

¹ Xinjiang Key Laboratory of Solid State Physics and Devices, Xinjiang University, Urumqi 830017, China; lichengda572@163.com (C.L.); linzyzn1@163.com (Q.Z.)

² School of Physical Science and Technology, Xinjiang University, Urumqi 830017, China

* Correspondence: dlma@xju.edu.cn




Figure S1. XRD pattern of ZIF-67.




Figure S2. Nitrogen absorption/desorption isothermal and pore size distribution curves of (a) CoVO-HNC, (b) CoVO-NP.




Figure S3. (a) CV curves of CoO-HNC at scan rates of 5–50 mV s^{-1} ; (b) GCD curves of CoO-HNC at current densities of 1–10 A g^{-1} ; (c) CV curves of CoVO-NP at scan rates of 5–50 mV s^{-1} ; (d) GCD curves of CoVO-NP at current densities of 1–10 A g^{-1} .




Figure S4. Nyquist plots of CoO-HNC, CoVO-HNC and CoVO-NP .