

Supplementary Materials

CO₂ Adsorption on the N- and P-Modified Mesoporous Silicas

Oyundari Tumurbaatar ¹, Hristina Lazarova ¹, Margarita Popova ¹, Violeta Mitova ², Pavletta Shestakova ¹ and Neli Koseva ^{2,*}

¹ Institute of Organic Chemistry with Centre of Phytochemistry, Bulgarian Academy of Sciences, Acad. G. Bonchev St., bl. 9, 1113 Sofia, Bulgaria; oyundari.tumurbaatar@orgchm.bas.bg (O.T.); hristina.lazarova@orgchm.bas.bg (H.L.); margarita.popova@orgchm.bas.bg (M.P.); pavletta.shestakova@orgchm.bas.bg (P.S.)

² Institute of Polymers, Bulgarian Academy of Sciences, Acad. G. Bonchev St., bl. 103A, 1113 Sofia, Bulgaria; mitova@polymer.bas.bg

* Correspondence: koseva@polymer.bas.bg; Tel.: +35-988-729-7361




Figure S1. ¹H NMR spectrum of SAPTES in the spectral region from 4 ppm to 0.4 ppm.




Figure S2. ^1H NMR spectrum of PAPTES in the spectral region from 4.5 ppm to 0.4 ppm.




Figure S3. $^{13}\text{C}\{\text{H}\}$ NMR spectrum of PAPTES.




Figure S4. IR spectra of SBA-15, SBA-15/SAPTES and SBA-15/PAPTES.




Figure S5. $^1\text{H} \rightarrow ^{29}\text{Si}$ CP MAS NMR spectra of (a) SAPTES and (b) PAPTES; (c) ^{31}P spectrum of PAPTES.




Figure S6. (a) $^1\text{H} \rightarrow ^{13}\text{C}$ CP MAS NMR spectrum of SAPTES; (b) $^1\text{H} \rightarrow ^{13}\text{C}$ CP MAS NMR spectrum of CO_2 loaded SAPTES; (c) ^{13}C HPDEC spectrum of CO_2 loaded SAPTES.




Figure S7. XRD of the initial and the modified SBA-15 and MCM-48 materials.




Figure S8. UV spectra of SAPTES and PAPTES.