

Supplementary Information

Hierarchical AuNPs-Loaded Fe_3O_4 /Polymers Nanocomposites Constructed by Electrospinning with Enhanced and Magnetically Recyclable Catalytic Capacities

- ¹ State Key Laboratory of Metastable Materials Science and Technology, Yanshan University, Qinhuangdao 066004, China; guorong@stumail.ysu.edu.cn (R.G.); pengqiuming@ysu.edu.cn (Q.P.)
- ² Hebei Key Laboratory of Applied Chemistry, School of Environmental and Chemical Engineering, Yanshan University, Qinhuangdao 066004, China; rrxing@ipe.ac.cn (R.X.); chenyan@ysu.edu.cn (Y.C.); wc-g@ysu.edu.cn (W.G.); zhanglexin@ysu.edu.cn (L.Z.)
- ³ State Key Laboratory of Biochemical Engineering, Institute of Process Engineering, Chinese Academy of Sciences, Beijing 100190, China
- * Correspondence: tfjiao@ysu.edu.cn (T.J.); zhoujingxin@ysu.edu.cn (J.Z.); Tel.: +86-335-8056854 (T.J.); +86-335-8061569 (J.Z.)




Figure S1. SEM (a) with EDX and TEM (b) images of the prepared Fe_3O_4 nanoparticles.




Figure S2. FT-IR of PVA/PAA, PVA/PAA/Fe₃O₄ and PVA/PAA/Fe₃O₄@AuNPs nanocomposites.