Electronic Supporting Information

Electrospun Composites of polycaprolactone and pSi NP's for the tunable delivery of small therapeutic molecules

Steven J. P. McInnes¹, Thomas J. Macdonald², Ivan P. Parkin², Thomas Nann³ and Nicolas H. Voelcker^{4,5}*

- ¹ Future Industries Institute, University of South Australia, Mawson Lakes, Australia; steven.mcinnes@unisa.edu.au
- ² Department of Chemistry, University College London, London, United Kingdom; tom.macdonald@ucl.ac.uk, i.p.parkin@ucl.ac.uk
- ³ MacDiarmid Institute for Advanced Materials and Nanotechnology, School of Chemical and Physical Sciences, Victoria University of Wellington, Wellington, New Zealand; thomas.nann@vuw.ac.nz
- ⁴ Monash Institute of Pharmaceutical Sciences, Monash University, Parkville, Australia

nicolas.voelcker@monash.edu.au

⁵ Commonwealth Scientific and Industrial Research Organisation (CSIRO), Clayton, Australia

pSi NP Characterisation



Figure S1: Representative pSi NP TEM microscopy images. Particles were found to be typically 161 +/- 58 nm and a pore size of 33 +/- 7 nm.

Dynamic light scattering (DLS) gave a nanoparticle size of 149 +/- 25 nm.¹

XPS

PCL Nanofibers			pSi PCL Nanofibers		
Name	Binding	Assignment	Name	Binding	Assignment
	Energy			Energy	
	(eV)			(eV)	
C1s	284.5	С-Н	C1s	284.5	С-Н
C1s	288.7	C=O	C1s	289.1	C=O
O1s	532.2	C-O	O1s	532.3	C-O
O1s	533.5	C-O	O1s	533.6	C-O
Si2p	102.4	C-Si	Si2p	102.4	C-Si

Table S1. XPS of PCL and PCL + pSi composite discs.

EDX



Figure S2: (top) EDX spectra for PCl fibers after NaOH treatment. (bottom) EDX spectra for PCL fibers containing pSi NPs after NaOH treatment.

References:

1) Christopher T. Turner, Steven J. P. McInnes, Elizabeth Melville, Allison J. Cowin and Nicolas H. Voelcker, Delivery of Flightless I Neutralizing Antibody from Porous Silicon Nanoparticles Improves Wound Healing in Diabetic Mice. Adv. Healthcare Mater. 2016, 6(2).