

Supplementary Materials

Biogenic Silver Nanoparticles for Trace Colorimetric Sensing of Enzyme Disrupter Fungicide Vinclozolin

Masood Hussain ¹, Ayman Nafady ^{2,3,*}, Sirajuddin ^{4,*}, Ahmet Avcı ⁵, Erol Pehlivan ⁶, Jan Nisar ⁷, Syed Tufail Hussain Sherazi ¹, Aamna Balouch ¹, Muhammad Raza Shah ⁴, Omar A. Almaghrabi ⁸ and Muhammad Anwar Ul-Haq ⁴

¹ National Centre of Excellence in Analytical Chemistry, University of Sindh, Jamshoro 76080, Pakistan; masood.hussain59@yahoo.com (M.H.); tufail.sherazi@gmail.com (S.T.H.S.); aamna_balouch@yahoo.com (A.B.)

² Department of Chemistry, College of Science, King Saud University, Riyadh 11451 Saudi Arabia

³ Chemistry Department, Faculty of Science, Sohag University, Sohag 82524, Egypt

⁴ HEJ Research Institute of Chemistry, International Center for Chemical and Biological Center, University of Karachi, Karachi 75270, Pakistan; raza.shah@iccs.edu (M.R.S.); anwarulhaq196@gmail.com (A.U.)

⁵ Department of Mechanical Engineering, Selcuk University, Konya 42079, Turkey; aavci@selcuk.edu.tr

⁶ Department of Chemical Engineering, Selcuk University, Konya 42079, Turkey; erolpehlivan@gmail.com

⁷ National Centre of Excellence in Physical Chemistry, University of Peshawar, Peshawar 25120, Pakistan; pashkalawati@gmail.com

⁸ Department of Biological Sciences, Faculty of Science, University of Jeddah, Jeddah 21959, Saudi Arabia; oalmaghrabi@uj.edu.sa

* Correspondence: anafady@ksu.edu.sa (A.N.); drsiraj03@yahoo.com (S.)




Figure S1. Optimization of 0.1 M AgNO₃.




Figure S2. Optimization of volume of clove extract.




Figure S3. pH study of AgNPs sol.




Figure S4. Temperature effect on the formation of AgNPs.