





## Supplementary Materials:

KMnF<sub>3</sub>:Yb<sup>3+</sup>,Er<sup>3+</sup> Core-Active-Shell Nanoparticles with Broadband Down-shifting Luminescence at 1.5 μm for Polymer-based Waveguide Amplifiers




**Figure S1.** Schematic illustration of fabrication processes of the KMnF3:18%Yb<sup>3+</sup>,1%Er<sup>3+</sup>@KMnF3:2%Yb<sup>3+</sup> core-active-shell NPs-doped polymer waveguides.



**Figure S2.** The fluorescent decay curves of the  ${}^4I_{13/2}$  level of  $Er^{3+}$  ions in KMnF3:18%Yb<sup>3+</sup>,1%Er<sup>3+</sup> core NPs, KMnF3:18%Yb<sup>3+</sup>,1%Er<sup>3+</sup>@KMnF3 core-inert-shell NPs and KMnF3:18%Yb<sup>3+</sup>,1%Er<sup>3+</sup>@KMnF3:2%Yb<sup>3+</sup> core-active-shell NPs.

Figure S2 show the fluorescence lifetime of the 4I<sub>13/2</sub> level of Er<sup>3+</sup> ions in KMnF<sub>3</sub>:18%Yb<sup>3+</sup>,1%Er<sup>3+</sup> NPs, KMnF3:18%Yb3+,1%Er3+@KMnF3 **NPs** core core-inert-shell and KMnF3:18%Yb3+,1%Er3+@KMnF3:2%Yb3+ core-active-shell NPs by using a 980 nm pulsed laser with a pulse width of 30 ns and a repetition rate of 50 Hz as the excitation source. The results show that the lifetime of the 4I<sub>13/2</sub> level of Er<sup>3+</sup> in KMnF<sub>3</sub>:18%Yb<sup>3+</sup>,1%Er<sup>3+</sup> core NPs is 2.16 ms. When coating a KMnF<sub>3</sub> inert-shell (There is no Yb<sup>3+</sup> ions in the shell) on the core NPs, the lifetime of the <sup>4</sup>I<sub>13/2</sub> level of Er³+ in KMnF3:18%Yb³+,1%Er³+@KMnF3 core-inert-shell NPs was increased to 2.57 ms. When the shell  $2\%Yb^{3+}$ lifetime  $^{4}I_{13/2}$ Er3+ introduced ions, the of the level of in KMnF3:18%Yb<sup>3+</sup>,1%Er<sup>3+</sup>@KMnF3:2%Yb<sup>3+</sup> core-active-shell NPs was increased to 3.59 ms.



**Figure S3.** (a) The down-shifting fluorescence of KMnF3:18%Yb $^{3+}$ ,1%Er $^{3+}$ @KMnF3:2%Yb $^{3+}$  core-active-shell NPs was excited by different power of 980 nm. (b) The relationship between luminous intensity and pump power.

From the Figure S3, you can see that with the increase of pump power, the down-shifting fluorescence increases gradually.