

Supplementary information

Lignin-Based Hollow Nanoparticles for Controlled Drug Delivery: Grafting Preparation Using β -Cyclodextrin/Enzymatic-Hydrolysis Lignin

Yu Zhou ^{1,2}, Yanming Ha ^{1,*}, Gaiyun Li ¹, Sheng Yang ¹ and Fuxiang Chu ^{1,*}

¹ Research Institute of Wood Industry, Chinese Academy of Forestry, Xiangshan Road, Beijing, 100089, China; zhouyu_sky@126.com (Y.Z.); ligy@caf.ac.cn (G.L.); yangsheng@criwi.org.cn (S.Y.)

² School of Chemistry and Chemical Engineering, Yancheng Institute of Technology, Yancheng City, 224051, China

* Corresponding author: hanyu@caf.ac.cn (Y.H.); chufuxiang@caf.ac.cn (F.C.); Tel.: +86-10-62889433 (Y.H. & F.C.); Fax: +86-10-62889433 (Y.H. & F.C.)

The number of pages: 3

The number of figures: 2




Figure S1. Surface water contact angle of the films prepared with LHNPs and CD-LHNPs.




Figure S2. The stability of LHNP and CD-LHNP in PBS (pH 7.4) at 37 °C. (A) Average size, (B) PDI, and (C) Zeta.