biosensors

MDPI

Supporting Information

A Self-Assembled G-Quadruplex/Hemin DNAzyme-Driven DNA Walker Strategy for Sensitive and Rapid Detection of Lead Ions Based on Rolling Circle Amplification

Yuhan Wang [1], Jiaxuan Xiao [1], Xiaona Lin [2,3], Amira Waheed [2,3], Ayyanu Ravikumar [1], Zhen Zhang [1], Yanmin Zou [4,*] and Chengshui Chen [2,3,*]

[1] School of Emergency Management, School of the Environment and Safety Engineering, Jiangsu University, Zhenjiang 212013, China
[2] Department of Pulmonary and Critical Care Medicine, The Quzhou Affiliated Hospital of Wenzhou Medical University, Quzhou People's Hospital, Quzhou 324000, China
[3] Key Laboratory of Interventional Pulmonology of Zhejiang Province, Department of Pulmonary and Critical Care Medicine, The First Affiliated Hospital of Wenzhou Medical University, Wenzhou 325000, China
[4] School of Pharmacy, Jiangsu University, Zhenjiang 212013, China
* Correspondence: zouyanmin@ujs.edu.cn (Y.Z.); chenchengshui@wmu.edu.cn (C.C.); Fax: +86-577-55578186 (C.C.)




Figure S1. Fluorescence assays of IMBs-DNA walker with different concentrations of Pb^{2+} (0, 1, 5, 10, 50, 100, 500, 1000 nM).